

# **Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 124.**

## List of Documents

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abelmoschus crinitus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abelmoschus esculentus* (L.) MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abelmoschus ficulneus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abelmoschus manihot* (L.) MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abelmoschus moschatus* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abies densa* W. Griff. ex.Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abies pindrow* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abies spectabilis* (D.DON) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abies webbiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abrus fruticosus* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abrus pulchellus* WALL. EX THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon asiaticum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon avicennae* GAETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon glaucum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon graveolens* (ROXB. EX HORNEM.) WIGHT & ARN. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon hirtum* (LAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon indicum* (L.) SWEET guineense (SCHUMACH.) BORSSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon indicum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon pannosum* (G. FORST.) SCHLTDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon persicum* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon theophrasti* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia arabica* SENSU BAKER *vediana* COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia arabica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia caesia* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia catechu* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia catechu* (L.F.) WILLD. *sundra* (DC.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia chundra* (ROXB. EX ROTTLER) WILLD. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia concinna* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia dealbata* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia decurrens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia eburnea* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia farnesiana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia indica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia intsia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia jacquemontii* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia leucophloea* (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia melonoxylon* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia modesta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia nilotica* (L.) WILLD. EX DEL. *indica* (BENTH.) BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia pennata* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia planifrons* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia polyacantha* WILLD. *polyacantha* BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia polyantha* SPRENG EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia pseudo-eburnea* DRUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia pycnantha* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia rugata* (LAM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia senegal* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia sinuata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia speciosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia suma* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia torta* (ROXB) CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha alnifolia* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha betulina* RETZ. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha ciliata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha fruticosa* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha hispida* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha paniculata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha racemosa* WALL. EX BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acampe carinata* (GRIFF) PANIGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acampe papillosa* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acampe praemorsa* (ROXB.) BLATT. & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acampe wightiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acanthopanax trifoliatum* (LINN.) VOSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acer caesium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acer cappadocicum* GLEDITSCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acer laevigatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acer mono* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acer oblongum* WALL. EX DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acer pentapomicum* STEWART.EX BRAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acer pictum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achillea millefolium* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achillea santolina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achras zapota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achyranthes aquatica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achyranthes aspera* L. *rubrofusca* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achyranthes bidentata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achyranthes lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achyranthes porphyristachya* WALL. EX MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum atrox* (BRUHL) MUK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum balfourii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum bisma* (HAM.) RAPAICS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum chasmanthum* STAPF EX HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum deinorrhizum* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum elwesii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum falconeri* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum ferox* WALL. EX SERINGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum heterophyllum* WALL. EX ROYLE and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum kashmiricum* STAPF EX COVENTRY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum laciniatum* (BRUEHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum laeve* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum lethale* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum luridum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum moschatum* (BRUEHL) STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum napellus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum palmatum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum rotundifolium* KAR. & KIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum soonoricum* STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum spicatum* (BRUHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconitum violaceum* JACQ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconogonum rumicifolium* (ROYLE EX BAB.)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aconogonum tortuosum* (D.DON)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acorus calamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acorus gramineus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acrocarpus fraxinifolius* WIGHT & ARNOLAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acrocephalus hispidus* (L.) NICOLS. & SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acrocephalus indicus* (BURM.F.) KUNTZE NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acronychia laurifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acronychia pedunculata* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acroptilon repens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acrostichum aureum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acrotrema arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actaea racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actaea spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinopterys australis* (L.F.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinopterys dichotoma* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinopteris radiata* (SW.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne angustifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne dichotoma* FLORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne hookeri* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne obovata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenanthera pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenema hyssopifolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenia heterophylla* (BLUME) KOORD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenia hondala* (GAERTN.) W.J.DE WILDE and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenia nicobarica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenia palmata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenia penangiana* (DON) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenia wightiana* (WALL. EX WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenosma capitatum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenosma indianum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenosma indicum* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenostemma lavenia* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adhatoda beddomei* C.B. CLARKE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adhatoda vasica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adhatoda zeylanica* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum aethiopicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum capillus-veneris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum caudatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum cuneipinnulum* NAIR & GHOSH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum flabellulatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum incisum* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum lunulatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum melanacaulon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum pedatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum peruvianum* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum philippense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum tinetum* MOORE F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum trapiziforme* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adiantum venustum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adina cordifolia* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adinobotrys atropurpureus* DUNN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adonis aestivalis* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adonis chrysocyathus* HOOK.F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adonis majus* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adonis scrobiculata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adonis vernalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aegiceras corniculatum* (L.) BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aegle marmelos* (L.) CORREA EX. SCHULTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerides crispum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerides fieldingii* WILLMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerides multiflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerides odorata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerides rosea* LINDL. & PAXT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerides williamsii* WARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerva javanica* (BURM.F.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerva lanata* (L.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerva monsonia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerva pseudotomentosa* BLATT. & HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerva sanguinolenta* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerva tomentosa* FORSK. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerva wightii* HOOK .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeschynanthus hookerii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeschynanthus maculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aesculus assamica* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aesculus hippocastamum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aesculus indica* COLEBR. EX CAMBESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aframomum melegueta* (ROSC.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aganosma calycina* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aganosma caryophyllata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aganosma cymosa* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aganosma dichotoma* (ROTH) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aganosma marginata* G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aganosma wallichii* G.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agapanthus africanus* (L.)HOFFMANN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agathis robusta* F.M.BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agati grandiflora* (L.) DEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agave americana* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agave angustifolia* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agave cantala* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agave sisalana* PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agave vera-cruz* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agave vivipara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ageratina adenophora* (SPR.) KING & ROB., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ageratum houstonianum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia diepenhorstii* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia domestica* (CORREA EMEND. JACK) PELLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia elaeagoidea* (JUSS.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia lawii* (WIGHT.) SALDANHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia minutiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia odorata* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia odoratissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia roxburghiana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agni-jwalamonia eupatoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agni-jwalamonia pilosa* LEDEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agropyron repens* BEAUV. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostemma githago* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostis linearis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostistachys meeboldii* PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ailanthus altissima* SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ailanthus excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ailanthus glandulosa* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ailanthus malabarica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ailanthus triphysa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ainsliaea angustifolia* HOOK.F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ainsliaea aptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ainsliaea pteropoda* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aisandra butyracea* (ROXB.) BAEHNI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ajuga bracteosa* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ajuga macrocarpa* WALL EX. BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ajuga macrosperma* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ajuga parviflora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alangium begonifolium* MARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alangium decapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alangium hexapetalum* LAM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alangium kurzii* CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alangium lamarckii* THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alangium salvifolium* (L.F.) WANG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia amara* (ROXB.) BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia chinensis* (OSBECK) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia julibrissin* DURASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia lebbeck* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia lucida* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia lucidior* (STEND.) NIELSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia marginata* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia myriophylla* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia odoratissima* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia procera* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia stipulata* BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alchornea javensis* MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alchornea rugosa* (LOUR) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alchornea tiliacifolia* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alectra parasitica* RICH. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alectra parasitica* A.RICH. *chitrakutensis* RAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aleurites moluccana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alhagi camelorum* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alhagi maurorum* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alhagi pseudalhagi* (BIEB.) DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alisma plantago* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alisma plantago-aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alisma plantagoauatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alkanna tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *AllamKalam cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alliaria officinalis* ANDRZEJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alliaria petiolata* (BIEB.)CAVARA & GRANDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium ampeloprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium ascalonicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium carolinianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium chinense* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium consanguineum* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium hookeri* THW. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium humile* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium leptophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium macleani* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium rubellum* M.BIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium schoenoprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium stracheyi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium tuberosum* ROTTL. EX SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium victorialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium wallichii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allmania nodiflora* (L.) R.BR. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allophylus cobbe* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allophylus rheedii* (WIGHT.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allophylus serratus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alloteropsis cimicina* (L.) STAPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alnus nepalensis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alnus nitida* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alocasia cucullata* SCHOTT. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alocasia denudata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alocasia fornicata* (ROXB.) SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alocasia indica* (LOUR.) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alocasia macrorhiza* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alocasia montana* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alocasia odora* (ROXB.) C.KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe abyssinica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe barbadensis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe ferox* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe indica* (SCHOTT) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe littoralis* KOEN. EX. BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe perryi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe spicata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe succotrina* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe vera* L. *chinensis* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe vera* L. *littoralis* KOEING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe vera*(typica) (L.) BURM.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloysia triphylla* (L'HER.) BRITT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alphonsea veratricosa* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia allhugas* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia calcarata* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia chinensis* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia conchigera* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia galanga* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia khulanjan* M. SHERIFF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia malaccensis* (BURM.F.) ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia nigra* (GAERTN.) BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia nutans* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia officinarum* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia speciosa* K.SCHWM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia zerumbet* BURTT & R.M. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alseodaphne semicarpifolia* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alstonia constricta* F MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alstonia kurzii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alstonia macrophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alstonia scholaris* R.BR. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alstonia spectabilis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alstonia venenata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alternanthera ficoidea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alternanthera philoxeroides* (MAR.) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alternanthera pungens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alternanthera sessilis* (L.) R.BR.EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alternanthera triandra* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Althaea ludwigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Althaea officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Althaea rosea* (L.) CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Altingia excelsa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus bupleurifolius* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus longifolius* WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus monilifer* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus vaginalis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alyxia reinwartii* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alyxia stellata* ROEM. & SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus atropurpureus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus blitum* L. oleracea DUTHIE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus campestris* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus dubius* E.H.L.KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus fasciatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus gangeticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus gangeticus* LINN. tristis PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus gracilis* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus graecizans* AUCT. HISP. EX CUT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus hybridus* L. *hybridus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus hybridus* L. *paniculatus* THELL. *cruentus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus hypochondriacus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus lividus* L. *polygonoides* (MIQ.) THELL. EX PROBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus lividus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus mangostanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus polygamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus tenuifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus tristis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaryllis belladonna* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amberboa divaricata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amberboa hookeri* (HASSK.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amberboa ramosa* (ROXB.) JAFRI and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amblyanthus glandulosus* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ambroma augusta* (L.) L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amentotaxus assamica* D.K.Ferguson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amischophacelus axillaris* ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amischotolype hookeri* (HASSK.) HARA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ammannia auriculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ammannia baccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ammannia senegalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ammannia vesicatoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ammi majus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum aromaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum costatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum dealbatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum fenzlii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum granum-paradisi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum kepulaga* SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum melegueta* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum racemosum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum subulatum* ROXB. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum xanthioides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum zingiber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amoora cucullata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amoora rohituka* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amorpha fruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amorphophallus bulbifer* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amorphophallus campanulatus* BLUME EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amorphophallus commutatus* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amorphophallus dubius* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amorphophallus paeoniifolius* (DENNST.) NICOLSON *campanulatus* (DECNE.) SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amorphophallus paeoniifolius* (DENNST.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amorphophallus prainii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amorphophallus sylvaticus* (ROXB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ampelocissus araneosa* (DALZ. & CRIBBS.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ampelocissus arnottiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ampelocissus barbata* (WALL.) PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ampelocissus indica* (L.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ampelocissus latifolia* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ampelocissus tomentosa* (ROTH.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amphicome emodi* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amphilophis odorata* CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amphineuron extensus* (BL.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amyris gileadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anacolsa densiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anacyclus pyrethrum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anamirta cocculus* (L.) WIGHT & ARN. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ananas comosus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ananas sativus* SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis adnata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis brevifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis cinnamomea* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis contorta* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis cuneifolia* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis neelgerriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis nubigena* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis sarmentosa* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis semepervivoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis triplinervis* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anastatica hierochuntica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anchusa strigosa* LABILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ancistrocladus heyneanus* WALL. EX GRAHAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ancistrocladus tectorius* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andira araroba* AGUIAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrachne cadishaw* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrachne cordifolia* MUELL. ARG. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis atropurpurea* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis echinoides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis lineata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis macrobotrys* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis serpyllifolia* (ROTTL. EX VAHL)WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon citratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon contortus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon halepensis* BROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon jwarancusa* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon laniger* DUTHIE NON DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon martini* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon muricatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon nardus* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon odoratus* DNA LISBOA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum phlomidis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum serratum* (L.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum thomsonae* Balf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum waiiichii* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Duranta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gmelina arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gmelina philippensis* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holmskioldia sanguinea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lantana camara* L. var. *aculeata* (L.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lantana camara* L. var. *splendens* (Medic.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lantana indica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lantana trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lantana veronicifolia* Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lippia citriodora* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lippia javanica* (Burm.f.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Petrea volubilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyla nodiflora* (L.) Greene and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna balakrishnanii* Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna coriacea* Clarke var. *coriacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna coriacea* Clarke var. *villosa* (C. B. Clarke) Rajendran & Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna corymbosa* (Burm.f.) Rottl. & Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna glaberrima* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna latifolia* Rozb. var. *latifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna latifolia* Roxb. var. *henryi* D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna latifolia* Rozb. var. *mollissima* (Roth) Clarke and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna latifolia* Roxb. var. *viburnoides* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna mundanthuraiensis* Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna paucinervis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna wightiana* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Priva cordifolia* (L.f.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachytarpheta jamaicensis* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachytarpheta mutabilis* (Jacq.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachytarpheta urticaefolia* (Salisb.) Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tectona grandis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbena bipinnatifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbena bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbena x hybrida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbena rigida* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex altissima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex leucoxylon* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex negundo* L. var. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex negundo* L. var. *purpurascens* Sivar. & Moldenke

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex peduncularis* Wall. ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Congea tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphenodesme paniculata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symphorema involucratum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avicennia alba* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avicennia marina* (Forssk.) Vierh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acrocephalus hispidus* (L.) Nicolson & Sadasivan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acrocephalus palniensis* Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus argenteus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus carnosus* (L.f.) Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus dysophylloides* Benth. var. *dysophylloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus dysophylloides* Benth. var. *purpureus* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus eriocephalus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus henryi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus paniculatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus robustus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus scaber* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus sericeus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus suffruticosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisomeles heyneana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisomeles indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisomeles malabarica* (L.) R. Br. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Basilicum polystachyon* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Becium filamentosum* (Forssk.) Chiov. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clinopodium umbrosum* (M. Bieb.) K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colebrookea oppositifolia* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elsholtzia ciliata* (Thunb.) Hyland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Endostemon viscosus* (Roth) M. Ashby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eusteralis cruciata* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eusteralis deccanensis* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eusteralis quadrifolia* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geniosporum elongatum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geniosporum menthoides* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geniosporum menthoides* (L.) Merr. var. *longiracemosum* (Ramam. & Sebastine) Press & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphostemma eriocarpon* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphostemma heyneanum* Wall. ex Benth. var. *heyneanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphostemma heyneanum* Wall. ex Benth. var. *rottleri* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphostemma keralensis* Vivek., Gopalan & Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphostemma strobilinum* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyptis suaveolens* (L.) Poit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isodon coetsa* (D. Don) Kudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isodon nigrescens* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isodon nilgherriensis* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isodon walkeri* ( Arn. ) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isodon wightii* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lavandula angustifolia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lavandula lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leonotis leonurus* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leonotis nepetifolia* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leonurus sibiricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas anKalamraoana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas angularis* Benth. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas aspera* (Willd.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas biflora* (Vahl) R.Br. var. *biflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas cephalotes* (Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas chinensis* (Retz.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas ciliata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas diffusa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas eriostoma* Hook.f. var. *eriostoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas eriostoma* Hook.f. var. *lanata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas eriostoma* Hook.f. var. *latifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas flaccida* R.Br. var. *scaberula* (Hook.f.) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas helianthemifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas hirta* (Heyne ex Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas indica* (L.) R.Br. ex Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas lamifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas lanata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas lanceaefolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas marrubioides* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas martinicensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas montana* Spreng. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas nutans* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas prostrata* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas rosmarinifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas stelligera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas stricta* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas suffruticosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas ternifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas urticaefolia* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas vestita* Benth. var. *vestita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas vestita* Benth. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas vestita* Benth. var. *oblongifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas vestita* Benth. var. *sericostoma* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas zeylanica* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha x piperita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meriandra bengalensis* Benth. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micromeria biflora* (Buch.-Ham.ex D.Don.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micromeria capitellata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta hindostana* (Roth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum americanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum basilicum* L. var. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum basilicum* L. var. *pilosum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum basilicum* L. var. *purpurascens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum basilicum* L. var. *thyrsiflorum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Origanum hortensis* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon aristatus* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon comosus* Wight ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon pallidus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon rubicundus* (D.Don) Benth. var. *rubicundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon rubicundus* (D.Don) Benth. var. *hohenackeri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon thymiflorus* (Roth) Sleensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus amboinicus* (Lour.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus barbatus* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus bishopianus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus caninus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus coleoides* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus deccanicus* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus malabaricus* (Benth.) Willemse and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus mollis* (Ait.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus rivularis* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus rotundifolius* (Poir.) Spreng. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus scutellarioides* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus stocksii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus subincisus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus urticifolius* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus vettiveroides* (Jacob) Singh & Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon atropurpureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon auricularius* (L.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon benghalensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon cablin* (Blanco) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon gardneri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon hedgei* V.S. Kumar & B. Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon heyneanus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon myosuroides* (Roth) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon nilagiricus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon paludosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon paniculatus* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon purpurascens* Dalz. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon rotundatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon rugosus* (Hook.f.) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon speciosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunella vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia coccinea* Buc'hoz ex Etlinger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia farinacea* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia grahamii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia involucrata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia leucantha* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia microphylla* Kunth var. *neurepia* (Fernald) Epling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia patens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia rutilans* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia splendens* Sell. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia uliginosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia verbenacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Satureja umbrosa* (Bieb.) Scheele and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutellaria colebrookiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutellaria rivularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutellaria violacea* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutellaria wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetradenia riparia* (Hochst.) Codd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teucrium fruticans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teucrium plectranthoides* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teucrium tomentosum* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teucrium wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago afra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago erosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago exigua* Juss.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago ovata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commicarpus chinensis* (L.) Heimerl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boerhavia crispa* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wild Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boerhavia erecta* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boerhavia helenae* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bougainvillea glabra* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bougainvillea spectabilis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mirabilis longiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pisonia grandis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achyranthes aspera* L. var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achyranthes aspera* L. var. *porphyristachya* (Wall. ex Moq.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achyranthes aspera* L. var. *rubro-fusca* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achyranthes bidentata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerva lanata* (L.) Juss. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerva persica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerva sanguinolenta* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerva wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allmania nodiflora* (L.) R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alternanthera paronychioides* A.St. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alternanthera philoxeroides* (C. Martiu) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alternanthera pungens* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alternanthera sessilis* (L.) R.Br. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alternanthera tenella* Colla. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alternanthera tenella* Colla. var. *bettzickiana* (Regel) Veldkamp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus graecizans* subsp. *thelProstateianus* (Nevski) Gusev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus hybridus* L. subsp. *cruentus* (L.) Thell. var. *paniculatus* (L.) Thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celosia polygonoides* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celosia pulchella* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyathula prostrata* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digera muricata* (L.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphrena serrata* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indobanalia thyrsoflora* (Moq.) Henry & Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iresine herbstii* Hook.f. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothosaerva brachiata* (L.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psilotrichum elliotii* Baker & Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psilotrichum nudum* (Heyne ex Wall.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pupalia lappacea* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichuriella monsoniae* (L.f.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arthrocnemum glaucum* (Del.) Ung.-Sternb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arthrocnemum indicum* (Willd.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atriplex repens* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atriplex stockesii* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chenopodium ambrosioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chenopodium carinatum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chenopodium giganteum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chenopodium pumilo* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haloxylon recurvum* (Moq.) Bunge and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kochia indica* Wight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salicornia brachiata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Suaeda maritima* (L.) Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Suaeda monoica* Forssk. ex Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Suaeda vermiculata* Forssk. ex J.F.Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ercilla spicata* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Petiveria alliacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phytolacca dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phytolacca octandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rivina humilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antigonon leptopus* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coccoloba uvifera* (L.) L. Syst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Emex spinosus* (L.) Campdera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagopyrum esculentum* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Muehlenbeckia gracillima* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Muehlenbeckia platyclada* (F.v. Muell. ex Hook.) Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persicaria attenuata* (R.Br.) Sojak subsp. *pulchra* (Blume

) K.L.Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persicaria barbata* ( L. ) Hara var. *gracilis* ( Danser ) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persicaria barbata* ( L. ) Hara var. *stagnina* ( Buch.-Ham. ex Meisn. ) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persicaria capitata* ( Buch.-Ham. ex D.Don ) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persicaria chinensis* ( L. ) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persicaria dichotoma* ( Blume ) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persicaria hydropiper* ( L. ) Spach var. *hydropiper* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persicaria hydropiper* ( L. ) Spach subsp. *flaccida* ( Meisn. ) Munshi & Javeid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persicaria lapathifolia* ( L. ) Gray var. *lanigera* ( R.Br. ) Chantar. & Tubtimtong and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persicaria nepalensis* ( Meisn. ) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persicaria peduncularis* (Meissner) Nemato and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum dichotomum* Blume var. *angustissima* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum dichotomum* Blume var. *nilagirica* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum dichotomum* Blume var. *robusta* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum glabrum* Willd. var. *glabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum glabrum* Willd. var. *scabrinervis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum minus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum molle* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum plebeium* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum sphaerocephalum* Wall. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum raphaniticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex nepalensis* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex vesicarius* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalzellia zeylanica* (Gard.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Farmeria indica* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indotristicha ramosissima* (Wight) Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indotristicha tirunelveliana* Sharma, Karthik. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Podostemon barberi* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Podostemon subulatus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polypleurum dichotomum* (Gard.) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polypleurum stylosum* (Wight) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Willisia selaginoides* (Bedd.) Warm. ex Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zeylanidium lichenoides* (Kurz) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zeylanidium olivaceum* (Gard.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia bracteolata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia cymbifera* Mart. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia ringens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia tagala* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thottea barberi* (Gamble) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thottea siliquosa* (Lam.) Ding Hou and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepianthes umbellata* (L.) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peperomia blKalam* (Jacq.) Kunth var. *floribunda* (Miq. ) Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peperomia heyneana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peperomia pellucida* (L.) H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peperomia candolleana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peperomia tetraphylla* (Forst.f.) Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peperomia pseudo - rhombi* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peperomia wightiana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper argyrophyllum* Miq. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper galeatum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper glaberrhache* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper hapnium* Buch.-Ham. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper hymenophyllum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper mullesua* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper obtusistigma* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper ootacamunbense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper opacilimum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper ovatostemon* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper pykarahense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper schmidtii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper trichostachyon* (Miq.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper trioicum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper wightii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcandra chloranthoides* Gard. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knema attenuata* (Wall. ex Hook.f.& Thoms.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myristica dactyloides* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myristica fatua* Houtt. var. *magnifica* (Bedd.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myristica fragrans* Houtt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne campanulata* Hook.f. var. *campanulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne campanulata* Hook.f. var. *obtusata* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne lanata* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne maderaspatana* Bedd. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne malabarica* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne salicina* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actinodaphne tadulingamii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alseodaphne semecarpifolia* Nees var. *semecarpifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alseodaphne semecarpifolia* Nees var. *angustifolia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alseodaphne semecarpifolia* Nees var. *parvifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apollonias arnottii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Beilschmiedia bourdillonii* Brandis and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Beilschmiedia gammieana* King ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Beilschmiedia wightii* (Nees) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassytha capillaris* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum bejolghota* (Buch. - Ham.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum camphora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum filipedicellatum* Kosterm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum keralaense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum macrocarpum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum malabattrum* (Burm.f.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum multiflorum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum nitidum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum perrottetii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum riparium* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum sulphuratum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum verum* Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum walaiwarensense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum wightii* Meisner and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptocarya anamalayana* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptocarya beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptocarya bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptocarya lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptocarya neilgherrensis* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptocarya stocksii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laurus nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea coriacea* (Heyne ex Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea deccanensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea floribunda* (Blume) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea glabrata* (Wall. ex Nees) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea glutinosa* (Lour.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea hookeriana* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea laevigata* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea monopetala* (Roxb.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea nigrescens* Gamble and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea oleoides* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea quinqueflora* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea stocksii* (Meisner) Hook.f. var. *stocksii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea stocksii* (Meisner) Hook.f. var. *glabrescens* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea venulosa* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea wightiana* (Nees) Hook.f. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea wightiana* (Nees) Hook.f. var. *tomentosa* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neolitsea cassia* (L.) Kosterm. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neolitsea fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neolitsea foliosa* (Nees) Gamble var. *caesia* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neolitsea scrobiculata* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persea americana* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persea macrantha* (Nees) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoebe lanceolata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoebe paniculata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoebe wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gyrocarpus asiaticus* Willd. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Banksia marginata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grevillea banksii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grevillea bipinnatifida* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grevillea hilliana* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grevillea punicea* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grevillea robusta* A. Cunn. ex R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hakea laurina* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hakea salicifolia* (Vent.) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hakea sericea* Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helicia nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helicia robusta* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucadendron argenteum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macadamia ternifolia* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Petrophile pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stenocarpus salignus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnidia glauca* (Fresen.) Gilg var. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnidia glauca* (Fresen.) Gilg var. *sisparensis* (Gard.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gyrinops walla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ovidia humboldtia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wikstroemia indica* (L.) C. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus conferta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus indica* Servettaz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus kologa* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrophthoe falcata* (L.f.) Etting. var. *falcata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrophthoe falcata* (L.f.) Etting. var. *pubescens* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrophthoe memecylifolia* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrophthoe neelgherrensis* (Wight & Arn.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrophthoe sarcophylla* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrophthoe trigona* (Wight & Arn.) Danser ex Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helicanthus elastica* (Desr.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helixanthera hookeriana* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helixanthera intermedia* (Wight) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helixanthera lepidophylla* (Walp.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helixanthera obtusata* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helixanthera wallichiana* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macrosolen capitellatus* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macrosolen parasiticus* (L.) Danser and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scurrula cordifolia* (Wall.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taxillus courtallensis* (Gamble) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taxillus cuneatus* (Heyne ex Roth) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taxillus heyneanus* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taxillus recurvus* (Wall. ex DC.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taxillus sclerophyllus* (Thw.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taxillus tomentosus* (Heyne ex Roth) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Korthalsella japonica* (Thunb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum angulatum* Heyne ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum articulatum* Burm.f. var. *articulatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum articulatum* Burm.f. var. *dichotomum* Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum articulatum* Burm.f. var. *thelocarpum* (Danser) R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum capitellatum* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum heyneanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum monoicum* Roxb.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum orientale* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum ramosissimum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum trilobatum* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osyris quadripartita* Salzm. ex Decne. var. *quadripartita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osyris quadripartita* Salzm. ex Decne. var. *puberula* (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleropyrum pentandrum* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thesium wightianum* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *minor* (Eichl.) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *agastyamalayana* Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *tirunelveli*ensis Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha alnifolia* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha brachystachya* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha ciliata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha fruticosa* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha hispida* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha lanceolata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha malabarica* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha racemosa* Heyne ex Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acalypha amentacea* Roxb. subsp. *wilkesiana* (Muell.Arg.) Fosberg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Actephila excelsa* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostistachys borneensis* Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostistachys indica* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aleurites moluccana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antidesma acidum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antidesma alexiteria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antidesma buniis* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antidesma ghaesembilla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antidesma menasu* (Tul.) Miq. ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antidesma walkeri* (Tul.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aporosa acuminata* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aporosa fusiformis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aporosa lindleyana* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Baccaurea courtallensis* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Baliospermum montanum* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bischofia javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blachia calycina* Benth. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blachia reflexa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blachia umbellata* (Willd.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Breynia retusa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Breynia vitis-idaea* (Burm.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bridelia cinerascens* Gehrm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bridelia crenulata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bridelia retusa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bridelia scandens* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrozophora prostrata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrozophora rottleri* (Geiseler) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Claoxylon anomalum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Claoxylon wightii* Hook.f. var. *angustatum* Susila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Claoxylon wightii* Hook.f. var. *hirsutum* (Hook.f.) Sushila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleidion spiciflorum* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleistanthus collinus* (Roxb.) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleistanthus patulus* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleistanthus travancorensis* Jablonszky and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Codiaeum variegatum* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelodepas calycinum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton bonplandianum* Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton caudatus* Geiseler var. *caudatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton caudatus* Geiseler var. *obovoideus* Balakr. & Chakrab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton hirtus* L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton klotzchianus* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton laccifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton malabaricus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton oblongifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton zeylanicus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalechampia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalechampia scandens* L. var. *velutina* (Wight) Mull. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimorphocalyx beddomei* (Benth.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimorphocalyx glabellus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimorphocalyx lawianus* (Muell.-Arg.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drypetes elata* (Bedd.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drypetes longifolia* (Blume) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drypetes malabarica* (Bedd.) Airy Shaw



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drypetes porteri* (Gamble) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drypetes roxburghii* (Wall.) Hurusawa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drypetes sepiaria* (Wight & Arn.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drypetes venusta* (Wight) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drypetes wightii* (Hook.f.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epiprinus mallotiformis* (Muell.-Arg.) Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia agowensis* Hochst. ex Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia balakrishnanii* Binojk. & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia barnhartii* Croizat and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia corrigioloides* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia cotinifolia* L. subsp. *cotinoides* (Miq.) Christenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia cristata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia cyathophora* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia dracunculoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia heterophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia heyneana* Spreng. subsp. *heyneana* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia heyneana* Spreng. subsp. *nilagirica* (Miq.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia indica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia laciniata* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia longistyla* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia milii* Des and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia nivulia* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia pulcherrima* Willd.ex Klotzsch and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia pycnostegia* Boiss. var. *zornioides* (Boiss.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia rosea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia rothiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia santapau* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia serpens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia trigona* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia tortilis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia vajravelui* Binojk. & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Excoecaria cochinchinensis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Excoecaria crenulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Excoecaria robusta* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fahrenheitia zeylanica* (Thw.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flueggea leucopyrus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flueggea virosa* (Willd) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Givotia rottleriformis* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion arboreum* Wight and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion balakrishnanii* G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion candolleianum* (Wight & Arn.) Chakrab. & Gangop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion ellipticum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion fagifolium* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion malabaricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion pauciflorum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion tomentosum* Dalz. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion velutinum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion zeylanicum* (Gaertn.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hevea brasiliensis* (Willd. ex Juss.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Homonoia retusa* (Graham ex Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Homonoia riparia* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha glandulifera* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha heynei* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha integerrima* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha maheshwarii* Subram. & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha tanjorensis* Ellis & Saroja and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha villosa* Wight var. *villosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha villosa* Wight var. *ramnadensis* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macaranga flexuosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macaranga indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macaranga peltata* (Roxb.) Muell.-Arg. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus atrovirens* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus aureo-punctatus* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus distans* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus philippensis* (Lam.) Muell.-Arg. var. *philippensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus philippensis* (Lam.) Muell.-Arg. var. *tomentosus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus repandus* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus resinous* (Blanco) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus rhamnifolius* Muell.-Arg. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus stenanthus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus subramanyamii* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus tetracoccus* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Manihot esculenta* Crantz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Manihot glaziovii* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Margaritaria indica* (Dalz.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meineckia longipes* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meineckia parvifolia* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micrococca beddomei* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micrococca mercurialis* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micrococca wightii* (Hook.f.) prain var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micrococca wightii* (Hook.f.) prain var. *hirsutum* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mischodon zeylanicus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paracroton integrifolius* (Airy Shaw) Balakr. & Chakrab and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedilanthus tithymaloides* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus acidus* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus amarus* Schum. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus baillonianus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus beddomei* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus chandrabosei* Govaerts & Radcl. - Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus debilis* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus fimbriatus* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus gageana* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus gardnerianus* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus indofischeri* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus kozhikodianus* Sivar. & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus lawii* Graham ex Muell.-Arg. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus leschenaultii* Muell. Arg., and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus longiflorus* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus macraei* Muell.-Arg. var. *macraei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus macraei* Muell.-Arg. var. *hispidus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus macrocalyx* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus megacarpa* (Gamble) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus myrtifolius* Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus pinnatus* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus polyphyllus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus reticulatus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus rotundifolius* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus singampattiana* (Sebastine & Henry) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus speciosus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus virgatus* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudoglochidion anamalayanum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sapium insigne* (Royle) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sapium sebiferum* (Michaux) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sauropus androgynus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sauropus bacciformis* (L.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sauropus quadrangularis* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sebastiania chamaelea* (L.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Suregada lanceolata* (Willd.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Synadenium grantii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragia bicolor* Miq. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragia involucrata* L. var. *involucrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragia involucrata* L. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragia muelleriana* Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragia plukenetii* R. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trewia polycarpa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trigonostemon nemoralis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernicia montana* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daphniphyllum neilgherrense* (Wight) K. Rosenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buxus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcococca brevifolia* (Muell.-Arg.) Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcococca saligna* (D. Don.) Muell. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boehmeria glomerulifera* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boehmeria macrophylla* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boehmeria nivea* (L.) Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chamabaina cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Debregeasia ceylanica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Debregeasia longifolia* (Burm.f.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Debregeasia wallichiana* (Wedd.) Wedd. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrocnide sinuata* (Blume) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Droguetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) Friis & Wilmot- Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema acuminatum* (Poir.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema cuneatum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema lineolatum* Wight var. *lineolatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema lineolatum* Wight var. *falcigera* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema lineolatum* Wight var. *linearis* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema lineolatum* Wight var. *setosum* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema sessile* Forst. var. *sessile* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema sessile* Forst. var. *cuspidata* (Wight) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema sessile* Forst. var. *pubescens* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema surculosum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Girardinia diversifolia* (Link) Friis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laportea bulbifera* (Sieb. & Zucc.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laportea interrupta* (L.) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lecanthus peduncularis* (Wall. ex Royle) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oreocnide frutescens* (Thunb.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oreocnide integrifolia* (Gaudich.) Miq. var. *integrifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oreocnide integrifolia* (Gaudich.) Miq. var. *sylvatica* (Hassk.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parietaria micrantha* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pellionia heyneana* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pilea angulata* (Blume) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pilea kingii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pilea melastomoides* (Poir.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pilea microphylla* (L.) Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pilea wightii* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia bennettiana* Wight var. *bennettiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia bennettiana* Wight var. *acuta* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia bennettiana* Wight var. *gardneri* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia bennettiana* Wight var. *macrophylla* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia bennettiana* Wight var. *mysorensis* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia bennettiana* Wight var. *ovalifolia* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia bennettiana* Wight var. *quadrialata* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia bennettiana* Wight var. *tomentosa* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on



stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia cymosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia hirta* (Blume) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia pentandra* (Roxb.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia wightii* Benn. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia wightii* Benn. var. *caudata* (Benn.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia wightii* Benn. var. *lawsoniana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia wightii* Benn. var. *nilghirensis* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia wightii* Benn. var. *scabra* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia wightii* Benn. var. *wallichiana* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia zeylanica* (L.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Procris crenata* Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urtica hyperborea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urtica parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aphananthe cuspidata* (Blume) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celtis philippensis* Blanco var. *wightii* (Planch.) Soep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celtis tetrandra* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celtis timorensis* Spanoghe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holoptelea integrifolia* (Roxb.) Planch. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trema orientalis* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antiaris toxicaria* (Pers.) Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artocarpus incisus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artocarpus gomezianus* Wall. ex Trec. subsp. *zeylanicus* Jarrett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artocarpus heterophyllus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artocarpus hirsutus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Broussonetia papyrifera* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cudrania cochinchinensis* (Lour.) Kudo & Masamune and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dorstenia indica* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus albipila* (Miq.) King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus amplissima* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus amplocarpa* Govindarajulu & Masilamoney and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus arnottiana* (Miq.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus auriculata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus beddomei* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus benghalensis* L. var. *benghalensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus benghalensis* L. var. *krishnae* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus benjamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus callosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus dalhousiae* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus drupacea* Thunb. var. *pubescens* (Roth) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus elastica* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus exasperata* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus glaberrima* Blume var. *bracteata* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus guttata* (Wight) Kurz ex King and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus heterophylla* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus hispida* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus hookeriana* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus laevis* Blume var. *macrocarpa* (Miq.) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus microcarpa* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus mollis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus nervosa* Heyne ex Roth var. *nervosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus nervosa* Roth var. *minor* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus palmata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus pumila* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus talbotii* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus tinctoria* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus tsjahela* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus virens* Ait. var. *virens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus virens* Ait. var. *lambertiana* (Miq.) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus virens* Ait. var. *wightiana* (Miq.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morus alba* L. and 15 wasteland weeds based Green Spray



with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morus australis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plecosperrum spinosum* Trec. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Streblus asper* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Streblus taxoides* (Heyne ex Roth) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Platanus orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casuarina glauca* Sieber. ex A.Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casuarina equisetifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casuarina junghuhniana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casuarina stricta* Dryand. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casuarina suberosa* Otto & Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casuarina torulosa* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alnus nepalensis* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Betula alnoides* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Castanea crenata* Sieb. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Castanea sativa* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Castanopsis indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Castanopsis roxburghiana* S.N. Biswas and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagus sylvatica* L. var. *sylvatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagus sylvatica* L. var. *cuprea* Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus baloot* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus coccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus leucotrichophora* A. Camus ex Bahadur and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus robur* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus serrata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salix tetrasperma* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blyxa aubertii* Rich. var. *echinosperma* (Clarke) Cook & Luond and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blyxa octandra* (Roxb.) Planch ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enhalus acoroides* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Halophila beccarii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Halophila decipiens* Ostenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Halophila ovalis* (R. Br.) Hook.f. subsp. *ovalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Halophila ovalis* (R. Br.) Hook.f. subsp. *ramamurthiana* Ravikumar & Ganesan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Halophila ovata* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Halophila stipulacea* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrilla verticillata* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nechamandra alternifolia* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ottelia alismoides* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalassia hemprichii* (Ehrenb.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vallisneria natans* (Lour.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Burmannia candelabrum* Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Burmannia coelestis* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Burmannia wallichii* (Miers) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acampe praemorsa* (Roxb.) Blatter & McCann and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acanthephippium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aenhenrya rotundifolia* (Blatter) Sathish & Rasmussen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerides crispa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerides maculosum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aerides ringens* (Lindl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anoectochilus elatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anoectochilus rotundifolius* (Blatter) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aphyllorchis montana* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundina graminifolia* (D. Don) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachycorythis iantha* (Wight) Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachycorythis splendida* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum acutiflorum* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum albidum* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum aureum* (Hook. f.) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum elegantulum* (Rolfe) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum fischeri* Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum fuscopurpureum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum kaitiense* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum sterile* (Lam) Suresh and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum tremulum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum xylophyllum* Par. & Reichb. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calanthe sylvatica*(Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calanthe triplicata* (Willem.) Ames and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calanthe vestita* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cheirostylis flabellata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cheirostylis parvifolia* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chiloschista fasciata*(F. Muell.) Seidenf. & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysoglossum hallbergii* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysoglossum maculatum* (Thw.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne breviscapa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne glandulosa* Lindl. var. *glandulosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne glandulosa* Lindl. var. *bournei* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne glandulosa* Lindl. var. *sathyanarayanae* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne mossiae* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne nervosa* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne odoratissima* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne ovalis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne prolifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne uniflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corymborkis veratrifolia* (Reinw.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cottonia peduncularis* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crepidium purpureum* (Lindl.) Szlach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbidium aloifolium* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbidium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbidium ensifolium* (L.) Sw. var. *haematodes* (Lindley) D. Du Put & P. Cribb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium anamalayanum* Chandrabose, Chandrasekaran & N. C. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium aqueum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium barbatulum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium diodon* Reichb.f. subsp. *kodayarensis* Gopalan & A.N. Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium haemoglossum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium herbaceum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium heterocarpum* Wall. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium heyneanum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium macrostachyum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium microbulbon* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium nanum* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium nutantiflorum* Hawkes & Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium wightii* A. Hawkers & A. H. Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium panduratum* Lindl. subsp. *villosum* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymoplexis pallens* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diplocentrum congestum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diplocentrum recurvum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Disperis neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epidendrum radicans* Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epipactis veratrifolia* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epipogium roseum* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eria albiflora* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eria dalzellii* (Hook. ex Dalz) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eria microchilos* (Dalz.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eria mysorensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eria nana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eria pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eria polystachya* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eria pseudoclavicaulis* Blatter and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eria reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia cullenii* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia epidendrea* (Koen.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia graminea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia pulchra* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia pratensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia spectabilis* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flickingeria nodosa* (Dalz.) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gastrochilus acaulis* (Lindl.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gastrochilus calceolaris* (Buch.- Ham. ex J. E. Smith) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geodorum densiflorum* (Lam.) Schlte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goodyera fumata* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goodyera procera* (Ker-Gawl) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria acuminata* (Thw.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria barnesii* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria cephalotes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria crassifolia* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria crinifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria decipens* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria denticulata* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria digitata* Lindl. var. *digitata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria digitata* Lindl. var. *foliosa* (A. Rich) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria digitata* Lindl. var. *travancorica* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria elwesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria furcifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria grandifloriformis* Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria heyneana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria hollandiana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria longicorniculata* Granham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria longicornu* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria macrostachya* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria marginata* Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria multicaudata* Sedgw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria pallideviridis* Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria perrottetiana* A. Rich and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria plantaginea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria polyodon* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria rariflora* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria richardiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria roxburghii* Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria virens* (Lindl.) Abeyw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria viridiflora* (Rottl. Ex Sw.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hetaeria ovalifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kingidium deliciosum* (Reichb.f.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis atropurpurea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis beddomei* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis biloba* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis caespitosa* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis duthiei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis nervosa* (Sw.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis platyphylla* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis prazeri* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis resupinata* Ridley and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis viridiflora* (Blume) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis walkeriae* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis wightiana* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luisia birchea* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luisia zeylanica* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malleola gracilis* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nervilia aragoana* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nervilia carinata* (Roxb.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nervilia plicata* (Andr.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nervilia prainiana* (Ling & Prantl) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia anamalayana* Joseph and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia balakrishnanii* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia brunoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia ensiformis* (J. E. Smith) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia iridifolia* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia platycaulon* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia proudlockii* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia santapau* Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia sebastiana* Shetty & Vivek and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia seidenfadeniana* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia tenuis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia wightiana* Lindl. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia wightiana* Lindl. var. *arnottiana* (Wight) R. Ansari N. C. Nair & V. J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia wightiana* Lindl. var. *nilgiriensis* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oberonia zeylanica* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pachystoma senile* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paphiopedilum druryi* (Bedd.) Pfitz and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papilionanthe cylindrica* (Lindl.) Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pecteilis gigantea* (J. E. Smith) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristylus aristatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristylus brachyphyllus* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristylus densus* (Lindl.) Sant. & Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristylus goodyerioides* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristylus lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristylus plantagineus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristylus richardianus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristylus secundus* (Lindl.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristylus spiralis* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristylus stocksii* (Hook. f.) Kraenzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pholidota pallida* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Podochilus falcatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polystachya concreta* (Jacq.) Garay & Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Porpax jerdoniana* (Wight) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Porpax reticulata* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Proteroceras leopoldianum* (Par. Reichb.f.) Seidenf. & Smitin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchostylis retusa* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhytionanthos nodosus* ( Rolfe ) Garay Hamer & Siegerist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Robiquetia josephiana* Manilal & Satish Kumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Satyrium nepalense* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schoenorchis jerdoniana* (Wight) Garay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Seidenfadeniella filiformis* (Richb.f.) E.A.Christ & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Seidenfia densiflora* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Seidenfia intermedia* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Seidenfia rheedii* (Sw.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Seidenfia versicolor* (Lindley) Marg. & Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sirhookera lanceolata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sirhookera latifolia* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithsonia maculata* (Dalz.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spathoglottis plicata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spiranthes sinensis* (Pers.) Ames var. *sinensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spiranthes sinensis* (Pers.) Ames var. *wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taeniophyllum alwisii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tainia bicornis* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thelasis pygmaea* (Griff.) Lindl. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thrixspermum muscaeflorum* A. S. Rao & Joseph var. *nilagiricum* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trias stocksii* Benth ex Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichoglottis tenera* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tropidia angulosa* (Lindl.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tropidia curculigoides* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *VKalam spathulata* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *VKalam tessellata* (Roxb.) Hook ex. G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *VKalam testaceae* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *VKalam wightii* Reichb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vanilla planifolia* Andrews and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vanilla walkeriae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vanilla wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zeuxine affinis* (Lindl.) Benth.ex. Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zeuxine gracilis* (Breda) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zeuxine longilabris* (Lindl.) Benth ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia abundiflora* Burt & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia calcarata* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia galanga* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia malaccensis* (Burm.f.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia nigra* (Gaertn.) B. L. Brutt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alpinia zerumbet* (Pers.) B. L. Burt & R. M.Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum cannicarpum* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum hypoleucum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum masticatorium* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum muricatum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amomum pterocarpum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma amada* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma aromatica* Salisb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma pseudomontana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma zedoaria* (Christm.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elettaria cardamomum* (L.) Maton var. *cardamomum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elettaria cardamomum* (L.) Maton var. *major* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Globba ophioglossa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium coronarium* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium flavescens* Carey ex Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium spicatum* Hamilton ex Smith var. *acuminatum* (Roscoe) Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium venustum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber montanum* (K. D. Koenig) Link ex Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber nimmonii* (J. Graham) Dalzell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber officinale* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber roseum* (Roxb.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber wightianum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber zerumbet* (L.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Costus pictus* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Costus speciosus* (Koen.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phrynium pubinerve* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schumannianthus virgatus* (Roxb.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ensete superbum* (Roxb.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ensete ventricosum* (Welw.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliconia psittacorum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa acuminata* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa balbisiana* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa parasidiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ravenala madagascarensis* Sonner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strelitzia reginae* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ananas comosus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anigozanthos flavidus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Disporum leschenaultianum* D. Don var. *leschenaultianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Disporum leschenaultianum* D. Don var. *angustifolium* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lilium trigrinum* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lilium wallichianum* Schultes & Schultes f. var. *neilgherrense* (Wight) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiopogon intermedius* D. Don var. *intermedius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiopogon intermedius* D. Don var. *gracilipes* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiopogon intermedius* D. Don var. *pauciflorus* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peliosanthes teta* Andr. subsp. *humilis* (Andr.) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristea ecklonii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Babiana stricta* (Aiton) Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Babiana villosa* Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crocasmia x crocosmiiflora* (E. Morren) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crocasmia pottsii* (Baker) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dierama pulcherrima* (Hook. F.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleutherine palmifolia* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Freesia refracta* Klatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gladiolus natalensis* (Eckl.) Reinw. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gladiolus primulinus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris japonica* Thunb. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris unguicularis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moraea iridioides* L. Mant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Watsonia borbonica* (Pourr.) Goldblatt subsp. *ardernei* (Sander) Goldblatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Watsonia rosea* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amaryllis belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crinum viviparum* (Lam.) R. Ansari & V.J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crinum moorei* Hook. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucharis x grandiflora* Planch. & Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eurycles sylvestris* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haemanthus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haemanthus matalensis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hippeastrum x johnsonii* (Hort.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hippeastrum reginae* Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hippeastrum vittatum* (L'Her.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hymenocallis littoralis* (Jacq.) Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucojum aestivum* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucojum pulchellum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Narcissus pseudo-narcissus* L. subsp. *moschatus* (L.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nerine flexuosa* (Jacq.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nerine undulata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pancratium triflorum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaedranassa dubia* (Kunth) J. F. Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sprekelia formosissima* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stenomesson coccineum* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zephyranthes carinata* Herbert and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zephyranthes grandiflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zephyranthes tubispatha* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agave angustifolia* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agave sisalana* Perrine ex Engelm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agave vera-cruz* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordyline australis* (Forst. F.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Furcraea foetida* (L.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dianella ensifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phormium tenax* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dracaena fruticosa* (L.) A. Chev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dracaena terniflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sansevieria roxburghiana* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sansevieria trifasciata* Hort. ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sansevieria thyridiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sansevieria varians* N.E.Br and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sansevieria zeylanica* (L.) Willd. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alstroemeria aurea* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bomarea caldasiana* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bomarea oligantha* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curculigo orchioidea* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypoxis aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Molineria trichocarpa* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tacca leontopetaloides* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea belophylla* Voigt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea esculenta* (Lour.) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea hamiltonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea hispida* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea kalkapershadii* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea oppositifolia* L. var. *oppositifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea oppositifolia* L. var. *dukhumensis* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea spicata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea tomentosa* Koen ex Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea wallichii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea wightii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichopus zeylanicus* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stemona tuberosa* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipcadi montanum* (Dalz.) Baker var. *madrasicum* (Barnes & Fischer) Deb & Dasgupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucomis autumnalis* (Miller) Chitt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucomis punctata* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ornithogalum arabicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ornithogalum conicum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scilla hyacinthina* (Roth) Mecbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urginea congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urginea indica* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urginea polyantha* Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asphodelus tenuifolius* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloe vera* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kniphofia uvaria* (L.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus asiaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus fysonii* Macbr. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus gonoclados* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus laevis* Steud. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus setaceus* (Kunth) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus racemosus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophytum acaule* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophytum arundinaceum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophytum attenuatum* (Wight) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophytum heynei* Rottl. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophytum laxum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophytum malabaricum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophytum nimmonii* (Graham) Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophytum tuberosum* (Roxb.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gloriosa rothschildiana* O'Brien and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iphigenia indica* (L.) A. Gray ex Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iphigenia magnifica* Ansari & R. S. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hemerocallis aurantiaca* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agapanthus praecox* Willd. var. *orientalis* (F. Leight.) F.

Leight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agapanthus praecox* Willd. var. *albus* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax perfoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax wightii* A. DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax zeylanica* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eichhornia crassipes* (Mart.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Monochoria hastata* (L.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Monochoria vaginalis* (Burm. F.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xyris capensis* Thunb. var. *schoenoides* (Mart) Nilsson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xyris pauciflora* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aclisia secundiflora* (Blume) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aneilema montana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aneilema ovalifolia* (Wight) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Belosynapsis kewensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Belosynapsis vivipara* (Dalz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina attenuata* Koen var. Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina clavata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina diffusa* Burm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina ensifolia* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina erecta* L. var. *erecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina erecta* L. var. *glochidea* (Koen.ex Clarke) Bhargavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina forskalaei* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina hirsuta* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina imberbis* Ehrenb. ex Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina indehiscens* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina longifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina paleata* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina paludosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina subulata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina tricolor* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina wightii* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis adscendens* Dalz. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis arachnoidea* Clarke var. *arachnoidea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis arachnoidea* Clarke var. *thwaitesii* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis arcotensis* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis axillaris* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis burmanniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis concanensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis cristata* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis cucullata* (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis fasciculata* (Heyne ex Roth) Schultes & Schultes

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis obtusa* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis papilionacea* (L.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis pilosa* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis tuberosa* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis villosa* (Spreng.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dictyospermum scaberrimum* (Blumes) Morton ex Hara et al. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Floscopa scandens* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia dimorpha* (Dalz.) Brueckner and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia edulis* (Stokes) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia esculenta* (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia gigantea* (Vahl.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia glauca* (Thw. ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia japonica* (Thunb.) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia juncoide*s (Wight) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia lanceolata* (Wight) Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia lanuginosa* (Wall ex Clarke) Beueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia loriformis* (Hassk.) R. Rao & Kammathy and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia nudiflora* (L.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia pauciflora* Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia semiteres* (Dalz.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia simplex* (Vahl.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia spirata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia vaginata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia zeylanica* (Clarke) Brueckner var. *longiscapa* (Clarke) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhoeo discolor* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setcreasea purpurea* Boom and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zebrina pendula* Schnitzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juncus bufonius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juncus effusus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juncus inflexus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juncus leschenaultii* J. Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luzula indica* Kirschner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arenga wightii* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bentinckia condapanna* Berry ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus brandisii* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus gamblei* Beccari ex Becari & Hook. var. *gamblei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus gamblei* Beccari ex Beccari & Hook. var. *sphaerocarpa* Beccari ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus huegelianus* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus pseudo-tenuis* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus rheedii* Griff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus travancoricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corypha macropoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Livistona chinensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Livistona rotundifolia* (Lam.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix canariensis* Hort ex Chabaud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix loureirii* Kunth var. *loureirii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix loureirii* Kunth var. *humilis* (Becc.) S.C. Barrow

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix pusilla* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix rupicola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix sylvestris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinanga dicksonii* (Roxb.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhapis excelsa* (Thunb.) A. Henry ex Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Roystonea regia* (Kunth) O. F. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sabal mauritiiformis* (Karsten) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trachycarpus fortunei* (Hook.) Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Washingtonia robusta* Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus amaryllifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus canaranus* Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus odoratissimus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus tectorius* Parkinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus thwaitesii* Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acorus calamus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alocasia indica* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amorphophallus paeoniifolius* (Dennst.) Nicolson var. *campanulatus* (Blume ex Decne) Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amorphophallus sylvaticus* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphyllum beddomei* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphyllum wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthurium spathiphyllum* N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema auriculatum* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema leschenaultii* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema murrayi* (Graham) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema tortuosum* (Wall.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema translucens* Fischer and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema tuberculatum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema tylophorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caladium bicolor* (Ait.) Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colocasia esculenta* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptocoryne ciliata* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptocoryne consobrina* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptocoryne retrospiralis* (Roxb.) Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptocoryne spiralis* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epipremnum pinnatum* cv aureum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagenandra meeboldii* (Engler) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagenandra toxicaria* Dalz. var. *barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Monstera deliciosa* Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plesmonium margaritifera* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pothos armatus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pothos thomsonianus* Schott. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Remusatia vivipara* (Lodd.) Schott and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhaphidophora pertusa* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Theriophonum fischeri* Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Theriophonum minutum* (Willd.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Theriophonum sivaganganum* (Ramam. & Sebastine) Bogner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xanthosoma sagittifolium* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zantedeschia aethiopica* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lemna gibba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lemna perpusilla* Torrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spirodela polyrhiza* (L.) Schleiden and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wolffia globosa* (Roxb.) Hartog & Vander Plas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyalisma janthina* Champ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caldesia parnassiifolia* (L.) Parl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophyton obtusifolium* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sagittaria guayanensis* H.B.K. subsp *lappula* (D Don) Bogin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sagittaria sagittifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Najas graminea* Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Najas indica* (Willd.) Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Najas malesiana* Wilde and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Najas marina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Najas minor* All. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruppia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aponogeton appendiculatus* Bruggen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aponogeton echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aponogeton natans* (L.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aponogeton undulatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymodocea rotundata* Ehrenb. & Hempr. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymodocea serrulata* (R. Br.) Asch. & Magnus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Halodule pinifolia* (Miki) Hartog and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Halodule uninervis* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Halodule wrightii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potamogeton crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potamogeton nodosus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potamogeton pectinatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potamogeton perfoliatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syringodium isoetifolium* (Asch.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon brownianum* Martius ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon cinereum* R. Br. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon conica* (Fyson) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon elenorae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon ensiforme* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon leucomelas* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon longicuspis* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon nairii* Chandrabose & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon nepalense* Prescott ex Bongard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon odoratum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon panagudianum* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon pectinatum* Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon quinquangulare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon ramnadense* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon richardianum* (Fyson) Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon ritchieanum* Ruchl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon robusto-brownianum* Ruhland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon robustum* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon talbotii* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon thwaitesii* Koern. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon truncatum* Buch. - Ham. ex Mart. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon xeranthemum* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ascopholis gamblei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbostylis barbata* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbostylis densa* (Wall.) Hand.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *puberula* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *gracilis* C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex baccans* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex breviculmis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex brunnea* Thunb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex christii* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex eluta* Nelmes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex foliosa* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex filicina* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex glaucina* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex hebecarpa* C. Meyer var. *ligulata* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex lateralis* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex lenta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex leucantha* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex lindleyana* Nees var. *lindleyana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex lindleyana* Nees var. *mercurensis* (Hochst. ex Steud.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex longicuris* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex longipes* D. Don var. *longipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex longipes* D. Don var. *dissitiflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex maculata* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex myosurus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex nubigena* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex phacota* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex pseudoaperta* Boeckeler ex Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex raphidocarpa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex rara* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex speciosa* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex vicinalis* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex walkeri* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex wallichiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus alopecuroides* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus alternifolius* L. subsp. *flabelliformis* (Rottboell)

Kukenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus arenarius* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus bulbosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus castaneus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus cephalotes* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus conglomeratus* Rottb. subsp. *pachyrrhizus* (Nees ex Boeck.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus compressus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus corymbosus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus curvibracteatus* Govindarajalu and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus cuspidatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus difformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus diffusus* Vahl. var. *diffusus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus diffusus* Vahl. var. *macrostachyus* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus digitatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus distans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus distans* L. var. *pseudonutans* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus elatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus exaltatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus halpan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus imbricatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus latovaginatus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus lurida* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus michelianus* (L.) Link. subsp. *pygmaeus* (Rottb.) Asch. & Graebn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus nutans* Vahl var. *nutans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus natans* Vahl var. *eleusinoides* (Kunth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus pangorei* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus pilosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus platyphyllus* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus platystylis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus plumbeonucea* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus polyanthelus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus procerus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus pygmaeus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus rotundus* L. subsp. *rotundus* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus rotundus* L. subsp. *tuberosus* (Rottb.) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus rubicundus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus rubriglomosus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus sesquiflorus* (Torr.) Mattf. & Kuek. var. *cylindricus* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus sphacelatus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus stoloniferous* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus strictulmis* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus sulcinus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus tenuiculmis* Boeckeler and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus tenuispica* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleocharis acutangula* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleocharis atropurpurea* (Retz.) Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleocharis congesta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleocharis dulcis* (Burm.f.) Henschel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleocharis geniculata* (L.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleocharis retroflexa* (Poir.) Urban subsp. *chaetaria* (Roem. & Schult.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleocharis spiralis* (Rottb.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleocharis tetraquetra* Nees and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis aestivalis* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis aggregata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis amplocarpa* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis aphylla* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis argentea* (Rottb.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis bisumbellata* (Forssk.) Bubani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis cinnamometorum* (Vahl) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis complanata* (Retz.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis consanguinea* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis contorta* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis crystallina* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis cymosa* R. Br. subsp. *spathacea* (Roth) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis dichotoma* (L.) Vahl subsp. *podocarpa* (Nees & Meyen) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis dichotoma* (L.) Vahl subsp. *glauca* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis dipsacea* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis eragrostis* (Nees & Meyen ex Nees) Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis falcata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis ferruginea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis kingii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis latiglumifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis latinucifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis longistigmata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis miliacea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis monospicula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis monticola* Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis narayanii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis nutans* (Retz.) Vahl and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis ovata* (Burm. F.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis pauperula* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis pentaptera* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis pierotii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis polytrichoides* (Retz.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis pustulosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis quinquangularis* (Vahl) Kunth var. *crassa* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis rectifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis rigidiuscula* Govindarajalu and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis rugosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis salbundia* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis scabrisquama* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis schoenoides* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis semidisticha* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis sieberiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis strigosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis tenera* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis tetragona* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis tortifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis triflora* (L.) Schum. ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis tristachya* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis uliginosa* Hochst. ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis woodrowii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fuirena ciliaris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fuirena pubescens* (Lam.) Kunth var. *pergametacea* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fuirena trilobites* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fuirena umbellata* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fuirena uncinata* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fuirena wallichiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypolytrum nemorum* (Vahl) Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kylinga brevifolius* Rottboell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kylinga bulbosa* P. Beavu. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kylinga hyalina* (Vahl) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kyllingia nemoralis* ( J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kyllingia malanosperma* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lipocarpa chinensis* (Osbeck.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lipocarpa raynleana* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lipocarpa sphacelata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mariscus clarkei* (Cooke) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mariscus compactus* (Retz.) Bolding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mariscus cyperinus* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mariscus dubius* (Rottboell) Kukenth ex C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mariscus paniceus* (Rottboell.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mariscus squarrosus* (L.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mariscus sumaterensis* (Retz.) A. Raynal and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pycnus flavescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pycnus flavidus* (Retz.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pycnus polystachyos* (Rottboell) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pycnus pumilus* (L.) Nees ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pycnus puncticulatus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pycnus sanguinolentus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pycnus stramineus* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pycnus unioides* (R. Br.) Urb. var. *angulatus* (Nees) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchospora corymbosa* (L.) Britton and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchospora gracillima* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchospora rubra* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchospora rugosa* (Vahl.) Gale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rikliella squarrou* (L.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schoenoplectus articulatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schoenoplectus grossus* (L. f.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schoenoplectus juncooides* (Roxb) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schoenoplectus littoralis* (Schr.) Palla subsp. *subulatus* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schoenoplectus mucronatus* (L.) Palla and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schoenoplectus senegalensis* (Steud.) Palla ex Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (Gmel.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scirpus fluitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scirpus subcapitatus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria caricinia* (R. Br.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria corymbosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria lithosperma* (L.) Sw. var. *lithosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria lithosperma* (L.) Sw. var. *linearis* Benth and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria lithosperma* (L.) Sw. var. *multispiculata* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria levis* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria mikawana* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria parvula* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria terrestris* (L.) Fassett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acrachne henrardiana* (Bor) Phillips and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acrachne racemosa* (Heyne ex Roth) Ohwi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acrachne sundararajii* Umamahesw. et al and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeluropus lagopoides* (L.) Trin ex Thw. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostis micrantha* Stue. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostis peninsularis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostis pilosula* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostis schmidii* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostis stolonifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostis zenkeri* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alloteropsis cimicina* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon hallii* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon lividus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon longipes* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon polytychus* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon pumilus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthoxanthum borii* Jain & Pal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apocopsis courtallumensis* (Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apocopsis vaginata* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristida adscensionis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristida funiculata* Trin & Rupr. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristida hystrix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristida mutabilis* Trin. & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristida setacea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arthraxon castratus* (Griff.) Narayanaswami ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arthraxon depressus* Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arthraxon lanceolatus* (Roxb.) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arthraxon micans* (Nees) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arthraxon prionodes* (Steud.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arthraxon quartinianus* (A. Rich) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinaria walkeriana* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinaria wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella ciliata* (Roxb.) Nees ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella hookeri* Munro ex Keng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella leptochloa* (Nees ex Steud.) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella mesophylla* Nees ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella nepalensis* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella nervosa* (Roxb.) Nees ex Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella pumila* (Hochst. ex A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella purpurea* Hochst. ex Steud var. *purpurea* and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella purpurea* Hochst. ex Steud. var. *laxa* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella setosa* Trin. var. *setosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella setosa* Trin. var. *nilagiriana* Subbarao & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella vaginata* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundo conspicua* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avena byzantina* K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avena sativa* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avena sterilis* L. var. *ludoviciana* (Durieu) Gill & Magne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Axonopus compressus* (Sw.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bambusa bambos* Voss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bothriochloa bladhii* (Retz.) S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bothriochloa foulkesii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bothriochloa insculpta* (Hochst. ex A. Rich.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bothriochloa kuntzeana* (Hack.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bothriochloa pertusa* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bothriochloa pseudoischaemum* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria distachya* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria eruciformis* (J. E. Smith) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria kurzii* (Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria miliiformis* (J. S. Presl) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria muna* Basappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria mutica* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria nilagirica* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria ramosa* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria remota* (Retz.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria reptans* (L.) Gard. & Hubbard and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria Semiundulata* (Hochst. ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria Semiverticillata* (Rottl.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria setigera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachypodium distachyon* (L.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachypodium sylvaticum* (Huds.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Briza maxima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Briza media* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Briza minor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bromus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bromus catharticus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bromus diandrus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bromus ramosus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capillipedium filiculme* (Hook. f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capillipedium huegelii* (Hack.) Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capillipedium parviflorum* (R. Br.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cenchrus biflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cenchrus glaucus* Mudaliar & Sundararaj and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cenchrus pennisetiformis* Hochst. & Steud. ex Steud. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cenchrus setigerus* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centotheca lappacea* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chionachne koenigii* (Spreng.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chionachne semiteres* (Benth. ex Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloris barbata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloris bournei* Rang. & Tard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloris dolichostachya* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloris gayana* Kunth ex Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloris montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloris pycnothrix* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloris roxburghiana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloris virgata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloris wightiana* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysopogon aciculatus* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysopogon asper* (Heyne ex Hook. f.) Blatter & Mc Can and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysopogon copei* Mohanan et Ravi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysopogon fulvus* (Spreng) Choiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysopogon hackelii* (Hook.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysopogon orientalis* (Desv.) A. Camus and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysopogon zeylanicus* (Nees ex Steud.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *perpusilla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *nilagirica* Ved Prakash & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelachne simpliciuscula* (Wight & Arn. ex Steud) Munro ex Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelachyropsis lagopoides* (Burm.f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coix aquatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coix gigantea* Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cortaderia selloana* (Schultes) Asch. & Graebn. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon caesius* (Nees ex Hook. & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon citratus* (DC.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon coloratus* (Hook. f.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *flexuosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon flexuosus* (Nees ex Steud) Wats var. *coimbatorensis* Gupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon gidarba* (Ham. ex Steud.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon jwarancusa* (Jones) Schultes subsp. *olivieri* (Boiss.) Soenarko and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon martinii* (Roxb.) Wats. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon nardus* (L.) Rendle var. *nardus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon nardus* (L.) Rendle var. *confertiflorus* (Steud.) Stapf ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon polyneuros* (Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon travancorensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynodon arcuatus* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynodon barberi* Rang & Tad. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynodon dactylon* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynodon plectostachyus* (Schum ex Engler) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyrtococcum deccanense* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyrtococcum longipes* (Wight & Arn. ex Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyrtococcum muricatum* (Retz.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyrtococcum oxyphyllum* (Steud.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyrtococcum patens* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyrtococcum sparsicomum* (Nees ex Steud.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyrtococcum trigonum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dactyloctenium aegyptium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrocalamus strictus* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmostachya bipinnata* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichanthium annulatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichanthium aristatum* (Poir) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichanthium caricosum* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichanthium foveolatum* (Del.) Roberty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichanthium oliganthum* (Hochst.ex Steud.) Cope and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichanthium pallidum* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichaetaria wightii* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria abludens* (Roem. & Schultes) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria bicornis* (Lam.) Roem. & Schultes ex Loud. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria ciliaris* (Retz.) Koeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria duthieana* Henr. ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria griffithii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria longiflora* (Retz.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria microbachne* (Presl) Henr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria radicata* (Presl) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria setigera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria stricta* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria ternata* (A. Rich) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria tomentosa* (Koen ex Willd.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria violascens* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitaria wallichiana* (Wight & Arn. ex Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimeria acutipes* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimeria avenacea* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimeria balakrishnaniana* K.Ravik., P.V. Sreek. & V. Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimeria fuscescens* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimeria kollimalayana* Mohanan & Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimeria lehmanii* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimeria orissae* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimeria ornithopoda* Trin. var. *ornithopoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimeria ornithopoda* Trin. var. *khassiana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dinebra retroflexa* (Vahl) Panzer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diplachne malabarica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinochloa colona* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinochloa crus - galli* (L.) P. Beauv var. *crus - galli* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinochloa crus - galli* (L.) P. Beauv var. *brevisetata* (Doll) Neillr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinochloa frumentacea* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinochloa oryzoides* (Ard.) Fritsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinochloa picta* (J. Koen) Michael and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinochloa stagnina* (Retz.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehrharta abyssinica* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleusine coracana* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleusine indica* (L.) Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elytrophorus spicatus* (Willd.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enneapogon schimperanus* (Hochst. Ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enteropogon coimbatorensis* K K. N. Nair Jain & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enteropogon monostachyos* (Vahl) Schum ex Engler and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostiella bifaria* (Vahl) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostiella brachyphylla* (Stapf.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis aspera* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis atrovirens* (Desf.) Trin. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis cilianensis* (Al.) Vign. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis ciliaris* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis ciliata* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis coarctata* Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis curvula* (Schrader) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis dayana* Kalmnii P. Ravichandran S.Krishnan N.P. Samson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis gangetica* (Roxb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis japonica* (Thunb.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis kiwuelsis* Jedwabn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis macilentia* (A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis maderaspatana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis minor* Host and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis nigra* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis nutans* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis pilosa* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis riparia* (Willd.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis rottleri* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis schweinfurthii* Chioe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis superba* Peyr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis tef* (Zucc.) Trotter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis tenella* (L.) P. Beauv ex Roem. & Schultes var. *tenella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *insularis* Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis tenuifolia* (A. Rich) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis tremula* (Lam.) Hochst ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis unioides* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis viscosa* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eremochloa muricata* (Retz.) Hack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eremopogon foveolatus* (Del.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriochloa procera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriochrysis rangacharii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euchlaena mexicana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulalia phaeothrix* (Hack.) Kuntze and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulalia trispicata* (Schultes) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulalia wightii* (Hook. f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulaliopsis binata* (Retz.) C.E. Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Festuca ovina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Festuca undata* Stapf var. *aristata* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garnotia arundinacea* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garnotia courtallensis* (Arn. & Nees) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garnotia elata* (Arn. Ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garnotia exaristata* Gould and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garnotia fergusonii* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garnotia schmidii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garnotia tenella* (Arn. ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glyceria spicata* Guss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Halopyrum mucronatum* (L.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helictotrichon polyneuron* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helictotrichon schmidii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helictotrichon virescens* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hemarthria compressa* (L.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heteropogon contortus* (L.) P Beauv and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heteropogon fischerianus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heteropogon polystachyos* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holcolemma canaliculatum* (Nees ex Steud.) Stapf & Hunnard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygroryza aristata* (Retz.) Nees ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hymenachne acutigluma* (Steud.) Gilliland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ichnanthus vicinus* (Bailey) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Imperata cylindrica* (L.) Raeusch. var. *major* (Nees) Hubbard ex Hubbard & Vaughan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne angladei* Fischer and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne bourneorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne dispar* Trin. var. *dispar* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne dispar* Trin. var. *villosa* C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne elegans* Dalz ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne globosa* (Thunb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne kunthiana* (Wight & Arn. ex Steud.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne miliacea* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne oreades* (Domin) Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne pulchella* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne walkeri* (Arn. ex Steud.) Wight & Arn. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum commutatum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum flumineum* Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum indicum* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum koenigii* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum nilagiricum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum pilosum* (Klein ex Willd.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum rangacharianum* Ficher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum rugosum* Salisb. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum tadulingamii* Nair & Sreekumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum timorense* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum zeylanicum* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iseilema anthephoroides* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iseilema jainiana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iseilema laxum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iseilema prostratum* (L.) Andersson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jansenella griffithiana* (C. Muell.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leersia hexandra* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptochloa chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptochloa neesii* (Thw.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptochloa obtusiflora* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptochloa panicea* (Retz.) Ohwl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptochloa uniflora* Hochst ex A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lolium perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lolium temulentum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lophatherum gracile* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lopholepis ornithocephala* (Hook.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lophopogon tridentatus* (Roxb.) Hack. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Manisuris myuros* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melanocenchris jacquemontii* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melanocenchris monoica* (Rottl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melica scaberrima* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microchloa indica* (L.f.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microstegium ciliatum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microstegium nudum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Miscanthus nepalensis* (Trin.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mnesithea granularis* (L.) de Koning & Sosef and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mnesithea laevis* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myriostachya wightiana* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oclandra beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochlandra scriptoria* (Dennst.) Fischer var. *sivagiriana* (Gamble) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochlandra setigera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochlandra travancorica* Benth ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiuros bombaiensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiuros exaltatus* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oplismenus burmannii* (Retz.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oplismenus compositus* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oplismenus undulatifolius* (Ard.) P. Beauv ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oropetium thomaeum* (L.f.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oryza barthii* A. Chevali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oryza meyeriana* (Zoll. & Mor.) Baill. var. *granulata* (Nees & Arn. ex Wall) Duist. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oryza minuta* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oryza officinalis* Wall ex Watt subsp *malampuzhaensis* (Krishnaswami & and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.Chandrasekaran) Tateoka and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oryza rufipogon* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ottochloa nodosa* (Kunth) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxytenanthera monadelphica* (Thw.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxytenanthera ritcheyi* (Munro) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum antidotale* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum brevifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum fischeri* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum maximum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum notatum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum paludosum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum psilopodium* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum sparsicomum* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum sumatrense* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum trypheron* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalidium flavidum* (Retz.) A. Camus and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalidium geminatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalidium punctatum* (Burm.f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalum canarae* (Steud.) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalum conjugatum* Berg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalum dilatatum* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalum longifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalum vaginatum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum americanum* (L.) Leeke. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum clandestinum* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum hohenackeri* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum pedicellatum* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum polystachyon* (L.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum purpureum* Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum villosum* R. Br. ex Fresen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Perotis indica* (L.) Kuntze var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Perotis indica* (L.) Kuntze var. *keelakaraiensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phalaris aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phalaris arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phalaris minor* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phragmites karka* (Retz.) Trin ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poa annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poa gamblei* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poa trivialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogonatherum crinitum* (Thunb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogonatherum paniceum* (Lam.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polypogon fugax* Nees ex Steud. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pommereulla cornucopiae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudanthistiria heteroclita* (Roxb.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudanthistiria umbellata* (Hack.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudechinolaena polystachya* (H.B.K.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudobrachiaria deflexa* (Schum.) Launert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudoraphis spinescens* (R. Br.) Veickery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudosorghum fasciculare* (Roxb.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchelytrum repens* (Willd.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rottboellia cochinchinensis* (Lour.) Clayton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum arundinaceum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum narenga* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sacciolepis curvata* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sacciolepis indica* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sacciolepis interrupta* (Willd.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sacciolepis myosuroides* (R. Br.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schizachyrium brevifolium* (Sw.) Nees ex Buese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sehima nervosum* (Rottl.) Stapf and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sehima sulcatum* (Hack.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria homonyma* (Steud.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria intermedia* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria italica* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria palmifolia* (Koen.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria plicata* (Lam.) Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria poiretiana* (Schultes) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria pumila* (Poir.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria sphacelata* (Schum.) Stapf & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria verticillata* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sinarundinaria wightiana* (Nees) C.S.Chao & Renvoize and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum arundinaceum* (Desv.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum bicolor* (L.) Moench. Meth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum cernuum* Host var. *orbiculatum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum cernuum* Host var. *trichmenorum* (C.Koch) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum conspicuum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum coriaceum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum dimidiatum* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum dochna* (Forssk.) Snowden var. *irungu* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum dochna* (Forssk.) Snowden var. *obovatum* (Hack.) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum durra* (Forssk.) Stapf var. *coimbotoricum* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum durra* (Forssk.) Stapf var. *mediocre* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum guineense* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum halepense* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum laxiflorum* F.M. Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum nitidum* (Vahl.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum roxburghii* Stapf var. *hians* Stapf and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *subglabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *compactum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *irungiforme* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *oviforme* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *rubidum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum versicolor* Anderss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spinifex littoreus* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spodiopogon rhizophorus* (Steud.) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sporobolus capillaris* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sporobolus coromandelianus* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sporobolus hajrae* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sporobolus indicus* (L.) R. Br. var. *diander* (Retz.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sporobolus indicus* (L.) R. Br. var. *fertilis* (Steudd.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sporobolus maderaspatanus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sporobolus piliferus* (Trin.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sporobolus spicatus* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sporobolus tenuissimus* (Schrank) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sporobolus tremulus* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sporobolus virginicus* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sporobolus wallichii* Munro ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stenotaphrum dimidiatum* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teinostachyum wightii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Themeda cymbaria* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Themeda quadrivalvis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Themeda tremula* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Themeda triandra* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thysanolaena maxima* (Roxb.) Kuntze and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trachys muricata* (L.) Pers ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragus roxburghii* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tripogon bromoides* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tripogon jacquemontii* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tripogon lisboae* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tripogon pungens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tripogon wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tripsacum laxum* Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triticum dicoccum* Schubler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urochloa panicoides* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vetiveria lawsonii* (Hook. f.) Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vetiveria zizanioides* (L.) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vulpia bromoides* (L.) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vulpia megalura* (Nutt.) Rydb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vulpia myuros* (L.) Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zenkeria elegans* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zenkeria sebastinei* Henry & Chandrabose and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zenkeria stapfii* Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zoysia matrella* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zoysia pungens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon schoenanthus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon sorghum* BROT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andropogon squarrosus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Androsace rotundifolia* HARDW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aneilema conspicuum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aneilema lineolatum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aneilema nudiflorum* BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aneilema scapiflorum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aneilema tuberosum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anemarrhena asphodeloides* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anemone falconeri* THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anemone narcissiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anemone obtusiloba* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anemone rivularis* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anemone rupicola* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anemone tetrasepala* ROYLE NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anemone vitifolia* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anemone martinicensis* (JACQ.) CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anethum foeniculum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anethum sowa* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Angelica archangelica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Angelica archangelica* L. himalayana (C.B. CLARKE) BADHWAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Angelica glauca* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Angelica polymorpha* MAXIM. SINENSIS OLIV. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Angelonia salicariaefolia* HUMB. & BONPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Angiopteris evecta* (FORST.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aniseia martinicensis* (JACQ.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisochilus eriocephalus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisomeles indica* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisomeles malabarica* R.BR. EX SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisomeles ovata* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anisonema multiflorum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Annona cherimola* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anoectochilus regalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anoectochilus roxburghii* BL. REGALIS (BL.) PRADHAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anoectochilus setaceus* (BLUME) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anogeissus acuminata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anogeissus latifolia* WALL. EX. GUILL. & PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anogeissus pendula* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anotis foetida* (DALZ.) BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anplectrum assamicum* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthemis cotula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthemis gayana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthemis nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthemis odontostephana* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthemis pyrethrum* GOUAN and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthocephalus cadamba* MIQ., and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthocephalus chinensis* (LAM.) A.RICH. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthocephalus indicus* A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthriscus cerefolium* (L.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthriscus sylvestris* HOFFM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anthyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antiaris innoxia* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antiaris saccidora* DALZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antiaris toxicaria* (PERS.) LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anticharis glandulosa* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antidesma acidum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antidesma buniis* (L.)SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antidesma diandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antidesma ghaesembilla* GAERTN. FRUCT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antidesma menasu* (TULASNE) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antidesma zeylanicum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antirrhinum cymbalaria* GUELLENST EX LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antirrhinum majus* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antirrhinum orantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apama siliquosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apama tomentosa* (BL.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aphanamixis polystachya* (WALL.) PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aphananthe cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apium leptophyllum* F.MUELL. EX.BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aplotaxis auriculata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apluda varia* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apocynum foetidum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apollonias arnottii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aponogeton monostachyon* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aponogeton natans* (L.) ENGL. & KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aporusa dioica* (ROXB.) MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aporusa lindleyana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aporusa octandra* (BUCH.- HAM. EX D. DON) VICK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aquilaria agallocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aquilaria malaccensis* LAM., NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aquilaria ovata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aquilegia fragrans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arabidopsis thaliana* (L.) HEYNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arabidopsis wallichii* (HOOK.F.&T.) N. BUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arabis chinensis* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arabis recta* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arabis tribetica* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arachne cordifolia* (DECNE) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aralia armata* SEEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aralia cachemirica* DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aralia pseudo-ginseng* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aralia quinquefolia* DECNE. & PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aralia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arbutus unedo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arceuthobium minutissimum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Archangelica himalaica* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Archangelica officinalis* HOFFM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Archidendron clypearia* (JACK) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Archidendron monadelphum* (ROXB.) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arctium lappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arctostaphylos uva ursi* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia colorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia odontophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia oxyphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia solanacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Areca concinna* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Areca nagensis* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Areca triandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arenaria serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arenga obtusifolia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arenga pinnata* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arenga saccharifera* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arenga wightii* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argemone alba* LESTIB. NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia aggregata* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia argentea* ARN. EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia cuneata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia daltonii* CLARKE IN HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia fulgens* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia imbricata* (ROTH) SANT. & PATEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia involucrata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia kleiniana* (ROEM.&SCHULT.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia malabarica* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia nervosa* (BURM.F.) BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia pomacea* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia sericea* Dalz. & Gib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia setosa* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia speciosa* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aricennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arikuryroba schizophylla* BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema alba* N. E. BR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema curvatum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema decipiens* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema flavum* (FORSK.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema jacquemontii* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema leschenaultii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema murrayi* (GRAHAM) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema speciosum* (WALL.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema tortuosum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema triphyllum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arisaema wallichianum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristida adscensionis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristida depressa* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristida humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristida setacea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia bracteata* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia bracteolata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia labiosa* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia longa* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia reticulata* NUTTAL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia rotunda* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia roxburghiana* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia saccata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia serpentaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aristolochia tagala* CHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Armoracia rusticana* GAERTN. MEY. & SCHERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arnebia benthamii* (WALL. EX G.DON) JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arnebia euchroma* (ROYLE) JOHN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arnebia guttata* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arnica montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artabotrys hexapetalus* (L.F.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artabotrys odoratissimus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artabotrys suaveolens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artanema longifolia* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artanema longifolium* (L.) VATAKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artanema sesamoides* (VAHL) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia abrotanum* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia absinthium* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia austriaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia biennis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia brevifolia* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia capillaris* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia cina* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia dracunculus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia gmelinii* WEBER EX. STECHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia indica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia japonica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia macrocephala* JACQ. EX BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia maderaspatana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia moorcroftiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia nilagirica* (CLARKE) PAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia pallens* WALL. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia parviflora* BUCH. HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia persica* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia roxburghiana* BESS. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia sacrorum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia scoparia* WALDST.& KIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia sieversiana* EHRH. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia vestita* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia vulgaris* AUCT.NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arthraxon nudus* (STEUD.) HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arthrocnemum indicum* MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arthrophyllum blumeum* ZOLL. & MOR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artocarpus chaplasha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artocarpus communis* J. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artocarpus gomezianus* WALL. EX TREC. *zeylanicus* JANET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artocarpus heterophyllus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artocarpus hirsutus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artocarpus integra* (THUNB.) MERRILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artocarpus integrifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artocarpus lakoocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arum campanulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arum colocasia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arum macrorhizon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arum numphaeifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aruncus dioicus* (WALTER) FERNALD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundina graminifolia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundinella nepalensis* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arundo karka* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asagraea officinalis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asarum europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asclepias asthmatica* WILLD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asclepias gigantea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asclepias lactifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asclepias proliferata* ROTTLE EX W. AINSLIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asclepias volubilis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asclepias vomitoria* KOEN. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeschynanthus gracilis* PARISH EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aspalathus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aspalathus linearis* (BURM.F.) R. DAHLGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus adscendens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus curillus* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus filicinus* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus gonoclados* BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus laevis* STEND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus punjabensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus racemosus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus rottleri* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asparagus sarmentosus* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asperugo procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asphodelus fistulosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asphodelus tenuifolius* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aspidium polymorphum* (WALL.); BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium adiantoides* (L.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium adiantum-nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium alternans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium ceterach* L. *ceterach* Khullar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium dalhousiae* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium falcatum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium furcatum* THUMB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium laciniatum* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium nidus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium parasiticum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium polyodon* G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium ruta-muraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium septentrionale* HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium trichomanes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asplenium viride* HUDSON and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aster amellus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aster asteroides* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aster falconeri* HUTCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aster indamellus* GRIERSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aster tibeticus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aster trinervius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asteracantha longifolia* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asteriastigma macrocarpa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astilbe rivularis* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus hygrometricus* (PERS.) MORG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus aegacanthoides* PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus candolleanus* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus ciliolatus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus graveolens* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus hamosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus heratensis* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus himalayanus* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus jacquemontii* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus multiceps* BENTH. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus munori* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus nivalis* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus polyacanthus* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus psilocentrus* FISCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus rhizanthus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus sarcocolla* DYMOCK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus strobiliferus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus tribuloides* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Astragalus verus* OSKIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asystasia coromandeliana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asystasia dalzelliana* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asystasia gangetica* (L.) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asystasia violacea* DALZ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atalantia monophylla* CORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atalantia racemosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Athyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Athyrium hohenackerianum* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Athyrium puncticaule* (BL.) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Athyrium schimperi* (FEE) MOUG. F. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atriplex hortensis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atropa acuminata* ROYLE EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atropa belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atylosia barbata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atylosia candollei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atylosia goensis* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atylosia lineata* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atylosia mollis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atylosia platycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atylosia scarabeoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atylosia volubilis* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Auricularia sambucina* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Averrhoa acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avicennia alba* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avicennia marina* (FORSK.) and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Avicennia tomentosa* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Azanza lampas* (CAV.) ALEF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Azima tetracantha* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Baccaurea ramiflora* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balanites aegyptiaca* (L.) DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balanites roxburghii* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balanocarpus utilis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balanophora dioica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balanophora fungosa* J.R. & G. FORST. indica (ARN.) Hans. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balanophora involucrata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balanophora polyandra* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Baliospermum axillare* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Baliospermum calycinum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Baliospermum montanum* (WILLD.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Baliospermum sinuatum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Baliospermum solanifolium* (J.BURM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balsamodendron agallocha* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balsamodendron katarif* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balsamodendron mukul* HOOK. EX STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balsamodendron myrrha* N.& E. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balsamodendron stocksiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bambusa arundinacea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bambusa balcooa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bambusa bambos* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bambusa nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bambusa nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bambusa oSkiniana* GAMBLE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bambusa tulda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bambusa vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barbarea vulgaris* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria acanthoides* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria acuminata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria courtallica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria cuspidata* HEYNE EX. NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria involucrata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria longiflora* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria longifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria lupulina* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria montana* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria mysorensis* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria noctiflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria prattensis* SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria prionitis* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria strigosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barringtonia acutangula* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barringtonia asiatica* (L.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barringtonia racemosa* (L.) K.SPENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barringtonia speciosa* FORST. CHAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Basella alba* L. *rubra* (L.) STEWART and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Basella alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Basella cordifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Basilicum polystachyon* (L.) MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bassia butyracea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bassia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bassia longifolia* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bassia malabarica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia candida* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia diphylla* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia macrostachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia malabarica* ROXB. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia phenicea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia phenicea* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia racemosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia retusa* HAM. EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia roxburghiana* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia rufescens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia tenuiflora* WATT EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia vahlii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia wallichii* MACBRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia cathartii* J.D. HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia hatacoa* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia inflata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia josephii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia laciniata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia luxurians* SCHEIDW. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia palmata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia picta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia rex* PUTZEYS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia rubro-venia* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia thomsonii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *NripatimcKalam chinensis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Benincasa cerifera* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Benincasa hispida* (THUNB.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Benkara malabarica* (LAM.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bentinkia condapanna* BERRY EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis asiatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis chitria* EDWARDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis insignis* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis jaeschkeana* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis kashmiriana* AHRENDT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis kumaoensis* SCH. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis lamberti* PARKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis lycium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis nepalensis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis pachyacantha* JAFRI zabeliana JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis petiolaris* WALL. EX G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis pseudumbellata* PARKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis tinctoria* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis ulicina* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis umbellata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis wallichiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berchemia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bergenia ciliata* (HOW. )STERN. *fa ligulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bergenia ciliata* (HOW.) STERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bergenia ligulata* SENSU BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bergenia purpurascens* (HOOK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bergenia stracheyi* (HOOK.F.& THOMS.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bergera koenigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bergia capensis* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bergia odorata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bergia suffruticosa* (DEL.) FENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Beta benghalensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Beta maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Betula alnoides* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Betula bhojpatra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Betula utilis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bidens biternata* (LOUR.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bidens cernua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bidens pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bidens tripartita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biebersteinia odora* STEPH. EX FISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bignonia chelonoides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bignonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bignonia longifolia* (WILLD.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum apodisciac* TUREZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum candolleanum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum nervifolium* THW. NULL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum petersianum* KLOTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum reinwardtii* (ZUCC.) KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum sensitivum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bischofia javanica* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bistorta amplexicaulis* GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blastania garcini* COG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blechnum orientale* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blechnum spicant* (L.) WITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blepharis boerhaviifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blepharis edulis* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blepharis linariaefolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blepharis maderaspatensis* (L.) ROTH. *maderaspatensis* NAPPER *maderaspatensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blepharis persica* (BURM.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blepharistemma serratum* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blighia sapida* KOEN. & SIMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea aurita* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea balsamifera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea densiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea erientha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea fistulosa* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea hieracifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea lacera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea laciniata* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea lanceolaria* (ROXB.) DRUCE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea membranacea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea mollis* (D.DON) MERR. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea myriocephala* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea obliqua* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea pubigeru* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea riparia* (BLUME) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea sessiliflora* DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea wightiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumeopsis falcata* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumeopsis flava* (DC.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blyxa octandra* (ROXB.) PLANCH.EX.THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bocagea dalzellii* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boehmeria macrophylla* HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boehmeria nivea* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boehmeria repens* NEES & MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boenninghauseni albiflora* (HK.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boenninghausenia albiflora* (HOOK. F.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boerhavia chinensis* (L.) ASCH. & SCHW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boerhavia repKalam* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boerhavia repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boerhavia verticillata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boesenbergia rotunda* (L.) MANSF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bolbitis subcrenata* (HOOK. & GREV.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boletus crocatus* BATSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bombax cibaricum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bombax insigne* WALL. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bombax malabaricum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bombax pentandrum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bongardia chrysogonum* (L.) SPACH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bongardia rauwolfii* C.A.MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bonnaya oppositifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bonnaya reptans* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Borago officinalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Borassus flabelliformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Borreria articularis* (L.F.) WILLIAMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Borreria hispida* (L.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Borreria pusilla* (WALL) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bosea amherstiana* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boswellia carteri* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boswellia frereana* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boswellia glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boswellia ovalifoliolata* BAL & HENRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boswellia serrata* ROXB. *glabra* (ROXB.) BENNETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boswellia serrata* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boswellia thurifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bothriochloa odorata* (LISBOA) A. CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Botrychium lunaria* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Botrychium ternatum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Botrychium virginianum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boucerosia aucheriana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bougainvillea spectabilis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria eruciformis* (J.E.SMITH) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria ramosa* STAPP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachiaria reptans* (L.) C.A. GARDNER & C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachyactis roylei* WEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bragantia tomentosa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bragantia wallichii* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brasenia sachreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brasenia schreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassaiopsis glomerulata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica alba* (L.) RABENH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica campestris* L. *dichotoma* (ROXB.) WATT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica campestris* L. glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica campestris* L. rapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica campestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica cernua* (THUNB.) FORBES & HEMSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica integrifolia* (WEST) SCHULZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica juncea* (L.) CZERN. *integrifolia* (WEST) SINSKAJA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica juncea* (L.) CZERN. SSP. JUNCEA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica napus* L. *dichotoma* (ROXB.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica napus* L. glauca (ROXB.) SCHULZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica nigra* (L.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica nigra* (L.) KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica oleracea* L. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica oleracea* L. gongylodes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica rapa* L. campestris (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica tournefortii* GOUAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Breia arvensis* (L.) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bremekampia verticillata* (ROXB.) SREEMADHAVAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Breynia patens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Breynia retusa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Breynia rhamnoides* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Breynia vitis-idaea* (BURM.F.) FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bridelia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bridelia montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bridelia retusa* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bridelia scandens* (ROXB.) WILLD, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bridelia squamosa* (LAM.) GEHRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bridelia stipularis* BLUME and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bridelia tomentosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bromelia ananas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bromus unioloides* H.B.N.NOV. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Broussonetia papyrifera* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brucea javanica* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brucea mollis* WALL. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bruguiera cylindrica* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bruguiera gymnorhiza* (L.) SOVIGY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brunfelsia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brunfelsia calycina* BENTH. *MACRANTHA RAFFILL* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bruxanellia indica* DENNST. EX KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bryonia epigoea* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bryonia grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bryonia laciniosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bryonia rostrata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bryonia scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bryonia umbellata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bryonopsis laciniosa* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bryophyllum calicynum* SALISB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bryophyllum pinnatum* (LAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bryum bicolor* DICKSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buchanania axillaris* (DESR.) RAMAMOORTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buchanania latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buddleja asiatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buddleja davidii* FRANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buddleja macrostachys* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buddleja neemda* HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buettneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum congestum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum neilgherrense* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbophyllum sterile* (LAM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bulbostylis barbata* (ROTTB.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bunium persicum* (BOISS.) FEDT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bupleurum falcatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bupleurum jucundum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bupleurum lanceolatum* WALL. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bupleurum longicaule* WALL. EX DC. *himalayense* (KI.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bupleurum setaceum* FENZL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bupleurum thompsoni* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bursera serrata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Butea buteiformis* (VOIGT) GRIERSON & LONG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Butea frondosa* ROXB. ET KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Butea monosperma* (LAM.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Butea parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Butea superba* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Butia yatay* (MART.) BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buxus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buxus wallichiana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bytineria Kalammanensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Byttneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Byttneria pilosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cacalia kleinia* HERB. MADR. EX. C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cacalia pentaloba* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cacalia sonchifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caccinia crassifolia* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cachrys pabularia* (LINDL.) HERRNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cactus ficus-indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cadaba farinosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cadaba fruticosa* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cadaba indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cadaba trifoliata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia bonduc* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia bonducella* (L.) FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia coriaria* WILLD. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia crista* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia cuculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia decapetala* (ROTH) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia digyna* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia jayabo* NAZA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia mimosoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia nuga* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia paniculata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia pulcherrima* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesulia axillaris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cajanus bicolor* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cajanus cajan* (L.) MILLSP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cajanus indicus* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calacanthus grandiflorus* (DALZ.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caladium bicolor* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caladium sagittaeifolium* SUBER. EX ENGL. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamintha clinopodium* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamintha umbrosa* FISH. & MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus draco* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus erectus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus extensus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus huegelianus* MART, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus latifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus rheedei* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus tenuis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus thwaitesii* BECC. canaranus Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus travancoricus* BEDD. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calamus viminalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calanthe masuca* (D.DON) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calanthe sylvatica* (THOU.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calanthe triplicata* (WILLEM.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calanthe veratrifolia* (WILLD.) KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calendula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calendula officinalis* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callicarpa arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callicarpa cana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callicarpa lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callicarpa longifolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callicarpa macrophylla* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callicarpa psilocalyx* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callicarpa rubella* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callicarpa tomentosa* (L.) MURRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calligonum polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callistemon lanceolatus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callitris inophyllum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calonyction bona-nox* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calonyction muricatum* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calophyllum apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calophyllum calaba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calophyllum elatum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calosanthus indica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calotropis gigantea* (L.) R.BR. alba and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calotropis gigantea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calotropis procera* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caltha alba* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caltha palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calvatia cyathiformis* (BOSC.) MORGAN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calycopteris floribunda* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calyptranthes caryophyllifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calyptranthes jombolana* MOON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Camellia kissi* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Camellia sinensis* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Camellia thea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Campanula colorata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Camphora officinarum* NEES. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Campsis grandiflora* (THUNB.)SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Campsis radicans* (LINN.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cananga odorata* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canangium odoratum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canarium bengalense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canarium commune* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canarium euphyllum* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canarium resiniferum* BRUCE EX KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canarium strictum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canarium vulgare* LEENH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canavalia ensiformis* SENSU BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canavalia gladiata* (JACQ.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canavalia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canavalia rosea* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canavalia virosa* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canella alba* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canella winterana* (L.) GAERTNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canna coccinea* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canna orientalis* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cannabis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canscora andrographioides* GRIFF. EX C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canscora decussata* SCHULTES & SCHULTES.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canscora diffusa* (VAHL) R. BR. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canscora perfoliata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cansjera rheedi* J.F. GMELIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium angustifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium coromandelicum* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium dicoccum* (GAERTN.) TEIJSM. & BINN. *dicoccum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium parviflorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium umbellatum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caoxylon indicum* (BL.) HASSK. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis aphylla* ROTH. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis assamica* HK. F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis bisperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis corundas* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis decidua* (FORSK.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis diffusa* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis divaricata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis horrida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis micrantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis moonii* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis olacifolia* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis pedunculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis zeylanica* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capsella bursa-pastoris* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capsella thomsoni* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capsicum annuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capsicum festigiatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capsicum grossum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capsicum minimum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caragana crassicaulis* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caragana cuneata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caragana pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carallia brachiata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carallia integerrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma adscendens* (ROXB.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma attenuata* WT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma edulis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma tuberculata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma umbellata* HAW. SYN. PL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carapa granatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carapa gromatum* (KOENIG) ALSTON and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carapa moluccensis* LAM. EXCYCL. METH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carapa obovata* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardamine impatiens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardamine loxostemonoides* O.E. SCHULZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardamine pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardamine scutata* THUNB. flexuosa (WITH.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardanthera uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardaria draba* (L.) DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardiocrinum giganteum* (WALL.) MAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardiospermum canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carduus edelbergii* RECH.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carduus gigas* UCRIA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carduus nutans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex atrata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex cernua* BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex nivalis* BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex notha* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carex nubigena* D.DON NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Careya arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Careya herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carica cKalammarcensis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa carKalams* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa congesta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa opaca* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa spinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carmona microphylla* (LAM.) G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carmona retusa* (VAHL) MASAMUNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carpesium abrotanoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carpesium cernuum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carpopogon pruriens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carthamus lanatus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carthamus oxyacantha* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carum bulbocastanum* Auct. Non Koch: C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carum carvi* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carum copticum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carum roxburghianum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carum strictocarpum* C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caryophyllus aromaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caryopteris odorata* ROBIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caryota mitis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *CascaNripati thevetia* (L.) LIPPOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia elliptica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia graveolens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia grewiaefolia* VENT. *deglabrata* KOORD. & VAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia ovata* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia vareca* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia zeylanica* (GAERTN.) RHW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia absus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia acutifolia* DELILE and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia angustifolia* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia arborea* MACFAD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia auriculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia didymobotrya* FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia elongata* LEMAIRE - LIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia glauca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia italica* (MILL.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia javanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia laevigata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia lanceolata* COLLAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia marginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia mimosoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia montana* HEYNE EX. ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia obovata* COLLOD. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia obtusifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia pumila* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia senna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia siamea* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia sophera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia surattensis* BRUN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia tora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia uniflora* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassine glauca* (ROTTB.) O.KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassiope fastigiata* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Castanea sativa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Castanopsis indica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Castanopsis tribuloides* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Castanospermum australe* A. CUNN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casuarina equisetifolia* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catha edulis* FORSK. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catharanthus pusillus* (MURR.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catharanthus roseus* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catimbium malaccense* (BURM.F.) HOLTUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catimbium speciosum* (WENDL.) HOLTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catunaregam rugulosa* (THW.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catunaregam uliginosa* (RETZ.) SIVARAJAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catunaregam spinosa* (THUNB.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caulophyllum thalictroides* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia auriculata* (ROXB.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia carnos*a (WALL.) GAGNEP. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia mollissima* (WALL.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia pedata* (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia pedata* JUSS. EX GAGNEPAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia trifolia* (L.) DOMIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cedrela serrata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cedrela toona* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cedrus deodara* (ROXB.) LOUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cedrus libani* BARREL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cedrus libani* BARREL deodara HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceiba pentandra* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celastrus paniculatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celosia argentea* L. cristata (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celsia coromandeliana* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celtis cinnamomea* LINDL. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celtis orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celtis philippensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celtis tetrandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celtis timorensis* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celtis wightii* PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cenchrus barbatus* SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cenchrus biflorus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centaurea behen* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centaurea calcitrapa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centaurea iberica* TREV. EX SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centaurea picris* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centaurea solstitialis* ASSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centaureum centaurioides* (ROXB.) ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centaureum roxburghii* (G.DON) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centella asiatica* (L.) URBAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centipeda minima* (L.) A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centipeda orbicularis* LOUR. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centranthera grandiflora* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centranthera indica* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centratherum anthelminticum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centrosema pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centrostachys aquatica* (R.BR.) WALL. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cepa alba* RENAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cepa flava* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cephaelis ipecacuanha* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cephalandra indica* NAUDIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cephalanthera ensifolia* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cephalanthera longifolia* (L.) FRITZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cephalostachyum capitatum* MUNRO NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cephalostachyum pergracile* MUNRO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cephalotaxus griffithi* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cerastium cerastoides* (L.) BRITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cerastium fontanum* BAUMG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cerastium glomeratum* THUILL.FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cerastium indicum* THUILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cerastium thomsoni* HK.F. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cerastium vulgatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cerasus hexagonus* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceratocephalus falcatus* (L.) PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceratopteris siliquosa* COPELAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceratopteris thalictroides* (L.) BRONGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cerbera manghas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cerbera odollam* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cereus grandiflorus* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceriops candolleana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceriops roxburghiana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceriops tagal* C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceriscoides turgida* (ROXB.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia bulbosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia candelabrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia juncea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia tuberosa* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cestrum diurnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cestrum nocturnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cestrum parqui* L'HERIT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceterach officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chaerophyllum acuminatum* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chaerophyllum villosum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chamaemelum nobile* (L.) ALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chamaerops ritchieana* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Champereia griffithii* PLANCH. EX KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Champereia manillana* (BL.) MORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chasallia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chassalia curviflora* (WALL. EX KURZ) THW. *ophioxyloides* (WALL.) DEB & KRISHNA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chassalia ophioxyloides* (WALL.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chavica betle* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chavica roxburghii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cheilanthes albomarginata* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cheilanthes farinosa* (FORST.) KAULF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cheilanthes fragrans* (L.F.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cheilanthes rufa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cheilanthes tenuifolia* (N.BURM.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chenopodium ambrosioides* BERT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chenopodium blitum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chenopodium botrys* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chenopodium murale* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chesneya nubigena* (D.DON)ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysanthemum segetum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cirsium wallichii* DC. var. *wightii* (Hook.f.) Vivek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissampelopsis ansteadii* (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissampelopsis corymbosa* (DC.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissampelopsis walkeri* (Arn.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Conyza aegyptiaca* (L.) Ait. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Conyza bonariensis* (L.) Cronquist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Conyza japonica* (Thunb.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Conyza leucantha* (D.Don) Ludlow & Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Conyza stricta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coreopsis grandiflora* Nutt. ex Chapm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coreopsis tinctoria* Nutt var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coreopsis tinctoria* Nutt var. *atkinsoniana* (Douglas) H. M. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cosmos caudatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cosmos sulphureus* Cav. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotula australis* (Sieb. ex Spreng.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crassocephalum crepidioides* (Benth.) S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyathocline purpurea* (Ham. ex D.Don) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dahlia coccinea* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dahlia imperialis* Roezel ex E. Ortgies and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendranthema x grandiflorum* (Ramat.) Kitam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichrocephala chrysanthemifolia* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichrocephala integrifolia* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicoma tomentosa* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinops echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Emilia coccinea* (Sims) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Emilia javanica* (Burm.f.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Emilia ramulosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Emilia scabra* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Emilia zeylanica* Clarke var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Emilia zeylanica* Clarke var. *paludosa* Gamble and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epilates divaricata* (L.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epilates pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron alpinus* L. var. *wightii* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron karvinskianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron multiradiatus* (DC.) C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eupatorium ianthinum* Hemsl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eupatorium repandum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flaveria contrayerba* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flaveria trinervia* (Spreng.) C. Mohr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gaillardia pulchella* Foug. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galinsoga parviflora* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galinsoga quadriradiata* Ruiz. & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gamochaeta coarctata* (Willd.) M. Kerguelen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gamochaeta pensylvanica* (Willd.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gamochaeta purpurea* (L.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gazania linearis* (Thunb.) and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gerbera jamesonii* Bolus ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glossocardia bosvallea* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glossogyne bidens* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnaphalium hypoleucum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnaphalium luteo-album* L. subsp. *luteo-album* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnaphalium luteo-album* L. subsp. *affine* (D. Don.) Koster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnaphalium polycaulon* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goniocaulon indicum* (Klein ex Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grangea maderaspatana* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Guizotia abyssinica* (L.f.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynura aurantiaca* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynura bicolor* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynura lycopersicifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynura nitida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynura pseudo-china* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynura travancorica* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helianthus debilis* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helianthus tuberosus* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helichrysum buddleioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helichrysum perlanigerum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helichrysum wightii* Clarke ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helipterum citrinum* Harv. & Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helipterum roseum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypochoeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypochoeris radicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kleinia grandiflora* (Wall. ex DC.) Rani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca hastata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagascea mollis* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laggera crispata* (Vahl) Hepper & Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea acaulis* (Roxb.) Babc. ex Kerr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea intybacea* (Jacq.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea procumbens* (Roxb.) Ramayya & Rajagopal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea sarmentosa* (Willd.) Sch.-Bip. ex Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucanthemum x superbum* (J.W. Ingram) D. H. Kent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Montanoa bipinnatifida* C. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moonia heterophylla* Arn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myriactis wightii* DC. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myriactis wightii* DC. var. *bellidioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Notonia shevaroyensis* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Notonia walkeri* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Olearia cassiniae* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oligochaeta ramosa* (Roxb.) Wagenitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osteospermum ecklonis* (DC.) Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osteospermum moniliferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentanema cernuum* ( Dalzell ) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentanema indicum* (L.) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllocephalum courtallense* (Wight) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllocephalum indicum* (Less.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllocephalum phyllolaenum* (DC.) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllocephalum rangacharii* (Gamble) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllocephalum scabridum* (DC.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllocephalum sengaltherianum* (Narayana) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pluchea tomentosa* DC. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Proustia pyrifolia* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psiadia ceylanica* (Arn.) Grierson var. *ceylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psiadia ceylanica* (Arn.) Grierson var. *beddomei* (Gamble) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pulicaria angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pulicaria wightiana* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rudbeckia maxima* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Santolina chamaecyparissus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sclerocarpus africanus* Jacq.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio ansteadii* Tad. & Jacob and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio articulatus* (Haw.) Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio calcadensis* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio candicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio cineraria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio confusus* Elmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio edgeworthii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio hohenackeri* Hook.f. var. *hohenackeri* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio hohenackeri* Hook.f. var. *rupestris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio intermedius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio kundaicus* Fishcher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio lavandulaefolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio lessingianus* (Wight & Arn.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio ludens* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio neelgherryanus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio polycephalus* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio tenuifolius* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio wightii* (DC.) Benth. ex Clarke and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio zeylanicus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sigesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Silybum marianum* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solidago canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solidago gigantea* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solidago microglossa* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solidago nemoralis* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solidago virga-aurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonchus asper* (L.) Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonchus jainii* Chandrabose, Chandrasekaran & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonchus wightianus* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphaeranthus amaranthoides* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spilanthes calva* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spilanthes radicans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spilanthes uliginosa* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stokesia laevis* (Hill) Greene and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Struchium sparganophorum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Synedrella nodiflora* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tagetes lucida* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tagetes minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tanacetum parthenium* (L.) Sch. bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taraxacum javanicum* Soest and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taraxacum officinale* Weber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tanacetum cinerariaefolium* Sch.Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tithonia diversifolia* (Hemsl.) A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tricholepis radicans* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia albicans* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia anomallica* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia anthelmintica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia arborea* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia bourdillonii* Gamble and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia bourneana* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia cinerascens* Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia cinerea* (L.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia comorinensis* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia conyzoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia dalzelliana* Drumm. & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia divergens* (Roxb.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia elaeagnifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia fysonii* Calder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia gossypina* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia heynei* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia indica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia malabarica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia membranacea* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia monosis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia pectiniformis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *peninsularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *kodayarensis* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia pothigaiana* Chelladurai & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia ramosa* Hutchins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia recurva* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia saligna* DC. var. *nilghirensis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia salvifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia setigera* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia travancorica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vittadinia australis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wedelia chinensis* (Osbeck) Merr. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wedelia trilobata* (L.) A. Hitchc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wedelia urticaefolia* (Blume) DC. var. *urticaefolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wedelia urticaefolia* (Blume) DC. var. *wightii* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xanthium indicum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Youngia fuscipappa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Youngia nilgiriensis* Babt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zinnia elegans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scaevola plumieri* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scaevola sericea* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asyneuma fulgens* (Wall.) Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Campanula alphonisii* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Campanula benthamii* Wall. ex Kitam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Campanula drabifolia* Sibth. & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Campanula latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Campanula medium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Campanula ramulosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Campanula rapunculoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Campanula wightii* Gamble and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laurentia longiflora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wahlenbergia erecta* (Roth ex Schultes) Tuyn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wahlenbergia flexuosa* (Hook.f. & Thoms.) Thulin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wahlenbergia marginata* (Thunb.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia alsinoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia angulata* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia chinensis* Lour and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia courtallensis* K.K.N.Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia heyneana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia leschenaultiana* (Presl) Skottsb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia nicotianifolia* Roth ex Schultes var. *nicotianifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia nicotianifolia* Roth ex Schultes var. *trichandra* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphenoclea zeylanica* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vaccinium leschenaultii* Wight var. *leschenaultii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vaccinium leschenaultii* Wight var. *pubescens* S.M. Rajendran, S.C. Agarwal & H.N. Verma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vaccinium leschenaultii* Wight var. *rotundifolia* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vaccinium leschenaultii* Wight var. *zeylanica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vaccinium neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arbutus unedo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calluna vulgaris* (L.) Hull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erica arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erica vagans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gaultheria fragrantissima* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron arboreum* J.E. Smith subsp. *nilagirium* (Zenk.) Tagg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron indicum* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron mucronatum* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron simsii* Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clethra arborea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limonium sinuatum* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumbago auriculata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anagallis pumila* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lysimachia candida* Lindl. subsp. *obovata* (Buch.-Ham.ex Hook.f.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lysimachia leschenaultii* Duby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lysimachia procumbens* Baudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aegiceras corniculatus* (L.) Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antistrophe serratifolia* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia amplexicaulis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia blatteri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia littoralis* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia missionis* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia pauciflora* Heyne ex Roxb. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia rhomboidea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia solanacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ardisia sonchifolia* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Embelia adnata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Embelia basaal* (Roem. & Schultes) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Embelia gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Embelia ribes* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Embelia tsjeriam-cottam* (Roem. & Schultes) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maesa indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrsine wightiana* Wall. ex. A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rapanea capitellata* (Wall.) Mez var. *capitellata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rapanea capitellata* (Wall.) Mez var. *sessilis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rapanea daphnoides* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rapanea thwaitesii* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jacquinia barbasco* (Loefl.) Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jacquinia aculeata* Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysophyllum roxburghii* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isonandra lanceolata* Wight forma *lanceolata* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isonandra lanceolata* Wight forma *anfractuosa* (Clarke) Jeuken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isonandra montana* (Thw.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isonandra perrottetiana* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isonandra stocksii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Madhuca indica* J. F. Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Madhuca longifolia* (Koen.) Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Madhuca neriifolia* (Moon) H.J. Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Manilkara hexandra* (Roxb.) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Manilkara roxburghiana* (Wight) Dubard and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Manilkara zapota* (L.) P. Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Palaquium bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Palaquium ellipticum* (Dalz.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xantolis tomentosa* (Roxb.) Rafin. var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xantolis tomentosa* (Roxb.) Rafin. var. *elengioides* (A.DC.) Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros affinis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros assimilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros barberi* Ramaswami and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros buxifolia* (Blume) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros candolleana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros chloroxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros ebenum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros ferrea* (Willd.) Bakh. var. *buxifolia* (Rottb.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros ferrea* (Willd.) Bakh. var. *neilgherrensis* (Wight) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros foliolosa* Wall. ex A.DC. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros humilis* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros insignis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros malabarica* (Desr.) Kostel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros melanoxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros nigresens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros nilgirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros oocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros paniculata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros pruriens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros sylvatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros walkeri* (Wight) Guerke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos authilingomii* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos cochinchinensis* (Lour.) Moore subsp. *laurina* (Retz.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos foliosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos macrocarpa* Wight ex Clarke subsp. *macrocarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos macrocarpa* Wight ex Clarke subsp. *kanarana* (Talbot) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos macrophylla* Wall. ex A.DC. subsp. *macrophylla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos macrophylla* Wall. ex A.DC. subsp. *microphylla* (Wight) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos macrophylla* Wall. ex A.DC. subsp. *rosea* (Bedd.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos monantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos nairii* Henry, Gopalan & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos obtusa* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos oligandra* Bedd. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos pendula* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos pulchra* Wight subsp. *pulchra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos pulchra* Wight subsp. *coriacea* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos wynadense* (Kuntze) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chionanthus leprocarpa* Thw. var. *courtallensis* (Bedd.) K.K.N. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chionanthus linocieroides* (Wight) Bennet & Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chionanthus macrophylla* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chionanthus mala-elengi* (Dennst.) P.S. Green and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chionanthus ramiflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chionanthus zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum angustifolium* (L.) Willd. var. *angustifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum angustifolium* (L.) Willd. var. *sessiliflorum* (Vahl) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum arborescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum auriculatum* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum azoricum* L. var. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum azoricum* L. var. *travancorensis* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum bignoniaceum* Wall. ex G.Don and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum brevilobum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum calophyllum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum cordifolium* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum cuspidatum* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum malabaricum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum mesnyi* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum multiflorum* (Burm.f.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum polyanthum* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum ritchiei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum rottlerianum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum sambac* (L.) Ait. var. *sambac* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum sambac* (L.) Ait. var. *heyneanum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum scandens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum trichotomum* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligustrum decaisnei* Clarke var. *decaisnei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligustrum decaisnei* Clarke var. *microphylla* Clarke and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligustrum gamblei* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligustrum lucidum* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligustrum perrottetii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligustrum robustum* (Roxb.) Blume subsp. *walkeri* (Decne.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligustrum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myxopyrum serratum* A.W. Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Olea dioica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Olea paniculata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Olea polygama* Wight and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schrebera swietenioides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Azima tetracantha* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenium obesum* Roem & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aganosma cymosa* (Roxb.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aganosma dichotoma* (Roth) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *AllamKalam cathartica* L. var. *nobilis* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *AllamKalam violacea* Gardn. & Field and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alstonia scholaris* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alstonia venenata* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Beaumontia grandiflora* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Beaumontia jerdoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa carKalam*s L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa grandiflora* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa hirsuta* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa inermis* Vahl and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa salicina* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carissa spinarum* L. var. *spinarum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catharanthus pusillus* (Murr.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catharanthus roseus* (L.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cerbera odollam* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chonemorpha fragrans* (Moon) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ellertonia rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Funtumia africana* (Benth.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holarrhena pubescens* (Buch. - Ham) Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hunteria zeylanica* (Retz.) Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ichnocarpus frutescens* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kopsia fruticosa* (Ker-Gawl.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mandevilla laxa* (Ruiz & Pavon) Woodson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parsonia alboflavescens* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumeria obtusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rauvolfia hookeri* Srinivasan & Chithra and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rauvolfia micrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rauvolfia serpentina* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rauvolfia verticillata* (Lour.) Baill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strophanthus wightianus* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabernaemontana divaricata* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabernaemontana gamblei* Subram. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabernaemontana heyneana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thevetia peruviana* K.Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vallisneria spiralis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vinca major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Voacanga grandiflora* (Miq.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wrightia arborea* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wrightia indica* Ngan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wrightia tinctoria* (Roxb.) R.Br. var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wrightia tinctoria* (Roxb.) R.Br. var. *rothii* (G.Don) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachystelma bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachystelma brevitubulatum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachystelma maculatum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brachystelma rangacharii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calotropis gigantea* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calotropis procera* (Ait.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma adscendens* (Roxb.) Haw. var. *adscendens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma adscendens* (Roxb.) Haw. var. *attenuata* (Wight) Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma bhupinderana* Sarkaria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma diffusa* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma indica* (Wight & Arn.) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma nilagiriana* Kumari & Subba Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma pauciflora* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma procumbens* Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma stalagmifera* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caralluma umbellata* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia barnesii* Bruce & Chatterjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia bulbosa* Roxb. var. *bulbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia bulbosa* Roxb. var. *lushii* (Graham) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia candelabrum* L. var. *candelabrum* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia candelabrum* L. var. *biflora* (L.) M.Y. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia ciliata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia decaisneana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia elegans* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia ensifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia fimbriifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia intermedia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia juncea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia maculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia mannarana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia metziana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia oculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia omissa* Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia pusilla* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia spiralis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceropegia thwaitesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cosmostigma racemosum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynanchum alatum* Wight & Arn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynanchum callialatum* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynanchum tunicatum* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphocarpus fruticosus* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphocarpus physocarpus* E. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema alterniflorum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema elegans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema hirsutum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema lactiferum* (L.) R. Br. ex. Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema montanum* (Roxb.) Hook.f. var. *montanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema montanum* (Roxb.) Hook.f. var. *beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema montanum* (Roxb.) Hook.f. var. *pubiflora* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema sylvestre* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema tingens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heterostemma tanjorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holastemma ada-kodien* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya alexicaca* (Jacq.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya kanyakumariana* Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya ovalifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya wightii* Hook.f.subsp. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya wightii* Hook.f. subsp. *palniensis* K .T. Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptadenia reticulata* (Retz.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsdenia brunoniana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsdenia tenacissima* (Roxb.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsdenia tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentatropis capensis* (L.f.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pergularia daemia* (Forrsk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Raphionacme purpurea* Harv. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostemma acidum* (Roxb.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostemma brunonianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostemma intermedium* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostemma secamone* (L.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Secamone emetica* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stapelia gigantea* N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stapelia grandiflora* Masson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Telosma minor* (Andr.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Telosma pallida* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Toxocarpus beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Toxocarpus kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Toxocarpus palghatensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora capparidifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora fasciculata* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora macrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora mollissima* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora multiflora* (Wight & Arn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora pauciflora* Wight & Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora rotundifolia* Buch.-Ham. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora tertrapetala* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora zeylanica* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wattakaka volubilis* (L.f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bacolepis nervosa* (Wight & Arn.) Decne. ex Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptolepis buchananii* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptolepis grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptostegia grandiflora* R.Br. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Decalepis hamiltonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hemidesmus indicus* (L.) R.Br. var. *indicus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hemidesmus indicus* (L.) R.Br. var. *pubescens* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Decalepis arayalpathra* Joseph & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urtica salicifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagraea ceilanica* Thub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardneria ovata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mitrasacme indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spigelia anthelmia* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos lenticellata* Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos minor* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos vanprukii* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos wallichiana* Steud. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buddleja asiatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buddleja davidii* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buddleja madagascariensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buddleja volubilis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canscora decurrens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canscora decussata* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canscora diffusa* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canscora heteroclita* (L.) Gilg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canscora perfoliata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canscora roxburghii* Arn. ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enicostema axillare* (Lam.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum anamallayanam* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum atropurpureum* Bedd. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum grande* Klack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum lawii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum petiolare* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum pumilum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum sessile* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum tetragonum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum wightianum* Arn. var. *wightianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum wightianum* Arn. var. *uniflorum* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana pedicellata* Griseb. var. *wightii* Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana quadrifaria* Blume var. *zeylanica* (Griseb.) Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Halenia perrottetii* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoppea dichotoma* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoppea fastigiata* (Griseb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia angustifolia* Buch.-Ham. var. *pulchella* (Buch.-Ham. ex D. Don) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *grisebachiana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia densifolia* (Griseb.) Kashyapa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia minor* (Griseb.) Knobl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia trichotoma* (Wight & Arn. ex Wight) Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphoides aurantiacum* (Dalz.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphoides hydrophylla* (Lour.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphoides indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrolea zeylanica* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wigandia canacasana* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phlox drummondii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carmona retusa* (Vahl) Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia alba* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia diffusa* Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia domestica* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia evolutor* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia gharaf* (Forssk.) Ehrenb. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia macleodii* (Griff.) Hook.f. & Thoms. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia monoica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia obliqua* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia wallichii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia subcordata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia aspera* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia canarensis* (Clarke) Gamble and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia laevis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia wightiana* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium bracteatum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium curassavicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium marifolium* Retz. subsp. *marifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium marifolium* Retz. subsp. *wallichii* (Clarke) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium ovalifolium* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium peruvianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium rottleri* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium strigosum* Willd. subsp. *brevifolium* (Wall.) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium subulatum* (Hochst.ex DC.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium supinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium zeylanicum* (Burm.f.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotula aquatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tournefortia argentea* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tournefortia heyneana* Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tournefortia reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tournefortia wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichodesma indicum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichodesma inaequale* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichodesma zeylanicum* (Burm.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aniseia martinicensis* (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia argentea* Choisy var. *venusta* (Choisy) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia coonoorensis* W.W. Smith & Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia cuneata* (Willd.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia cymosa* (Roxb.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia daltonii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia elliptica* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia fulgens* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia hirsuta* Wight & Arn. var. *hirsuta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia imbricata* (Roth) Sant. & Patel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia involucrata* Clarke and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia kleiniana* (Roem. & Schultes) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia nellygherya* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia nervosa* (Burm.f.) Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia osyrensis* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia pilosa* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia pomacea* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia populifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia sericea* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyreia setosa* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bonamia evolvuloides* (Choisy) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bonamia Semidigyna* (Roxb.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus flavus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus rottlerianus* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuscuta campestris* Decne. ex Engelm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuscuta chinensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuscuta hyalina* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuscuta reflexa* Roxb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erycibe paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Evolvulus alsinoides* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Evolvulus nummularius* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hewittia sublobata* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea aquatica* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea asarifolia* (Desr.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea barlerioides* (Choisy) Benth.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea batatas* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea cairica* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea carnea* Jacq. subsp. *carnea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D.F. Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea coptica* (L.) Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea deccana* Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea dichroa* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea diversifolia* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea eriocarpa* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea hederifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea involucrata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea marginata* (Desr.) Verdc . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea mauritiana* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea nil* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea obscura* (L.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea pes-caprae* (L.) R.Br. var. *pes-caprae* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea pes-caprae* (L.) R. Br. var. *perunkulamensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea pileata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea purpurea* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea rumicifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea sepiaria* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea sinensis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea staphylina* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea tuberculata* Ker - Gawl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea turbinata* Lag. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea wightii* (Wall.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jacquemontia caerulea* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jacquemontia paniculata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jacquemontia pentantha* (Jacq.) D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepistemon leiocalyx* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia aegyptia* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia dissecta* (Jacq.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia emarginata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia hederacea* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia quinata* (R.Br.) Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia quinquefolia* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia tridentata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia umbellata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia umbellata* (L.) Hall.f. subsp. *Orientalis* Hall.f. Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia vitifolia* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Operculina turpethum* (L.) Silva Manso and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Porana paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Porana racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rivea hypocrateriformis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rivea ornata* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stictocardia tiliifolia* (Desr.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Browallia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Browallia speciosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Browallia viscosa* Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brugmansia arborea* (L.) Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brugmansia suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brugmansia versicolor* Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brunfelsia undulata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capsicum annuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cestrum aurantiacum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cestrum corymbosum* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cestrum diurnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cestrum elegans* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cestrum fasciculatum* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cestrum nocturnum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cestrum parqui* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyphomandra betacea* (Cav.) Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura cornigera* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura innoxia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura metel* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura sanguinea* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ichroma coccinea* Scheid. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycium barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycianthes laevis* (Dunal) Bitter subsp. *laevis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycianthes laevis* (Dunal) Bitter subsp. *bigeminata* (Nees) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb var. *gouakai* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycopersicon esculentum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nicandra physalodes* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nicotiana alata* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nicotiana glauca* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nicotiana glutiniosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nicotiana plumbaginifolia* Viv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nicotiana repKalam* Willd. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nierembergia gracilis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Petunia axillaris* (Lam.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Petunia x hybrida* Vilm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis ixocarpa* Brot. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis lagascae* Roem. & Schult. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis pruinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schizanthus pinnatus* Ruiz & Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schizanthus wisetonensis* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solandra grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum americanum* Mill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum anguivi* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum ariculari* G. Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum barbisetum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum capsicastrum* Link & Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum capsicoides* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum clavatum* Rusby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum convolvulus* Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum elaeagnifolium* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum erianthum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum giganteum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum grandiflorum* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum hispidum* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum jasminoides* Paxt. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum kurzii* Brace ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum macrocarpon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum macrophyllum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum marginatum* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum mauritianum* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum melongena* L. var. *melongena* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum insanum* J.B.Fisch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum lasiocarpum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum pseudo-capsicum* L.var. *pseudo-capsicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum pseudo-capsicum* L. *difflorum* (Vell.) Bitter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum robustum* H. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum seaforthianum* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum sisymbriifolium* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum stramonifolium* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum torvum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum vagum* Heyne ex Nees and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum viarum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum violaceum* Ortega Subsp. *violaceum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum violaceum* Ortega Subsp. *multiflorum* (C. B. Clarke) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum wendlandii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum wrightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Streptosolon jamesonii* (Benth.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Withania somnifera* (L.) Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenosma indianum* (Lour.) Merr. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Angelonia biflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antirrhinum orontium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Antirrhinum purpureum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artanema longifolia* (L.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bacopa floribunda* (R.Br.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bacopa hamiltoniana* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bacopa monnieri* (L.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buchnera hispida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calceolaria gracilis* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celsia arcturus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centranthera indica* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centranthera tranquebarica* (Spreng.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbalaria muralis* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dopatrium lobelioides* (Retz.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dopatrium nudicaule* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glossostigma diandrum* (L.) Kuntze and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hebe speciosa* (A.Cunn) Andersen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hebe andersonii* Cockayne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kickxia ramosissima* (Wall.) Janchen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila aromatica* (Lam.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila connata* (Buch.-Ham. ex D.Don) Handb.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila heterophylla* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila polystachya* Benth. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila repens* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila rugosa* (Roth) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindenbergia indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia anagallis* (Burm.f.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia antipoda* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia caespitosa* (Blume) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia ciliata* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia crustacea* (L.) F.v.Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia hyssopioides* (L.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia minima* (Benth.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia nummulariifolia* (D.Don) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia oppositifolia* (Retz.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia parviflora* (Roxb.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia procumbens* (Krock.) Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia rotundifolia* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia ruellioides* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia srilankana* Cramer & Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia sessiliflora* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia tenuifolia* (Colsm.) Alston and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia viscosa* (Hornem.) Boldingh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maurandya barclaiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maurandya erubescens* (D. Don) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maurandya lophospermum* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maurandya semperflorens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mazus pumilus* (Burm.f.) Steenis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mecardonia procumbens* (Mill.) Small and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micrargeria wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microcarpaea minima* (Koen.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paulownia tomentosa* (Thunb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedicularis perrottetti* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedicularis zeylanica* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Penstemon azureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Penstemon campanulatus* (Cav.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peplidium maritimum* (L.f.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Russelia equisetiformis* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sopubia delphiniifolia* (L.) G.Don var. *delphiniifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sopubia delphiniifolia* (L.) G.Don var. *parviflora* Benth.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sopubia stricta* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sopubia trifida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stemodia viscosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Striga angustifolia* (D.Don) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Striga asiatica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Striga densiflora* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Striga gesnerioides* (Willd.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Striga masuria* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sutera dissecta* (Del.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia bicolor* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia courtallensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia fournieri* Linden ex Fourn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia hirsuta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia vagans* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbascum chinense* (L.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbascum thapsus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbascum virgatum* Stokes and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veronica arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veronica javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veronica polita* Fries and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veronica speciosa* R.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veronica persica* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeginetia pedunculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Christisonia bicolor* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Christisonia neilgherrica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Christisonia saulierei* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Christisonia subacaulis* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Christisonia tubulosa* (Wight) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orobancha cernua* Loefl. var. *nepalensis* Reut. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia australis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia bifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia exoleta* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia graminifolia* Vahl and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia hirta* Klein ex Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia minutissima* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia nayarii* Jana. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia polygaloides* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia reticulata* J.E.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia roseo-purpurea* Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia scandens* Benj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia smithiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia stellaris* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia striatula* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia uliginosa* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia wightiana* Taylor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeschynanthus ceylanica* Gard. var. *punguis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeschynanthus perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus gambleanus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus humboldtianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus innominatus* Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus lyrata* Wight var. *lyrata* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus lyrata* Wight var. *prostrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus meeboldii* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus missionis* Wall. ex R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus repens* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus tomentosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus wightii* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epithema carnosum* (G.Don) Benth. var. *hispida* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gesneria cardinalis* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jerdonia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchoglossum notonianum* (Wall) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchoglossum obliquum* Blume var. *parviflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchotechum permolle* (Nees) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arrabidaea magnifica* Sprague ex Steenis Bull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bignonia megapotamica* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Campsis radicans* (L.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catalpa bignonioides* Walter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clytostoma callistegioides* (Cham.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clytostoma purpureum* (Lodd. ex Sweet) Rehder and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parmentiera alata* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crescentia cujeta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichandrone arcuata* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichandrone atrovirens* (Heyne ex Roth) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichandrone falcata* (Wall.ex DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haplophragma adenophyllum* (DC.) Dop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *JacarKalam mimosifolia* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kigelia africana* (Lam.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macfadynea unguis-cati* (L.) A. Gentry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Markhamia stipulata* Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Millingtonia hortensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nyctocalos cuspidata* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oroxylum indicum* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pandorea jasminoides* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaedranthus buccinatorius* (DC.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllarthron bojerianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleonotoma jasminifolia* (H.B.K.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Podranea ricasoliana* (Tranf.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrostegia venusta* (Ker-Gawl.) Presl and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Radermachera xylocarpa* (Roxb.) K.Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spathodea campanulata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabblerley var. *colais* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabblerley var. *angustifolium* (Haines) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabebuia rosea* (Bertol.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabebuia arjentea* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabebuia pallida* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabebuia palmeri* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tecoma stans* (L.) Kunth and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tecomaria capensis* (Thunb.) Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cobaea scandens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesamum alatum* Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesamum laciniatum* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesamum prostratum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesamum radiatum* Schumach. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acanthus mollis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis affinis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis alata* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis atropurpurea* (Dennst.) A. Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis ceylanica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis echioides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis elongata* (Vahl) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis explicata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis lawsonii* Gamble and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis lineata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis lobelioides* Wight var. *lobelioides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis lobelioides* Wight var. *composita* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis longipedunculata* (Sreemadh.) L.H. Cramer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis macrobotrys* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis neesiana* Wight var. *neesiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis neesiana* Wight var. *producta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis neesiana* Wight var. *rotundifolia* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis ovata* (T. And. ex Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis paniculata* (Burm.f.) Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis rothii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis serpyllifolia* (Rottl. ex Vahl) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis stellulata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis stenophylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Andrographis viscosula* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aphelandra deppeana* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asystasia chelonoides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asystasia crispata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asystasia dalzelliana* Sant. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asystasia gangetica* (L.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Asystasia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria acuminata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria courtallica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria cuspidata* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria gibsonii* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria involucrata* Nees var. *elata* (Dalz.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria longiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria mysorensis* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria nitida* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria noctiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria paniculata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria pilosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria prattensis* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria strigosa* Willd. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria tomentosa* Roth var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria tomentosa* Roth var. *glandulosa* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barleria vestita* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blepharis maderaspatensis* (L.) Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blepharis repens* (Vahl) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clinacanthus nutans* (Burm.f. ) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crossandra infundibuliformis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicliptera cuneata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicliptera foetida* (Forssk.) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicliptera verticillata* (Forssk.) Christensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diotacanthus albiflorus* (Bedd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diotacanthus grandis* (Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipteracanthus beddomei* (C. B. Clarke) Santapau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipteracanthus patulus* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipteracanthus prostratus* (Poir.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dyschoriste madurensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dyschoriste nagchana* (Nees) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dyschoriste vagans* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ecbolium ligustrinum* (Vahl) Vollesen and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ecbolium viride* (Forssk.) Alston var. *viride* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ecbolium viride* (Forssk.) Alston var. *dentata* (Klein ex Link) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ecbolium viride* (Forssk.) Alston var. *rotundifolia* (Nees) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elytraria acaulis* (L.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eranthemum capense* L. var. *capense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eranthemum capense* L. var. *concanensis* (T.And.ex Clarke) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eranthemum nervosum* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eranthemum purpurascens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eranthemum roseum* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Graptophyllum hortense* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnostachyum canescens* (Nees) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnostachyum ceylanicum* Arn. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnostachyum latifolium* (Dalz.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haplanthodes neilgherryensis* (Wight) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haplanthodes verticillatus* (Roxb.) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hemigraphis latebrosa* (Heyne ex Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila balsamica* (L.f.) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila heinei* Sreemadh. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila quadrivalvis* (Buch.-Ham.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila salicifolia* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila schulli* (Hamilt.) M.R.Almeida & S.M. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jacobinia carnea* (Lindl.) G. Nicholson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia beddomei* (Clarke) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia diffusa* Willd. var. *diffusa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia diffusa* Willd. var. *hedyotidifolia* (Nees) Clarke

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia diffusa* Willd. var. *orbiculata* (Wall. ex T.And.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia gendarussa* Burm.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia glabra* Koen.ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia glauca* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia latispica* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia neesii* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia nilgherrensis* (Nees) Wall. ex T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia procumbens* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia prostrata* (Roxb. ex Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia salsoloides* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia santapau* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia simplex* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia tranquebariensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia trinervia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia vahlii* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia wynaadensis* (Nees) Heyne ex T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis cristata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis cuspidata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis diffusa* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis fasciculata* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis incurva* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis mitis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis pungens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis scariosa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis spinosa* Wight ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis subarmata* (Clarke) Gamble and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptostachya wallichii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meyenia hawtayneana* (Wall.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Monothecium aristatum* (Wall. ex Nees) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neuracanthus neesianus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristrophe montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristrophe paniculata* (Forssk.) Brummitt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Petalidium barlerioides* (Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaulopsis imbricata* (Forssk.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseuderanthemum malabaricum* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhinacanthus nasutus* (L.) Kurz var. *nasutus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhinacanthus nasutus* (L.) Kurz var. *montana* (Clarke) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruellia colorata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rungia apiculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rungia crenata* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rungia laeta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rungia latior* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rungia parviflora* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rungia pectinata* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rungia repens* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rungia sisparensis* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rungia wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sanchezia nobilis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sanchezia parvibracteata* Sprague & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Santapaua madurensis* Balakr. & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Staurogyne glauca* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Staurogyne zeylanica* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stenosiphonium confertum* Nees and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stenosiphonium cordifolium* (Vahl) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stenosiphonium parviflorum* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stenosiphonium russellianum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stenosiphonium wightii* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes asperimus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes amabilis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes anamallai* J. R. I. Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes andersonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes barbatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes bolampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes ciliatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes consanguineus* (Nees) T. Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes cuspidatus* (Benth.) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes decurrens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes foliosus* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes heyneanus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes hamiltoniana* (Steud.) Bosser & Heine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes heteromallus* T. Anderson ex Clarke and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes homotropus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes humilis* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes isophylla* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes ixiocephala* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes kunthianum* (Nees) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes lanatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes lupulinus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes luridus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes matthewiana* R. W. Scotland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes micranthes* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes microstachya* Benth. ex Hohen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes neoasper* Venu & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes neilgherrensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes papillosus* T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes perrottetianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes pulneyensis* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes rubicundus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes sessilis* Nees var. *sessilis* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes sessilis* Nees var. *sessiloides* (Wight) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes sexennis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes tristis* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes urceolaris* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes violaceus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes wightianus* Nees and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes zenkerianus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia alata* Boj. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia bicolor* (Wight) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia erecta* (Benth.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia fragrans* Roxb. var. *fragrans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia fragrans* Roxb. var. *vestita* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia mysorensis* (Wight) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia tomentosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aloysia triphylla* (L'Herit.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bouchea hyderabadense* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callicarpa arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callicarpa tomentosa* (L.) Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citharexylum fruticosum* L. forma *subseriatum* (Sw.) Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum aculeatum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum cordatum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum inerme* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum neriifolium* Wall.ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum philippinum* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chionachne koenigii* (SPRENG.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chionanthus macrophylla* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chionanthus mala-elengi* (DENNST.) GREEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chondrus crispus* LYNGBYE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloranthus elatior* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloranthus glaber* (THUNB.) MAKINO and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloranthus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloranthus officinalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloris barbata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloris virgata* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophora excelsa* BENTH. & HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophytum arundinaceum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophytum attenuatum* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophytum laxum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chlorophytum tuberosum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloroxylon dupada* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chondrus crispus* STACKH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chonemorpha fragrans* (MOON) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chonemorpha macrophylla* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chorchorus trilocularis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Christella arida* (DON) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Christella contiguum* (ROSENT) HOLTUM F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Christella crinipes* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Christella parasitica* (L.) LEV. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Christella subpubescens* (BL.) HOLTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chromolaena odorata* (L.) R.M. KING & H. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrozophora plicata* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrozophora prostrata* DALZ . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrozophora rottleri* (GEIS.) A.JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrozophora tinctoria* A.JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysanthellum americanum* (L.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysanthellum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysanthemum cinerariifolium* (TREV.) VIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysanthemum coccineum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysanthemum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysanthemum purethroides* (KAR. & KIR.) FEDT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysanthemum roxburghii* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysobalanus icaco* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysophyllum roxburghii* DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysopogon aciculatus* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysopogon fulvus* (SPRENG.) CHIOV. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chukrasia tabularis* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cibotium barometz* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cicca acida* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cicca disticha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cicer microphyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cichorium noeanum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cicuta virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cimicifuga foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cimicifuga racemosa* NUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinchona calisaya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinchona calisaya* WEDD. *ledgeriana* HOWARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinchona excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinchona ledgeriana* MOENS EX TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinchona robusta* HOWARD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinchona succirubra* PAV. EX KLOTZSCH and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum aromaticum* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum bejolghota* (BUCH.-HAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum camphora* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum cassia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum cecidodaphne* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum glanduliferum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum glaucescens* (NEES) HAND-MEZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum impressinervium* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum iners* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum macrocarpum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum malabathrum* BATKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum obtusifolium* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum parthenoxylon* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum pauciflorum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum sulphuratum* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum tamala* NEES & EBERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum travancoricum* GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum verum* PRESL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum wightii* C.F.W.MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinnamomum zeylanicum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cipadessa baccifera* (ROTH.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Circaea alpina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Circaea cordata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cirrhopetalum sutepense* (ROLFE) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cirsium argyracanthum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cirsium arvense* (L.) SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cirsium sinense* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cirsium verutum* (DON) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cirsium wallichii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissampelos pareira* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus adnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus discolor* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus javanica* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus lanceolata* MALME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus latifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus pallida* (WIGHT & ARN.) PLANCHON and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus pedata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus repKalam* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus repens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus trilobata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cistanche tubulosa* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cistus creticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citharexylum suberratum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrullus colocynthis* (L.) SCHRADER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrullus lanatus* (THUNB.) MATSUMARA & NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI *fistulosus* (STOCKS) CHAKRAVARTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrullus vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrullus vulgaris* SCHRAD. *fistulosus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus acida* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus aurantifolia* (CHRISTM.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus aurantium* L. bergamia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus bergamia* RISSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus bigaradia* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus decumana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus grandis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus hystrix* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus jambhiri* LUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus karna* RAFIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus latipes* (SWINGLE) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus limetta* RISSO and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus limon* (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus limonum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus macroptera* Montr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus madurensis* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus maxima* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus medica* L. *medica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus medica* L. *limetta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus medica* L. *limonum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus paradisi* MACF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus pyxidata* (LINN.) FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus reticulata* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus sinensis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cladonia alpestris* (L.) RABH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Claoxylon indicum* HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Claoxylon polot* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clausena dentata* (WILLD.) ROEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clausena excavata* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clausena heptaphylla* WT. & ARN. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clausena lansium* (LOUR.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clausena pentaphylla* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clausena wampi* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clausena willdenowii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Claviceps purpurea* (FR.) TUL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Claxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleidion nitidum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleisostoma tenuifolium* (L.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleisostoma williamsonii* (RCHB.F.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleistanthus collinus* (ROXB.) BENTH. & HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis barbellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis b Buchananiana* DC. *vitifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis connata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis gouriana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis grata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis graveolens* LINDL. IN JOURN. HORT. SOC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis hedysarifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis montana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis napaulensis* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis smilacifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis triloba* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis wightiana* WALL. EX WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome brachycarpa* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome burmanni* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome chelidonii* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome felina* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome gynandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome heptaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome icosandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome vahliana* FAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum colebrookianum* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum indicum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum inerme* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum infortunatum* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum kaempferi* (JACQ.) SIEB. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum multiflorum* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum philippinum* SCHAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum phlomidis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum serratum* (L.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum siphonanthus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum splendens* G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum viscosum* H.W. MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clerodendrum wallichii* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clinogyne dichotoma* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clinogyne grandis* BENTH. HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clinopodium umbrosum* (BIEB.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clinopodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clitoria mariana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coccinia cordifolia* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coccinia glauca* and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coccinia grandis* (L.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coccinia indica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coccoloba uvifera* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocculus cordifolius* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocculus hirsutus* (L.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocculus laeaba* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocculus macrocarpus* W. & A. PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocculus pendulus* (JR. & G. FORST) DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocculus suberosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocculus villosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cochlearia armoracia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cochlearia cochlearioides* (ROTH) SANTAPAU & MAHESHWARI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cochlospermum gossypium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cochlospermum religiosum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocos schizophylla* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Codiaeum variegatum* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Codonacanthus pauciflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Codonopsis clematidea* (SCHR.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Codonopsis ovata* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelodepas calycinum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne cristata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne ovalis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne punctulata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coelogyne stricta* (DON) SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coffea arabica* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coffea bengalensis* HEYNE EX ROEM. & SCHULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coffea travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coix gigantea* KOENIG EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coix lachryma* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cola nitida* (VENT.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colchicum autumnale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colchicum luteum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colchicum variegatum* BIVONA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colebrookea oppositifolia* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coleus ambonicus* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coleus aromaticus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coleus barbatus* (ANDR.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coleus forskohlii* (POIR.) BRIQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coleus osmirrhizon* W.ELLIOT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coleus rotundifolius* (POIR.) A. CHEV. & PERROT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coleus scutellarioides* (L.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coleus vettiveroides* K.C. JACOB and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coleus zeylanicus* (BENTH.) CRAMEV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colocasia antiquorum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colocasia esculenta* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colocasia macrorrhiza* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colocasia virosa* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colophospermum mopane* KIRK EX LEON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colubrina asiatica* (L.) BRONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colutea arborescens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colutea nepalensis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Combretum acuminatum* (ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Combretum decandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Combretum extensum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Combretum latifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Combretum nanum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Combretum pilosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Combretum roxburghii* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina communis* EUGELM. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina diffusa* BURM.F. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina longifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina nudiflora* (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina obliqua* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina paludosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina salcifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commelina suffruticosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commicarpus chinensis* (L.) HEIMERL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commicarpus helenae* (J.A.SCHULTES) MEIKLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commicarpus verticillatus* STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora abyssinica* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora agallocha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora berryi* (ARN.) ENGLR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora caudata* (WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora molmol* ENGL. EX. TSCHIRAH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora mukul* (HOOK. EX. STOCKS) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora myrrha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora opobalsamum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora playfairii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora roxburghii* ENGL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora schimperi* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora stocksiana* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora wightii* (A.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Conium maculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Conocarpus latifolia* ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Conocephalus suaveolens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Consolida ajacis* (L.) SCHUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Consolida ambigua* (L.) BALL. & HEYWOOD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Consolida regalis* S.F. GRAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convallaria majalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus auricomus* (A. RICH.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus gemellus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus grandiflorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus malabaricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus microphyllus* SIEB.EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus paniculatus* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus pluricaulis* CHOIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus prostratus* FORSSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus scammonia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus speciosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus spinosus* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Convolvulus turpethum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Conyza bonariensis* (L.) CRONQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Conyza cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Conyza japonica* (THUNB.) LESS. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Conyza stricta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Copernicia cerifera* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coptis teeta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corallocarpus epigaea* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corallocarpus epigaeus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corbichonia decumbens* EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus acutangulus* AUCT.NON FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus antichorus* ROEUSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus capsularis* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus depressus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus urticifolius* WIGHT & ARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia dichotoma* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia gharaf* (FORSK.) EHRENB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia grandis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia macleodii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia monoica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia myxa* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia obliqua* WILLD. wallichii (G.DON) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia obliqua* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia rothii* ROEM.& SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia vestita* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia wallichii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordyceps sinensis* (BERK.)SAAC and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordyline fruticosa* GOEPPERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordyline terminalis* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coriaria nepalensis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coronilla picta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coronopus didymus* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cordia depressa* (DON) NORM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corydalis adiantifolia* HK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corydalis flabellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corydalis govaniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corydalis meifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corydalis ramosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corydalis rutifolia* (SMITH) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corydalis vaginans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corylus avellana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corylus columna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corylus jacquemonti* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corymbis veratrifolia* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corymborkis veratrifolia* (REINW.) BL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coscinium fenestratum* (GAERTN.) COLEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cosmostigma racemosa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Costus arabicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Costus speciosus* (KOEN. EX RETZ.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotinus coggygia* SCOP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotinus racemiflora* (DESF.) C. KOCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotoneaster bacillaris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotoneaster buxifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotoneaster microphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotoneaster microphyllus* WALL. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotoneaster nummularia* FISCH. & MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotula anthemoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotula aurea* Loefl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cousinia thomsonii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crambe cordifolia* STEVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crassocephalum crepidioides* (BTH.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crataegus laevigata* (POIR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crataegus oxyacantha* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crataegus songarica* KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crataeva adansonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crataeva magna* (LOUR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crataeva marmelos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crataeva nurvala* SENSU KANJ. & DAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crataeva religiosa* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crataeva tapia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cratogeomys cochinchinense* (LOUR.) BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cratogeomys neriifolium* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cremanthodium arnicoides* DC. *GOOD trigida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cremanthodium decaisnei* Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cremanthodium plantagineum* MAX. *maximowiczii* GOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cremastra appendiculata* (D.DON) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cremastra wallichiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crepidium acuminatum* (D.DON) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crepis flexuosa* (DC) BETH. & HK.F. EX Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crepis japonica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crescentia cujete* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crinum amoenum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crinum defixum* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crinum powellii* HORT. album HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crinum pratense* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crinum revolutum* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crinum viviparum* (LAM.) HEMADRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crocus sativus* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crossandra infundobuliformis* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crossandra undulaefolia* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria alata* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria albida* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria anagyroides* H.B. & K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria angulosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria benghalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria bialata* SCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria biflora* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria burhia* BUCH-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria calycina* SHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria linifolia* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria medicaginea* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria mucronata* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria mysorensis* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria pallida* DRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria paniculata* WILLD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria prostrata* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria pulchra* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria ramosissima* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria saltiana* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria sericea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria spectabilis* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria striata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria trifoliastrum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton argyratus* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton aromaticus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton bonplandianum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton caudatus* GEISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton joufra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton malabaricus* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton oblongifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton plicatum* VAHL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton polyandrum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton reticulatus* HEYNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton roxburghii* BALAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton sebiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton sparsiflorus* MORONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Croton zeylanicus* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptocarya wightiana* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptocoryne spiralis* FISCH. EX WYDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptolepis buchananii* ROEMER & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptolepis elegans* WALL. EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptolepis grandiflora* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cryptostegia grandiflora* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ctenitis apiciflora* (WALL. & METT) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ctenolepis cerasiformis* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ctenolepis garcinii* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cubeba officinalis* RAFIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucubalus baccifer* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis acutangulus* DESCOURT and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis agrestis* NAUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis anguinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis callosus* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis colocynthis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis hardwickii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis lagenarius* DUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis madraspatanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis melo* L. *utilissimus* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis melo* L. *momordica* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis melo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis momordica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis myriocarpus* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis pseudo-colocynthis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis pubescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis trigonus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis utilisissimus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucurbita citrullus* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucurbita lagenaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucurbita maxima* DUCHESNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucurbita moschata* (LAM.) DUCHESNE EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cudrania javanensis* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cullenia exarillata* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cupressus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curanga amara* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma fel-terrae* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curculigo capitulata* (LOUR) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curculigo crassifolia* GEARTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curculigo orchioides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curculigo prainiana* (DEB.) BENNET & RAIZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curculigo recurvata* DRYAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma amada* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma aromatica* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma caesia* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma domestica* (MEDIK) VALH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma inodora* BLAT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma leucorhiza* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma pseudomontana* GRAHAM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma rubescens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma zedoaria* (CHRIST.) ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Curcuma zerumbet* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuscuta capitata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuscuta chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuscuta europaea* BOVE & ENGELM. *indica* ENGELM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuscuta hyalina* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuscuta reflexa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyamopsis psoralioides* (LAM). DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyamopsis tetragonoloba* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyamopsis tetragonolobus* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis axillaris* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis concanensis* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis cristata* (L.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis papilionaceae* (L.) SCHULT. & SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyanotis tuberosa* (ROXB.) SCHULT. AND SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyathea albo-setacea* (BEDD.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyathea gigantea* (WALL. EX HOOK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyathea spinulosa* WALL. EX HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyathocline purpurea* (DON) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyathostemma micranthum* J.SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyathula prostrata* BLUME and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyathula tomentosa* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyathus limbatus* TULSANE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyathus stercoreus* (SCHW.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cycas beddomei* DYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cycas circinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cycas revoluta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cycas rumphii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyclamen europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyclamen persicum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyclea arnotii* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyclea bicristata* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyclea burmanni* (DC.) HOOK.F. TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyclea fissicalyx* DUNN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyclea peltata* (LAM.) HOOK. F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyclosorus dentatus* (FORSK.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyclosorus gongylodes* (SCH.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyclosorus parasiticus* (L.) FOREWELL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cydonia oblonga* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cydonia vulgaris* PERS. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cylista scariosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbalaria muralis* G.M. SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbidium grandiflorum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbidium hookerianum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbidium pendulum* (ROXB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon caesius* STAPH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon citratus* (DC.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon coloratus* STAPP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon flexuosus* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon jwarancusa* (JONES) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon jwarancusa* (JONES) SCHULT. *olivieri* (BOISS.) SOENARKO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon martini* (ROXB.) WATS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon nardus* (L.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cymbopogon schoenanthus* (L.) SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynanchum arnottianum* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynanchum extensum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynanchum heydei* HOOK.F.CYNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynanchum vincetoxicum* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynanthus lobatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynara scolymus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynodon dactylon* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynodon linearis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynoglossum denticulatum* A. DC. *zeylanicum* HORNEM. CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynoglossum glochidiatum* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynoglossum lanceolatum* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynoglossum micranthum* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynoglossum wallichii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynoglossum zeylanicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynometra iripa* KOSTEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynometra mimosoides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynometra ramiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynometra ramiflora* Linn. bijuga (Span.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynosurus coracanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus alopecuroides* ROTTL. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus amabilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus brevifolius* (ROTTB.) HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus bulbosus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus compactus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus compressus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus corymbosus* ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus cyperoides* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus denticulatus* SCHRAD EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus diffusus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus distans* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus exaltatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus haspan* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus inundatus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus jemicus* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus juncifolius* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus kyllingia* ENDL. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus longus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus malaccensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus michelianus* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus nutans* VAHL. *eleusinoides* (KUNTH) HAINES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus pangorei* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus pedunculatus* (R.BR.) KERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus pertenus* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus pilosus* VAHL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus platyphyllus* ROEM. & SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus platystylis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus rohita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus rotundus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus scariosus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus stoloniferus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus triceps* (ROTTB.) ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus tuberosus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyperus undulatus* KUKENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyphostemma setosum* (ROXB.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyrtomium caryotideum* (WALL.) PRESL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyrtomium falcatum* (L. F.) BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyrtophyllum peregrinum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cythocline purpurea* (DON.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cytisus scoparius* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dactyloctenium aegyptium* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dactyloctenium indicum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dactylorhiza hatagirea* (DON.) SOO and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daedalacanthus roseus* T. ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daemia cordata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daemia extensa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daemonorops draco* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dahlia rosea* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia arborea* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia candenatensis* (DENNST.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia emarginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia horrida* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia lanceolaria* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia oogeinensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia pinnata* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia sissooides* GRAHAM EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia sissoo* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia stipulacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia sympathetica* NIMMO and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia tamarindifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia volubilis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalechampia indica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalhousiea bracteata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daphne cannabina* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daphne oleo* SCHRAB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daphne oleoides* SCHREB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daphne papyracea* WILLD. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daphniphyllum himalayense* MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daphniphyllum neilgherrense* ROSENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datisca cannabina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura alba* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura fastuosa* L. alba (NEES) C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura fastuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura innoxia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura metel* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura metel* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura nilhummatu* DUN. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Datura tatula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daucus carota* L. sativa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Davallia tenuifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Davallia trichomanoides* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Debregeasia longifolia* (BURM.F.) WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Decalepis hamiltonii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Decaspermum fruticosum* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Deeringia amaranthoides* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delima scandens* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delonix elata* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delonix regia* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphaenium denudatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphaenium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium altissimum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium bruonianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium caeruleum* JACQ. EX CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium cashmirianum* ROYLE and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium denudatum* WALL. EX HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium glaciale* HOOK.F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium kashmirianum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium kohatense* (BRUHL.) MUNZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium paciflorum* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium roylei* MUNZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium saniculifolium* AUCT NON BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium semibarbatum* BLENERT EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium speciosum* JANKA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium vestitum* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium viscosum* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium zalil* AITCH & HEMSL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium aduncum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium aggregatum* - JENKINSII K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium amoenum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium chrysanthum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium coerulescens* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium crumenatum* SW. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium crumentum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium densiflorum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium jenkinsii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium macraei* AUCT. NON LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium moschatum* (BUCH.-HAM.) SW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium nobile* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium ovatum* (L.) KRAENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrobium paxtonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrocalamus hamiltonii* NEES EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrocalamus strictus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrocnide sinuata* (BL.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrophthoe elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrophthoe falcata* (L.F) ETTING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dendrophthoe pentandra* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dentella repens* (L.) J.R. & G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris elliptica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris ferruginea* (ROXB.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris indica* (LAM.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris malaccensis* PRAIN NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris robusta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris scandens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris trifoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Descurainia sophia* (L.) WEBB. EX PRANTL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmanthus cinereus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmanthus virgatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmochaeta atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium biarticulatum* (L.) F.V.MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium dichotomum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium gyrans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium gyroides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium heterocarpon - strigosum* VAN MEEWUEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium heterocarpon* (LINN.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium heterophyllum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium lasiocarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium latifolium* DC. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium microphyllum* (THUNB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium motorium* (HOUTT.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium oojeinense* (ROXB.) OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium polycarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium pseudotriquetrum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium pulchellum* BENTH.EX. BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium retroflexum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium styracifolium* (OSB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium tiliaefolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium triangulare* (RETZ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium triflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium umbellatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium velutinum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmos chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmos cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmos dumosa* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmos longiflorus* (ROXB.) SAFF. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmostachya bipinnata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmotrichum fimbriatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Deutzia scabra* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dianthus anatolicus* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dianthus caryophyllus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dianthus chinensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicaelospermum ritchiei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicentra chrysantha* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicentra thalictrifolia* HF.& T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichanthium caricosum* (L.) A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichanthium pertusum* CLYTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichopsis ellipticum* BENTH & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichroa febrifuga* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichrocephala bicolor* (ROTH) SCHLECHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichrocephala integrifolia* (L.F.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichrocephala latifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichrostachys cinerea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicliptera bupleuroides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicliptera cuneata* NEES and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicliptera micranthus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicliptera roxburghiana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicliptera verticillata* (FORSK.) CHRISTENS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicoma tomentosa* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicranopteris linearis* (BURM.F.) UNDERW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dictamnus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus aromaticus* WALL. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Didymocarpus pedicellata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dieffenbachia seguine* (L.) SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dienia muscifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digera arvensis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digera muricata* (L.) MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitalis lanata* EHRH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dillenia aurea* SIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dillenia bracteata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dillenia pentagyna* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimocarpus longan* LOUR. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimorphocalyx glabellus* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dinebra arabica* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dinebra retroflexa* (VAHL) PANZER retroflexa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dinochloa Kalammanica* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dionysia diapensiaefolia* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea belophylla* VOIGT EX HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea composita* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea crispata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea daemona* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea deltoidea* WALL. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea esculanta* (LOUR.) BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea glabra* AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea globosa* ROXB. ET. PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea hamiltonii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea hirsuta* DENNST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea hispida* DENNST. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea prazeri* PRAIN & BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea puber* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea purpurea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea rubella* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea sativa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea tomentosa* KOEN. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea triphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dioscorea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros bourdillonii* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros buxifolia* (BLUME) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros candolleana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros chloroxylon* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros cordifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros ebenum* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros embryopteris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros exsculpta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros ferrea* (WILLD.) BATCH. F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros glutinosa* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros insignis* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros kaki* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros lancaefolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros lotus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros malabarica* (DESR.) KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros melanoxylon* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros oocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros paniculata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros peregrina* (GAERTN.) GURKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros quaesita* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros sylvatica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diospyros toposia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipcadi erythraeum* WEBB & BERTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diplazium esculentum* (RETZ.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diplazium stoliczkae* BEDD. F. NULL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diplocisia glaucescens* (BL.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diplocyclos palmatus* (L.) JAFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diploknema butyraceae* (ROXB.) H.J. LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diplospora singularis* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diplospora sphaerocarpa* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipsacus fullonum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipsacus inermis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipsacus mitis* D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipteracanthus patulus* (JACQ.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipteracanthus prostratus* (POIR.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipteracanthus suffruticosus* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipterocarpus alatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipterocarpus bourdilloni* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipterocarpus gracilis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipterocarpus indicus* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipterocarpus laevis* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipterocarpus pilosus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipterocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipterocarpus turbinatus* GAERTN. F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dischidia rafflesiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Disporum cantoniense* (LOUR.)MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Distemon indicum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dittelasma raraka* (DC.) HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dodonaea angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dodonaea burmanniana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dodonaea viscosa* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dodonaea viscosa* JACQ. *angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichandrone arcuata* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichandrone atrovirens* (HEYNE EX. ROTH) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichandrone falcata* SEEMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichandrone spathacea* (L.F.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichandrone stipulata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos biflorus* SENSU AUCT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos bulbosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos catiang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos catjang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos cylindricus* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos falcatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos gladiatus* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos lablab* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos lablab* L. *typicus* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos pruriens* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos trilobus* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos uniflorus* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolomaea macrocephala* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dombeya cayeuxii* HORT. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Donax connaeformis* (FORST.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dopatrium junceum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dopatrium lobelioides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dopatrium nudicaule* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dorema ammoniacum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dorema aureum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Doronicum falconeri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Doronicum hookeri* C.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Doronicum pardalianches* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Doronicum roylei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dorstenia indica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Douepia tortuosa* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Draba muralis* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Draba setosa* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dracaena angustifolia* (MEDIC.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dracaena cinnabari* BALF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dracaena petiolata* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dracaena terminalis* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dracaena terniflora* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dracocephalum heterophyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dracocephalum moldavica* LINN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dracocephalum royleanum* ROYLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dracocephalum stamineum* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dracontium polyphyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dregea volubilis* (L.F.) BENTH. EX.HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drimia indica* (ROXB.) J.P. JESSOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drimys winteri* FORST. CHAR. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drosera burmannii* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drosera lunata* HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drosera peltata* SM.WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drymaria cordata* (L.) WILLD. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drymaria cordata* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drymaria diandra* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drymoglossum carnosum* (WALL.)SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drynaria quercifolia* (L.) J.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dryobalanops aromatica* GAERTN. F. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dryopteris barbigera* (MOORE) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dryopteris blanfordii* (HOPE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dryopteris cochleata* (DON) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dryopteris filix-mas* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dryopteris marginata* (WALL.) CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dryopteris odontoloma* (MOORE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dryopteris schimperiana* (HOCHST.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dryopteris sparsa* (DON)KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drypetes confertiflora* (HOOK. F.) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drypetes macrophylla* (BLUME) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drypetes roxburghii* (WALL.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drypetes zeylanica* (MUELL.-ARG.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Duboisia myoporoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Duchesnea indica* (ANDR.) FOCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Duranta repens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Durio zibethinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dyschoriste madurensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dysophylla auricularia* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dysophylla rugosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dysophylla stelata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dysophylla stellata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dysoxylum alliarum* (BUCH.-HAM.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dysoxylum binectariferum* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dysoxylum hamiltonii* HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dysoxylum malabaricum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dysoxylum procerum* HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ebermaiera glutinosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ecbolium linneanum* KURZ. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ecbolium viride* (FORSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ecbolium virids* (FORSSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echeveria glauca* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinacea angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinochloa colona* LINK. *frumentacea* BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinochloa crusgalli* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinochloa frumentacea* LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinochloa stagnina* (RETZ.) BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinops cornigerous* DC. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echinops echinatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echioglossum williamsonii* (RCHB.F.) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Echites dichotoma* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eclipta alba* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eclipta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eclipta parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Edgeworthia gardneri* (WALL.) MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Edgeworthia tomentosa* NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Edwardsia griffithii* (STOCKS) PHILIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia acuminata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia canarensis* MIQ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia laevis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia laevis* ROXB. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia microphylla* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ehretia obtusifolia* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eichhornia crassipes* SOLMS and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Codariocalyx motorius* (Houtt.) H. Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria acicularis* Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria agatiflora* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria alata* Buch.-Ham & Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria albida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria anagyroides* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria angulata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria barbata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria berteriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria bidiei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria bifaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria bourneae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria calycina* Schrank and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria candicans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria clarkei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria clavata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria conferta* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria digitata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria dubia* Graham ex benth. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria epunctata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *evolvuloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *acutifolia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria formosa* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria fysonii* Dunn var. *fysonii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria fysonii* Dunn var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria globosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria hebecarpa* (DC.) Rudd and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria heyneana* Grahma ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria hirta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria humifusa* Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria laevigata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria beddomeana* Thoth. & A. A. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria spectabilis* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria linifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria longipes* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria lunulata* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria madurensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria medicaginea* Lam. var. *medicaginea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria medicaginea* Lam. var. *neglecta* (Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria multiflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria mysorensis* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria nana* Burn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria notonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria obtecta* Graham ex Wight & Arn. var. *obecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria obtecta* Graham ex Wight & Arn. var. *glabrescens* (Benth.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria orixensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria ovalifolia* Wall. ex Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria pallida* Dryand. var. *pallida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria pallida* Dryand. var. *obovata* (G.Don) Polhill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria paniculata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria peduncularis* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria priestleyoides* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria prostrata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria pulchra* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria pusilla* Neyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria ramosissima* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria rigida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria salicifolia* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria scabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria scabrella* Wight & Arn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria semperflorens* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria speciosa* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria subperfoliata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria tecta* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria trifoliatum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria triquetra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria umbellata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria wightiana* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria willdenowiana* DC. subsp. *willdenowiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crotalaria willdenowiana* DC. subsp. *glabrifoliolata* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyamopsis tetragonoloba* (L.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cytisus canariensis* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cytisus hirsutus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cytisus monspessulanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cytisus multiflorus* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cytisus proliferus* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cytisus scoparius* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cytisus supinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia congesta* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia coromandeliana* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia gardneriana* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia horrida* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia lanceolaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia latifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia malabarica* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia melanoxylon* Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia pinnata* (Lour.) prain var. *acaciaefolia* (Dalz.) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia pseudo-siso* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia rubiginosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia sissoides* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia sissoo* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia spinosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia tinneveli* Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dalbergia volubilis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris benthamii* (Thw.) Thw. var. *benthamii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris benthamii* (Thw.) Thw. var. *wightii* (Baker) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris brevipes* (Benth) Baker var. *brevipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris brevipes* (Benth) Baker var. *coriacea* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris canarensis* (Dalz.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris scandens* (Roxb.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris thothathrii* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Derris trifoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium alysicarpoides* Van Meeuwen and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium barbatum* (L.) Benth. subsp. *sauliereri* (Schind.) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium dichotomum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium dolabriforme* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium ferrugineum* Wall ex Thw. subsp. *ferrugineum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium ferrugineum* Wall ex Thw. subsp. *wynaadense* (Bedd. ex Gamble) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium heterocarpon* (L.) DC. var. *heterocarpon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium heterocarpon* (L.) DC. var. *strigosum* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium heterophyllum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium laxum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium microphyllum* (Thunb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium oojeinense* (Roxb) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium pryonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium pulchellum* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium repandum* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium styracifolium* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium tortuosum* (Sw.) DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium triangulare* (Retz.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium triflorum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium velutinum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmodium zonatum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicerma biarticulatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dolichos trilobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dumasia villosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dunbaria ferruginea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dunbaria heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleiotis monophylla* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina crista-galli* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina suberosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina subumbrans* (Hassk.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia lineata* (L.) Roxb. Ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia macrophylla* (Willd.) Prain ex Merr. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia nilgheriensis* (Baker) Wight ex Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia Semialata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia strobilifera* (L.) R. Br. ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia tuberosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia wallichii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia wightiana* Grahams ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galactia longifolia* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *lucida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *villosa* (Wight & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>. Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geissaspis cristata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gliricidia sepium* (Jacq.) Kunth ex Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycine max* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hardenbergia comptoniana* (Link) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera aspalathoides* Vahl ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera caerulea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera cassioides* Rottl. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera colutea* (Buem. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera constricta* (Thwaites) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera cordifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera glandulosa* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera hochstetteri* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera karnatakana* Sanjappa and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera karuppiana* Pallithanam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera linifolia* (L.f.) Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera linnaei* Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera longiracemosa* Boiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera mysorensis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera nummularifolia* (L.) Skina ex Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera oblongifolia* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera parviflora* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera pedicellata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera prostrata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera spicata* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera stachyodes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera tirunelvelica* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera trita* L.f. var. *trita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera trita* L. f. var. *maffeii* (Chiov.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera trita* L. f. var. *marginulata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera uniflora* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera vicioides* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera wightii* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera zollingeriana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lablab purpureus* (L.) Sweet var. *purpureus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lablab purpureus* (L.) Sweet var. *lignosus* (Prain) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laburnum anagyroides* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathyrus latifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathyrus odoratus* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lens culinaris* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptodesmia congesta* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lespedeza cuneata* (Dum. Cours.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonchocarpus violaceus* Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lupinus angustifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lupinus luteus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lupinus pilosus* Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macroptilium atropurpureum* (DC.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macroptilium lathyroides* (L) Urban var. *semierectum* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macrotyloma ciliatum* (Willd.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macrotyloma uniflorum* (Lam.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melilotus alba* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Millettia racemosa* (Wight & Arn.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Millettia rubiginosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Millettia splendens* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna gigantea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna monosperma* DC. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna pruriens* (L.) DC. var. *pruriens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna pruriens* (L.) DC. var. *hirsuta* (Wight & Arn.) Wilmot - Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mundulea sericea* (Willd.) A. Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neonotonia wightii* (Graham ex Wight & Arn.) Lackey var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neonotonia wightii* (Wight & Arn.) Lackey var. *coimbatorensis* (Ajita Sen) Karthik. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ormocarpum cochinchinense* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ormosia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ougeinia oojeinensis* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paracalyx scariosa* (Roxb.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parochetus communis* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllodium pulchellum* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pongamia pinnata* (L.) Pierre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudarthria viscida* (L.) Wight & Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psophocarpus tetragonolobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psoralea pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterocarpus marsupium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterocarpus santalinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pueraria triloba* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pueraria tuberosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pycnospora lutescens* (Poir.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia albiflora* (Sims) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia aurea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia cana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia capitata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia densiflora* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia filipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia jacobii* Chandrabose & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia nummularia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia rothii* Benth ex Aitch. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia rufescens* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia suaveolens* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia velutina* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia viscosa* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Robinia pseudo-acacia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rothia indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania bispinosa* (Jacq.) W. F. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania grandiflora* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania procumbens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania sesban* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania speciosa* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Shuteria involucrata* (Wall.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithia bigemina* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithia blKalam* Wall. ex Wight & Arn. var. *blKalam* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithia blKalam* Wall. ex Wight & Arn. var. *racemosa* (Heyne ex Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithia capitata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithia conferta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithia gracilis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithia hirsuta* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithia sensitiva* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithia setulosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sophora glauca* Lesh.ex DC. Ann. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sophora interrupta* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sophora wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spartium junceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stylosanthes fruticosa* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stylosanthes sunaica* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia barberi* Drumm. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia calophylla* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia canarensis* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia fusca* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia hookeriana* Wight & Arn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia maxima* Pres. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia pulcherrima* (Wight ex Baker) Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia pumila* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia purpurea* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia spinosa* (L.f.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia strigosa* (Dalz.) Sant. & Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia tinctoria* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia vegellii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia villosa* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teramnus labialis* (L.F.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teramnus mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium alexandrium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium cernuum* Brot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium dubium* Sibth. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium incarnatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium subterraneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ulex europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uria alopecuroides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uria lagopodioides* (L.) Desv. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uria rufescens* (DC.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vicia faba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vicia hirsuta* (L.) S. F. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vicia sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vicia villosa* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna aconitifolia* (Jacq.) Marechal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna adenantha* (G. F. W. Meyer) Marechal, Mascherpa & Stainier and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna bourneae* Ganble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna dalzelliana* (Kuntze) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna grahamiana* (Wight & Arn.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna husei* (Craib) Backer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna khKalamensis* (Sant.) Ragh. & Wadhwa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna mungo* (L.) Hepper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna radiata* (L.) Wilczek var. *radiata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna radiata* (L.) Wilczek var. *sublobata* (Roxb.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna subramaniana* (Raizada) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna trilobata* (L.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna umbellata* (Thunb.) Ohwi & Ohahsi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna unguiculata* (L.) Walp. subsp. *cylindrica* (L.) Eselt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna vexillata* (L.) A. Rich. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna wightii* Benth. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Virgilia oroboides* (Berg.) Salter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wisteria sinensis* (Sims) Sweet. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zornia diphylla* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zornia gibbosa* Span. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acrocarpus fraxinifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amherstia nobilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia malabarica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia phenicea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia racemosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia vahlii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brownea grandiceps* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brownea macrophylla* Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia bonduc* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia coriaria* (Jacq.) Willd. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia cucullata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia decapetala* (Roth) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia mimosoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia pulcherrima* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia grandis* L. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia javanica* L. var. *javanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia javanica* L. var. *nodosa* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia javanica* L. var. *renigera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia montana* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia siamea* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassia spectabilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chamaecrista absus* (L.) H. Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chamaecrista auricoma* (Graham ex Benth.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chamaecrista kleinii* (Wight & Arn.) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chamaecrista lechenaultiana* (DC.) O. Deg. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chamaecrista mimosoides* (L.) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chamaecrista nigricans* (Vahl) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chamaecrista pumilla* (Lam.) K. Larsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cynometra travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delonix elata* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delonix regia* (Boj. ex Hook) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hardwickia binata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Humboldtia bourdillonii* Prian and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Humboldtia brunonis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Humboldtia decurrens* Bedd. ex Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Humboldtia unijuga* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Humboldtia vahliana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kingiodendron pinnatum* (Roxb. ex DC.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parkinsonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peltophorum africanum* Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peltophorum pterocarpum* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterolobium hexapetalum* (Roth.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saraca asoca* (Roxb.) Wilde and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saraca thaipingensis* Cantley ex. Prain. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schizolobium parahybum* (Vell.) S. F. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna alata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna alexandrina* Gars. ex Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna auriculata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna didymobotrya* (Fresn.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna hirsuta* (L.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna intermedia* (Sharma et al. ) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna italica* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna multiglandulosa* (Jacq.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna occidentalis* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna pallida* (Wall) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna septumtrionalis* (Viv.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna sophora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna surattensis* (Burm.f) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna timoriensis* (DC.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna tora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia armata* R. Br. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia auriculiformis* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia baileyana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia caesia* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia catechu* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia chundra* (Roxb. ex Rottl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia confusa* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia cultriformis* A. Cunn. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia concurrens* Pedley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia dealbata* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia decora* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia decurrens* (Wendl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia eburnea* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia elata* Cunn. Ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia farnesiana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia grahamii* Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia hohenackeri* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia homalophylla* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia holosericea* A.Cunn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia horrida* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia leucophloea* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia longifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia maidenii* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia mearnsii* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia melanoxylon* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia myrtifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia neriifolia* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia nilotica* (L.) Willd. ex Del. subsp. *indica* (Benth) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia pennata* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia planifrons* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia podalyriifolia* A. Cunn ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia polyacantha* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia pruinescens* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia pruinosa* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia pycnantha* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia retinodes* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia saligna* (Labill.) H. L. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia sinuata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia torta* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia verticillata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acacia wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenanthera pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia amara* (Roxb.) Boivin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia chinensis* (Osbeck.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia lathamii* Hole and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia lebbeck* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia odoratissima* (L.f.) Benth. var. *odoratissima* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia odoratissima* (L.f.) Benth var. *mollis* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia procera* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia Kalamn* (Jacq.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Albizia thompsonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Archidendron clypearia* (Jack) Nilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Archidendron monadelphum* (Roxb.)Nielsen var. *monadelphum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Archidendron monadelphum* (Roxb.)Nielsen var. *gracile*

(Bedd.) Sanj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calliandra brevipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calliandra calothyrsus* Meisn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calliandra haematocephala* Hassk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calliandra inmeris* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cathormion umbellatum* (Wall) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmanthus virgatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichrostachys cinerea* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichrostachys muelleri* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichrostachys santapau* Sebastine & Raman and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Entada pursaetha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enterolobium cyclocarpum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haematoxylum campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucaena leucocephala* (L.) Gills and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa intsia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa hamata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neptunia prostrata* (Lam.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neptunia plena* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neptunia triquetra* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paraserianthes falcata* (L.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paraserianthes lophantha* (Willd.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parkia biglandulosa* Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pithecellobium dulce* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prosopis cineraria* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prosopis juliflora* (Sw.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alchemilla indica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chaenomeles speciosa* (Sweet) Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotoneaster bacillaris* Wall ex Lindl. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotoneaster buxifolia* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotoneaster microphyllus* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cotoneaster transiens* G. Klotz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriobotrya japonica* (Thunb.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fragaria chiloensis* (L.) Duchesne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fragaria nilgerrensis* Schlecht. ex Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fragaria vesca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kerria japonica* (L.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malus baccata* (L.) Borkh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malus sylvestris* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Photinia integrifolia* Lindl. var. *sublanceolata* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Photinia serratifolia* (Desf.) Kalkman var. *tomentosa* (Gamble) Vivek. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla indica* (Andr.) Wolf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla leschenaultiana* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla sundaica* (Blume) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prinsepia utilis* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus cerasoides* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus ceylanica* (Wight) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus laurocerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus persica* (L.) Batsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus salicina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus serrulata* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quillaja saponaria* Molina and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa banksiae* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa brunonii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa x centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa x damascena* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa gigantea* Collett ex Crop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa laevigata* Michx. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa leschenaultiana* Red. & Thory ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa multiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus ellipticus* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus fairholmianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus glomeratus* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus indicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus micropetalus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus niveus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus racemosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus rugosus* Smith var. *rugosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus rugosus* Smith var. *thwaitesii* Focke and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spiraea canescens* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spiraea cantoniensis* Lour. var. *cantoniensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spiraea cantoniensis* Lour var. *florepleno* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spiraea japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spiraea nipponica* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atuna indica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atuna travancorica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysobalanus icaco* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saxifraga stolonifera* Meerb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vahlia dichotoma* (Murr.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vahlia digyna* (Retz.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parnassia mysorensis* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parnassia wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Deutzia scabra* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrangea macrophylla* (Thunb.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Philadelphus coronarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Escallonia rubra* (Ruiz & Pav.) Pers. var. *macrantha* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Escallonia montevidensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeonium arboreum* (L.) Webb & Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bryophyllum fedtschenkoi* (Raym.-Hamet & H.Perrier) C.Y.Cheng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crassula multicava* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crassula quadrifida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe bhidei* Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe grandiflora* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe lanceolata* (Forsk.) Pers. var. *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe lanceolata* (Forsk.) Pers. var. *glabra* (Clarke) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe lanceolata* (Forsk.) Pers. var. *glandulosa* (Hochst. ex A. Rich.) Cufod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe olivacea* Dalz. & Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe pinnata* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe schweinfurthii* Penzig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe tubiflora* Hamet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rochea coccinea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sedum mexicanum* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tillaea pentandra* Royle ex Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drosera burmannii* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drosera peltata* Sm. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exbucklandia populnea* (R.Br. Ex Griffith) R. W. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lauremburgia coccinea* (Blume) Kan. var. *coccinea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lauremburgia coccinea* (Blume) Kan. var. *zeylanica* (Arn. ex Clarke) Meyden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myriophyllum oliganthum* (Wight & Arn.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callitriche stagnalis* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bruguiera cylindrica* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bruguiera gymnorhiza* (L.) Savigny and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carallia brachiata* (Lour.) Merr. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassipourea ceylanica* (Gard.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceriops decandra* (Griff.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceriops tagal* (Perr.) Robins and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kandelia candel* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhizophora x annamalayana* Kathir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhizophora apiculata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhizophora mucronata* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anogeissus acuminata* (Roxb. ex DC.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anogeissus latifolia* (Roxb. Ex DC.) Wall ex Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calycopteris floribunda* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Combretum albidum* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Combretum coccineum* (Sonner.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Combretum nanum* Willd. Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lumnitzera racemosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quisqualis malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia bellirica* (Gaertn.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia chebula* Retz. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia cuneata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia elliptica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia gella* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia pallida* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia paniculata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia travancorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acca sellowiana* (Berg) Burret and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agonis flexuosa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Angophora costata* (Gaertn.) Britt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Angophora intermedia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Angophora lanceolata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Angophora subvelutina* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Baeckea virgata* (Forst.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callistemon brachyandrus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callistemon citrinus* (Curtis) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callistemon polandii* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callistemon rigidus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callistemon salignus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callistemon viminalis* (Gaertn.) Don ex Loudon and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus alpina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus amygdalina* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus blakelyi* Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus bosistoana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus botryoides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus bridgesiana* R. T. Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus calophylla* R. Br. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus camaldulensis* Dehnh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus cephalocarpa* Blakely and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus citriodora* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus cladocalyx* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus crebra* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus cypellocarpa* L.A.S. Johnson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus elata* Dehnh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus diversicolor* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus eugenioides* Sieb. ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus ficifolia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus globulus* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus grandis* W.Hill ex Maiden and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus hemiphloia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus leucadendron* Reinz. ex DeVriese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus leucoxylon* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus longifolia* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus macarthurii* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus maculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus megacornuta* C. A. Gardener and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus microcorys* F. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus melliodora* A. Cunn ex Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus nitida* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus nova-anglica* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus obliqua* L. Her. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus ovata* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus paniculata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus pauciflora* Sieb ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus pipertia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus polyanthemus* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus ptychocarpa* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus punctata* DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus radiata* Sieb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus regnans* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus resinifera* Sm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus robusta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus rossii* R. T. Baker & H. G. Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus saligna* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus siderophloia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus sideroxylon* A. Cunn.ex.Woolls and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus staigeriana* F. v. Muell. ex Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus tereticornis* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus torelliana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus viminalis* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia bracteata* (Willd.) Roxb ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia calcadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia continifolia* Jacq. subsp. *codyensis* (Munro ex Wight) Ashton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia discifera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia floccosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia indica* (Wight) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia mabaeoides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia manickamia* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia rottleriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia singampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia thwaitesii* Duthie and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptospermum flavescens* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptospermum scoparium* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptospermum stellatum* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lophostemon confertus* ( R.Br. ) Peter G.Wilson &

J.T.Waterh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melaleuca armillaris* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melaleuca hypericifolia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melaleuca nesophylla* F.v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melaleuca quinquenervia* S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melaleuca styphelioides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meteoromyrtus wynaadensis* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimenta dioica* (L.) Merr. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psidium cattleianum* Sabine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhodomyrtus tomentosa* (Ait.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syncarpia glomerulifera* (Sm.) Nied. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syncarpia laurifolia* Tenore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium alternifolium* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium aqueum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium aromaticum* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium beddomei* (Duthie) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium benthamianum* (Wight ex Duthie) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium bourdillonii* (Gamble) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium calophyllifolium* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium caryophyllatum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium chandrasekharanii* Chandrabose & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium courtallense* (Gamble) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium cumini* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium densiflorum* Wall ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium fergusonii* (Trimen) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium gambleanum* Rathakr. & Chithra and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium hemisphericum* (Wight) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium jambos* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium laetum* (Buch. - Ham.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium lanceolatum* (Lam.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium malabaricum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium malaccensis* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium megacarpum* (Craib) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium mundagam* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium munronii* (Wight) Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium myhendrae* (Bedd. ex Brandis) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium rama - varmae* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium revolutum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium rubicundum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium scoparium* Wallich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium spathulatum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium sriganesanii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium tamilnadensis* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium travancoricum* Gamble and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium venosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium zeylanicum* (L.) DC. var. *zeylanicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium zeylanicum* (L.) DC. var. *ellipticum* Henry, Chandrabose and Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium zeylanicum* (L.) DC. var. *lineare* (Duthie) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium zeylanicum* (L.) DC. var. *megamalayanum* K. Ravik. & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Couroupita guianensis* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gustavia superba* Berg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barringtonia acutangula* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barringtonia asiatica* (L.) Kurz. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barringtonia racemosa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Careya arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kendrickia walkeri* (Wight) Hook. f. ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Medinilla beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Medinilla fuchsioides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Medinilla malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon angustifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon bremeri* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon depressum* Benth ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon edule* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon flavesens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon gracile* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon gracillimum* Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon grande* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon heyneanum* Benth ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon leucanthemum* Thwaites and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon lushingtonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon manickamii* C. Murugan V. Sundaresan & G.J. Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon molestum* (Clarke) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon mundanthuraianum* Viswanathan & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon randerianum* S.M. & M.R. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon rivulare* Bremer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon rostratum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon sisparens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon subcordatum* Cogn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon talbotianum* Brandis & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon tirunelvelicum* Murugan Manickam & Sundaresan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon umbellatum* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon variens* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia aspera* (L.) Blume var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia aspera* (L.) Blume var. *travancorica* (Bedd. ex gamble) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia aspera* (L.) Blume var. *wightiana* (Benth ex Wight & Arn.) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia brachystemon* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia buxifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia muralis* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia reticulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia rubicunda* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia parvifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *hispidissima* (Wight) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *rostrata* (D. Don) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia tirunelvelica* Manickam & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia virgata* D. Don ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia wynaadensis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia zeylanica* L f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila clarkei* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila devicolamensis* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila elegans* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila grandiflora* R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila inaequalis* Murugan et Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila kanyakumariana* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila longipetiolata* Josephine Manickam Murugan Sundaresan & Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila parameswaranii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila rotundifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila sadasivanii* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila speciosa* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila tenera* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila tinneveli* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila versicolor* Wight var. *versicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila versicolor* Wight var. *axillaris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila wallichii* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila zeylanica* Wifht & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tibouchina urvilleana* (DC.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ammania baccifera* L. subsp *baccifera* and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ammania baccifera* L. subsp. *aegyptiaca* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ammania multiflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ammania octandra* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuphea hyssopifolia* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuphea ignea* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuphea platycentra* Lemaire and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia microcarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia reginae* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nesaea brevipes* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nesaea prostrata* (Ham. ex Dillwyn) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pemphis acidula* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotala densiflora* (Roth ex Roem. & Schultes) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotala fimbriata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotala illecebroides* (Arn. ex Clarke) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotala indica* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotala macracalam* Koehne and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotala rosea* (Roiret.) C. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotala rotundifolia* (Buch. Ham. Ex D. Don) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotala verticillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonneratia apetala* Buch. -Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Circaea alpina* L. subsp. *imaicola* (Asch. & Magn.) Kitamura and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fuchsia arborescens* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fuchsia boliviana* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fuchsia magellanica* Lam. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia adscendens* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia hyssopifolia* (G. Don) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia octovalvis* (Jacq.) Raven subsp. *sessiliflora* (Mich.) Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia peruviana* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia prostrata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oenothera glazioviana* Mich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oenothera nocturna* Jacq. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oenothera odorata* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oenothera rosea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oenothera stricta* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oenothera tetraptera* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trapa natans* L. var. *bispinosa* (Roxb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Turnera subulata* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenia hondala* (Gaertn.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenia wightiana* (Wall. ex Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora alba* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora antioquiensis* Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora edulis* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora holoserica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora laurifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora ligularis* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora mollissima* (H. B. K.) Bailey and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora suberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora subpeltata* Ortega and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Benincasa hispida* (Thunb.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrullus colocynthis* (L.) Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrullus lanatus* (Thunb.) Matsumura & Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coccinia grandis* (L.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corallocarpus epigaeus* (Rottl. & Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ctenolepis garcinii* (Burm.f.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis melo* L. var. *melo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis melo* L. var. *utilissimus* (Roxb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucumis trigonus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucurbita maxima* Duchesne ex Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucurbita moschata* (Duchesne ex Lam.) Duchesne ex Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diplocyclos palmatus* (L.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnopetalum wightii* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynostemma pentaphyllum* (Thunb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kedrostis courtallensis* (Arn.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kedrostis foetidissima* (Jacq.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagenaria siceraria* (Molina) Standley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa acutangula* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa cylindrica* (L.) M.Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica charantia* L. var. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica charantia* L. var. *muricata* (Willd.) Chakravarty

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica cymbalaria* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica dioica* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica subangulata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mukia leiosperma* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mukia maderaspatana* (L.) M. Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sechium edule* (Jacq.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solena amplexicaulis* (Lam.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solena angulata* (Chakravarty) Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes anaimalaiensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes lobata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes tricuspidata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zehneria maysorensis* (Wight & Arn.) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zehneria scabra* (L.f.) Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zehneria thwaitesii* (Schweinf.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia albo-coccinea* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia aliciae* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia anamalayana* Bedd. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia cordifolia* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia floccifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia integrifolia* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia malabarica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Begonia subpeltata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetrameles nudiflora* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cereus pterogonus* Lem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cylindropuntia ramosissima* (Engler) Knuth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epiphyllum oxypetalum* (DC.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hylocereus undatus* (Haw.) Britton & Rosc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nopalea cochenillifera* (L.) Salm-Dyck and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia elatior* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia ficus - indica* (L.) Miller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia stricta* (Haw.) Haw. var. *dillenii* (Ker Gawl.) L. D. Benson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia vulgaris* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pereskia aculeata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lampranthus spectabilis* (Haw.) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesuvium portulacastrum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trianthema triquetra* Rottl. var. *triquetra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trianthema salsoloides* Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zaleya decandra* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corbichonia decumbens* (Forsk.) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glinus oppositifolius* (L.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo cerviana* (L.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo disticha* Ser. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo nudicaulis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bupleurum distichophyllum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bupleurum plantaginifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bupleurum wightii* Mukh. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bupleurum wightii* Mukh. var. *ramosissimum* (Wight & Arn.) Chandrase and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carum nothum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centella asiatica* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Foeniculum vulgare* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum aquilegifolium* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum candolleianum* (Wight & Arn.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum ceylanicum* Gard. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum courtallense* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum hookerianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum rigens* Wall ex DC. var. *rigens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum rigens* Wall ex DC. var. *elongatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum rigens* Wall ex DC. var. *multiradiatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum sprengelianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrocotyle conferta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrocotyle javanica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrocotyle sibthorpioides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pastinaca sativa* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Petroselinum crispum* (Mill.) Nyman ex auct.non. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peucedanum anamallayense* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella candolleana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella heyneana* (Wall ex DC.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella wallichiana* (Miq.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sanicula elata* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trachyspermum ammi* (L.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trachyspermum roxburghianum* (DC.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vanasushava pedata* (Wight) Mukh. & Constance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aralia malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedera australiana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedera helix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyscias acuminata* (Wight) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyscias fruticosa* (L.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentapanax leschenaultii* (DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera capitata* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera clarkiana* Craib. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera maduraiensis* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera racemosa* (Wight) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera rostrata* (Wight) Harms var. *rostrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera rostrata* (Wight) Harms var. *micrantha* (Clarke) Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera roxburghii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera stellata* (Gaertn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera venulosa* (Wight & Arn.) Harms var. *venulosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera venulosa* (Wight & Arn.) Harms var. *obliquinervia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera wallichiana* (Wight & Arn.) Harms and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetrapanax papyrifer* (Hook.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cornus capitata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mastixia arborea* (Wight) Bedd. subsp. *arborea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mastixia arborea* (Wight) Bedd. subsp. *meziana* (Wang.) Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alangium salvifolium* (L.f.) Wang. subsp. *salvifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alangium salvifolium* (L.f.) Wang. subsp. *hexapetalum* (Lam.) Wang and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diervilla florida* Sieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera caprifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera etrusca* Santi. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera leschenaultii* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera ligustrina* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera periclymenum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum cylindricum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum erubescens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum hebanthum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum punctatum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acranthera anamallica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acranthera grandiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aidia gardneri* (Thw.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostemma courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Agrostemma verticillatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Benkara malabarica* (Lam.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Byrsophyllum tetrandrum* (Bedd.) Hook.f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium angustifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium ficiforme* Hook.f. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium neilgherrense* Wight var. *neilgherrense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium neilgherrense* Wight var. *chartacea* (Gamble) Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium coromandelicum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canthium travancoricum* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catesbaea spinosa* Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Catunaregam spinosa* (Thunb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceriscoides turgida* (Roxb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chassalia curviflora* (Wall. ex Kurz) Thw. var. *ophioxyloides* (Wall.) Deb & Krishna and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinchona calisaya* Wedd. var. *calisaya* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinchona calisaya* Wedd. var. *ledgeriana* How. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cinchona succirubra* Pav. ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coffea canephora* Pierre ex A. Froehner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coffea liberica* Bull. ex Hiern var. *dewevrei* (De Wild. & T. Durand) Leburn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coffea travancorensis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Deccania pubescens* (Roth) Tirvengadam var. *pubescens*

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Deccania pubescens* (Roth) Tirvengadum var. *candolleana* (Wight & Arn.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dentella repens* (L.) Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dentella serpyllifolia* Wall. ex Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fergusonia tetraococca* (Thw.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galium asperifolium* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia angusta* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia gummiifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia latifolia* Ait. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia resinifera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geophila repens* (L.) I.M. Johnston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haldina cordifolia* (Roxb.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hamelia patens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis affinis* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis albo-nervia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis anamalayana* (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *articularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *santapaui* (Shetty & Vivek.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis aspera* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis barberi* (Gamble) Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis biflora* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis brachiata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis buxifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis caerulea* Wight & Arn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis corymbosa* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis devicolamensis* Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis diffusa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis erecta* Manilal & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis eualata* (Gamble) Henry & Subram. var. *eualata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis eualata* (Gamble) Henry & Subram. var. *agastyamalayana* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis gamblei* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis gracilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis graminifolia* L.f. var. *graminifolia* and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis graminifolia* L.f. var. *shuteri* (Hook. f.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis hirsutissima* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis lessertiana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis nitida* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis ovatifolia* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis pruinosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis pterita* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis puberula* (G.Don) Arn. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis pumila* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis purpurascens* Hook.f. var. *purpurascens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis purpurascens* Hook.f. var. *pallida* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis ramarowii* (Gamble) R.Rao & Hemadri var. *ramarowii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis ramarowii* (Gamble) R. Rao & Hemadri var. *kannikattica* Sundaresan, Manickam, G.J. Jothi & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis shettyi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis sisparensis* Gage and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis swertioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis villosostipulata* (Gamble) R.Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis viscida* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrophylax maritima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hymenodictyon obovatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hymenodictyon orixense* (Roxb.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora brachiata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora cuneifolia* Roxb. ex DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora elongata* Heyne ex G.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora finlaysoniana* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora johnsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora leucantha* Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora malabarica* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora monticola* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora nigricans* R.Br. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora notoniana* Wall.ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora pavetta* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knoxia sumatrensis* (Retz.) DC. var. *sumatrensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knoxia sumatrensis* (Retz.) DC. var. *glaberrima* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knoxia sumatrensis* (Retz.) DC. var. *hookeriana* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knoxia sumatrensis* (Retz.) DC. var. *linearis* (Gamble) Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knoxia wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus acuminatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus blumeanus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus capitulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus ciliatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus cinereus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus dichotomous* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus jackianus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus oblongifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus parvifolius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus rostratus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus strigillosus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus truncatus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus venulosus* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luculia grandifolia* Ghose and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luculia gratissima* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luculia pinceana* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mitracarpus villosus* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mitragyna parvifolia* (Roxb.) Korth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mitragyna tubulosa* (Arn.) Hav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda pubescens* J.E. Smith var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda pubescens* J.E. Smith var. *tomentosa* Rathna Kumari & Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda pubescens* J.E. Smith var. *stenophylla* (Spreng.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda reticulata* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda belilla* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda glabrata* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda hirsutissima* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda tomentosa* Wight ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mycetia acuminata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis decipiens* (Hook.f.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis hutchinsonii* Deb & R. Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis indica* (DC.) W.H. Lewis var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis indica* (DC.) W.H. Lewis var. *affinis* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis indica* (DC.) W.H. Lewis var. *deltoidea* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *monosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *tirunelvelica* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis nummularia* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis rheedei* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis richardiana* (Arn.) W.H. Lewis and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis tubulosa* (G.Don) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis wightiana* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neolamarckia cadamba* (Roxb.) Bosser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neonauclea purpurea* (Roxb.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neurocalyx calycinus* (R.Br. ex Benn.) Robins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nostolachma crassifolia* (Gamble) Deb & Lahiri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochreinauclea missionis* (Wall. ex G.Don) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Octotropis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza eriantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza hirsutula* Wight ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza incarnata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza pectinata* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza pykarensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza roxburghiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza rugosa* Wall. var. *argentea* (Hook.f.) Deb &

Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza rugosa* Wall. var. *merguensis* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza rugosa* Wall. var. *prostrata* (D.Don.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxyceros rugulosus* (Thw.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta blKalam* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta breviflora* DC. var. *breviflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta breviflora* DC. var. *ciliolata* Gamble ex Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta breviflora* DC. var. *glaberrima* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta breviflora* DC. var. *pubescens* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta breviflora* DC. var. *subcoriacea* Gamble. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta brunonis* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta calophylla* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta hispidula* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta hohenackeri* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta indica* L. var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta indica* L. var. *minor* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta indica* L. var. *montana* Thw. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta laeta* Bremek. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta oblanceolata* Bremek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta praeterita* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta thomsonii* Bremek. var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta tomentosa* Roxb. ex J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta zeylanica* (Hook.f.) Gamble var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta zeylanica* (Hook.f.) Gamble var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentas lanceolata* (Forssk.) Deflers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentas zanzibarica* (Klotzsch) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleio craterium verticillare* (Wight & Arn.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portlandia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudaidia speciosa* (Bedd.) Tirv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psilanthus wightianus* (Wight & Arn.) J. Leroy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria beddomei* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria bisulcata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria connata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria flavida* Talbot and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria fosbergii* Sohmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria globicephala* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria johnsonii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria macrocarpa* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria nigra* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria nilgiriensis* Deb & Gang. var. *nilgiriensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria nilgiriensis* Deb & Gang. var. *astephana* (Hook.f.) Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria nudiflora* Wight & Arn. var. *nudiflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria nudiflora* Wight & Arn. var. *latifolia* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria octosulcata* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria sarmentosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria subintegra* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria truncata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psydrax dicoccos* Gaertn. var. *dicoccos* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psydrax dicoccos* Gaertn. var. *lanceolatus* (Arn.) Ridsd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psydrax ficiformis* (Hook.f.) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psydrax umbellata* (Wight) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Richardia brasiliensis* Gomes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saprosma corymbosum* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saprosma foetens* (Wight) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saprosma fragrans* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saprosma glomeratum* (Gard.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spermacoce articularis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spermacoce assurgens* Ruiz et Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spermacoce latifolia* Aubl. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spermacoce mauritiana* Osea Gideon ex Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spermacoce pusilla* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spermacoce ramanii* Sivarajan & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spermacoce ocymoides* Burm.f. var. *ocymoides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spermacoce ocymoides* Burm.f. var. *thekkumalensis* (Sivarajan & Joseph) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamilnadia ulginosa* (Retz.) Tirvengadam & Sastre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tarenna alpestris* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* forma *rigida* (Wight) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *montana* (Thw.) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tarenna canarica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tarenna monosperma* (Wight & Arn.) Raju. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tarenna nilagirica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tricalysia apiocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tricalysia sphaerocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urophyllum ceylanicum* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wendlandia angustifolia* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wendlandia thyrsoides* (Schultes) Steud. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Valeriana arnottiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Valeriana hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Valeriana moonii* Arn.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipsacus leschenaultii* Coult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scabiosa atropurpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Achillea millefolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acroclinium roseum* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenoon indicum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenostemma lavenia* (L.) Kuntze var. *lavenia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenostemma lavenia* (L.) Kuntze var. *madurense* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenostemma lavenia* (L.) Kuntze var. *reticulatum* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adenostemma lavenia* (L.) Kuntze var. *rugosum* (DC.) Ram Lal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ageratina adenophora* (Spreng.) R.King & H. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ageratum houstonianum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Amberboa ramosa* (Roxb.) Jafri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis bournei* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis brevifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis busua* (Buch.-Ham.ex D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis elliptica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis lawii* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis leptophylla* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis marcescens* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis meeboldii* W.W. Smith and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis neelgerryana* (Sch. - Bip. ex DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis notoniana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis subdecurrens* (DC.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis travancorica* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anaphalis wightiana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arctotis venusta* Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argyranthemum frutescens* Sch. Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia nilagirica* (Clarke) Pamp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia pallens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artemisia sieversiana* Ehrh. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aster indamellus* Grierson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aster laevis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aster cordifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aster rotundifolius* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bidens biternata* (Lour.) Merr. & Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bidens pilosa* L. var. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bidens pilosa* L. var. *minor* (Blume) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bidens triplinervia* H.B.K. var. *macrantha* (Wedd.) Sherff

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blainvillea acmella* (L.) Philipson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blepharispermum petiolare* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea alata* (D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea aurita* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea barbata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea Nripatingeriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea bifoliata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea clarkei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea eriantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea fistulosa* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea hieracifolia* (D.Don) DC. var. *hieracifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea hieracifolia* (D.Don) DC. var. *flexuosa* (Clarke) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea hieracifolia* (D.Don) DC. var. *hamiltonii* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea hieracifolia* (D.Don) DC. var. *macrostachya* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea lacera* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea lanceolaria* (Roxb.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea malcolmii* (Clarke) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea membranacea* Wall. ex DC. var. *membranacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea membranacea* Wall. ex DC. var. *jacquemontii* (Hook.f.) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea mollis* (D.Don) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea obliqua* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea virens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Blumea flava* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bracteantha bracteata* (Vent.) Andr. & Haegi var. *bracteata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bracteantha bracteata* (Vent.) Andr. var. *albidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Callistephus chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carpesium cernuum* L. var. *nilagiricum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centrantherum punctatum* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centipeda minima* (L.) A. Braun & Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chromolaena odorata* (L.) King & Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysanthemum anethifolium* Brouss. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chrysanthemum coronarium* L. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus angustifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus caudata* SCHLECHT. EX MOMIYAMA caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus conferta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus hortensis* M. BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus indica* SERV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus kologa* SCHLECHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus parvifolia* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus pyriformis* HK.F. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeagnus umbellata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus floribundus* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus ganitrus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus lanceolatus* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus munronii* (WIGHT.) MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus oblongus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus sphaericus* (GAERTN.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeodendron glaucum* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeodendron roxburghii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema lineolatum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema platyphyllum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatostema sessile* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleocharis dulcis* (BURM.F.) TRIN. EX HENSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elettaria cardamomum* MATON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elettaria cardamomum* MATON major THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elettaria cardamomum* MATON minor and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elettaria cardamomum* MATON miniscula and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elettaria repens* BAILLOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleusine aegyptiaca* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleusine coracana* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleusine indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eleutherococcus senticosus* (RUPR. & MAXIM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elsholtzia blKalam* (BTH.) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elsholtzia ciliata* (THUNB.) HYLAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elsholtzia densa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elsholtzia pilosa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elsholtzia polystachya* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elsholtzia strobilifera* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elytraria acaulis* (L.F.) LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elytrophorus spicatus* (WILLD.) CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Embelia acutipetalum* (LAM.EX HASSK.) S.M.& M.R. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Embelia ribes* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Embelia robusta* C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Embelia subcoriacea* (CL.) MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Embelia tsjeriam-cottam* A.DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Embllica officinalis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Embryopteris glutinifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Emilia javanica* (BURM. F.) C. B. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Engelhardia polystachya* RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Engelhardtia roxburghiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Engelhardtia spicata* LESCHEN EX. BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enhydra fluctuns* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eniada scandens* AUCT. NON BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enicostemma axillare* (LAM.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enicostemma hyssopifolium* (WILLD.) VERDOORN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enicostemma littorale* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enicostemma verticillatum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Entada phaseoloides* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Entada pursaetha* DC. *pursaetha* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Entada rheedii* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Entada scandens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Enteropogon dolichostachyus* (LAGAS.) KENG EX



LAZAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epilobium divaricatum* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ephedra equisetina* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ephedra gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ephedra intermedia* SCHR. & MEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ephedra major* HOST NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ephedra nevadensis* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ephedra peduncularis* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ephedra saxatilis* STAPF sikkimensis STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ephedra sinica* STAPF. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ephedra vulgaris* HOOK.F. NON A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ephemerantha macraei* (LINDL.) HUNT & SUMMERH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epidendrum retusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epidendrum tenuifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epilobium angustifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epilobium hirsutum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epilobium roseum* SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epilobium royleanum* HOUSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epimedium elatum* MORR. & DECNE NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Epipactis latifolia* ALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Equisetum arvense* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Equisetum debile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Equisetum diffusum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Equisetum ramosissimum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis amabilis* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis ciliata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis cynosuroides* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis gangetica* (ROXB.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis nutans* (RETZ.) NEES EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis tremula* HOCHST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eragrostis viscosa* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eranthemum bicolor* SCHRANK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eranthemum nervosum* (VAHL) R. BR. EX ROEM & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eranthemum purpurascens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eranthemum roseum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erechtites valerianaefolia* (WOLF.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eremostachys acanthocalyx* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eremostachys loasifolia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eremostachys superba* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eremostachys vicaryi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eremurus himalaicus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eria calamifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eria pannea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erianthus arundinaceus* (RETZ.) JESWEIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erianthus munja* JESW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron alpinus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron asteroides* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron bellidioides* (DON) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron canadensis* TENORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron floribundus* (H.B. & K.) SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron multiradiatus* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erioglossum rubiginosum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriobotrya japonica* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriobotrya latifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon setaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon sexangulare* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriocaulon sieboldianum* S. & Z. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriodendron anfractuosum* BC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erioglossum rubiginosum* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriolaena hookeriana* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriolaena quinquelocularis* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriosema chinense* VOG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriosema himalaicum* OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eritrichium canum* (BTH.) KITAMURA and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erodium cicutarium* (L.) L'HERT EX AIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erodium moschatum* L'HERIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erophila verna* (L.) C.E. MEY. EX GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eruca sativa* GARS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eruca vesicaria* (LINN.) CAV. *sativa* (mill.)thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ervatamia coronaria* (JACQ.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ervatamia dichotoma* (ROXB.) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ervatamia heyneana* T.COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ervatamia orientalis* (R.BR.) TURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ervatmia divaricata* (LINN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erycibe paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erygium caeruleum* BEIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erygium coeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eryngium biebersteinianum* NEVSKI EX BABROV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eryngium billardieri* DELAR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eryngium caeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eryngium foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erysimum altaicum* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erysimum repandum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erysimum sisymbrioides* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythraea roxburghii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina corallodendron* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina fusca* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina resupinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina suberosa* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrina variegata* L. *orientalis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythronium indicum* ROTTL. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythrolum scandens* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum coca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum areolatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum lucidum* MOON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum monogyneum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum moonii* HOCHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum retusum* BAUER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum retusum* BAUER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ethulia conyzoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus camaldulensis* DENST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus citriodora* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus globulus* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucalyptus resinifera* HORT. ARG. EX MAIDEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euchresta horsfieldii* (LESCH.) BENNETT NULL and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euchretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eucomis undulata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia aromatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia bracteata* (WILD.)ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia caryophyllaea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia hemispherica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia jambolana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia jambos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia malaccensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia munroii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia occidentalis* BOURD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia operculata* SENSU DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia spicata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulaliopsis binata* (RETZ.) C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia Kalammanensis* REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia campestris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia cullenii* (WIGHT) BLUME and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia dabia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia epidendrea* (KOENIG) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia explanata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia herbacea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia nuda* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia pratensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia ramentacea* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eulophia spectabilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euodia lanu-ankenda* (GAERTN.)MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus atropurpureus* JACQ.B.P. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus crenulatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus hamiltonianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus indicus* HEYNE EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus javanicus* BL.BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus pendulus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus serratifolius* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus theophrasti* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus tingens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eupatorium adenophorum* SPRENG and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eupatorium ayapana* VENT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eupatorium birmanicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eupatorium cannabinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eupatorium glandulosum* SCH. BIP. EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eupatorium odoratum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eupatorium perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eupatorium triplinerve* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia atoto* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia barnhartii* CROIZAT, EUPHORB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia bombaiensis* SANT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia caducifolia* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia cognata* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia dracunculoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia fusiformis* BUCHY.-HAM. EX D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia granulata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia helioscopia* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia hispida* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia hypericifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia inaequilatera* SOND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia laeta* HEVNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia lathyris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia ligularia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia longan* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia longifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia microphylla* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia milii* DESMOUL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia nivulia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia onicrophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia orbiculata* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia prostrata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia pulcherrima* WILLD. EX KLOT. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia resinifera* BERQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia rosea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia rothiana* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia royleana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia sanguinea* HOCHST. & STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia splendens* BOI EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia stracheyi* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia thomsoniana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia tibetica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia tortilis* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia trigona* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia turcomanica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia uniflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia wallichii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphorbia longana* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphrasia himalaica* WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphrasia odontites* LINN. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphrasia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euphrasia platyphylla* PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eurya acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eurya japonica* AUCT. NON THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eurya nitida* KOTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euryale ferox* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euryangium sumbul* KAUFFMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eurycoma longifolia* JACK. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Evodia fraxinifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Evodia lunu-ankenda* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Evodia meliaefolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Evodia roxburghiana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Evodia rutaecarpa* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Evodia trichotoma* (LOUR.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Evolvulus alsinoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Evolvulus emarginatus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Evolvulus nummularius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum bicolor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum lawii* C.B. CLARKE and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exacum tetragonum* ROXB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Excoecaria acerifolia* F. DIDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Excoecaria crenulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Exogonium purga* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fabiana imbricata* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagonia arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagonia bruguieri* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagonia indica* L. *schweinfurthii* HADIDI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagopyrum cymosum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagopyrum dibotrys* (DON) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagopyrum esculentum* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagopyrum tataricum* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagraea ceilanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagraea imperialis* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagraea obovata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagraea racemosa* JACK, ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Farsetia aegyptiaca* TURRA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Farsetia edgeworthii* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Farsetia hamiltonii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Farsetia jacquemontii* HOOK. F. & TH. *jacquemontii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Farsetia jacquemontii* HOOK.F. TH. *edgeworthii* (HOOK. F. & TH.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Feronia elephantum* CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Feronia limonia* (L.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ferula alliacea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ferula assa-foetida* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ferula foetida* REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ferula galbaniflua* BOISS. & BUHSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ferula jaeschkeana* VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ferula narthex* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ferula orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ferula persica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ferula suaveolens* AITCH. & HEMSEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ferula sumbul* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ferula thomsoni* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Festuca indica* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fibraurea chloroleuca* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fibraurea tinctoria* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus altissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus amplissima* SMITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus arnottiana* (MIQ.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus asperrima* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus auriculata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus bengalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus benamina* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus callosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus cunia* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus dalhousiae* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus drupacea* THUNB. pubescens (ROTH) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus elastica* ROXB. EX. HORNEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus exasperata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus fistulosa* REINW. EX BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus fulva* REINW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus gibbosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus glabella* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus glomerata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus heterophylla* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus hirta* VAHL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus hispida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus infectoria* SENSU ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus lacor* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus lacor* BUCH.- HAM. infectoria and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus lacor* BUCH.- HAM. *lambertiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus lacor* BUCH.- HAM. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus lucescens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus microcarpa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus mollis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus oppositifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus palmata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus retusa* AUCTION. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus ribes* REINW. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus rumphii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus scandens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus semicordata* BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus talboti* G.KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus tinctoria* FORST. F. *parasitica parasitica* (WILLD.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus tinctoria* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus tomentosa* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus tsiela* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus tsjakela* BURM .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus virens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ficus wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Filicium decipiens* (WIGHT & ARN.) THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis annua* (ALL.) ROOM & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis argentea* (ROTTB.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis bisumbellata* (FORSK.) BUB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis diphylla* VAHL. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis falcata* (VAHL) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis junciformis* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis miliacea* L. & VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis ovata* (BURM.F.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis polytrichoides* (RELZ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fimbristylis sietiniana* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fioria vitifolia* (L.) MATTEI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Firmiana colorata* (ROXB.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fissendocarpa linifolia* (VAHL) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fissistigma polyanthum* MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flacourtia cataphracta* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flacourtia indica* (BURM.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flacourtia jangomas* (LOUR.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flacourtia ramontchi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flacourtia sapida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flacourtia sepriaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flaveria australasica* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia bracteata* (ROXB.) WIGHT. NULL and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia chappar* BUCH.-HAM. EX BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia congesta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia grahamiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia macrophylla* (WILLD.) O.KTZE. EX MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia procumbens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia semialata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia strobilifera* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia tuberosa* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flemingia wightiana* GRAHAM EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fleurya interrupta* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flickingeria fugax* (RCHB.F.) SEODEMF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flickingeria macraei* (LINDL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flickingeria nodosa* (DALZ.) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Floscopa scandens* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fluegea leucopyrus* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flueggea leucopyrus* WILLD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flueggea microcarpa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flueggea virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Foeniculum capillaceum* GILB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Foeniculum vulgare* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Foeniculum vulgare* GAERTN dulce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fomes officinalis* (VIL EX. FR.) LLOYD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fortunella japonica* (THUNB.) SWINGLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fragaria indica* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fragaria nilgherrensis* SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Francoeria crispa* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Frankenia pulverulenta* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fraxinus excelsior* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fraxinus floribunda* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fraxinus hookeri* WENZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fraxinus ornus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fritillaria cirrhosa* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fritillaria imperialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fritillaria roylei* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fucus distichus* L. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fucus nodosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fucus vesiculosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fumaria indica* PUGSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fumaria parviflora* AUCT. NON. LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fumaria vaillantii* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Furcraea foetida* (L.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fynura bicolour* (WILLD.)DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gaillonia aucheri* JAUB. & SPACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galega purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galega spinosa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galeopsis tetrahit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galidium cartilagineum* (L.) GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galinsoga parviflora* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galium acutum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galium aparine* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galium asperifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galium elegans* BLOCKI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galium mullugo* L. NULL and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galium triflorum* MICHX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galium verum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ganophyllum falcatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia atroviridis* GRIFF. EX T. ANDER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia cambogia* GAERTN. DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia cornea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia cowa* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia dulcis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia echinocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia gummi-gutta* (L.) ROBS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia hanburyi* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia heterandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia indica* (DUP.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia kydia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia morella* (GAERTN.) DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia pedunculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia pictoria* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia purpurea* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia rubro-echinata* KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia spicata* (WIGHT & ARN.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia talbotii* RAIZADA EX SANTAPAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia tinctoria* (DC.) W.F. WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia travancorica* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia wightii* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia xanthochymus* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia augusta* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia campanulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia dumetorum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia floribunda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia florida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia gummifera* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia incida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia jasminoides* ELLIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia latifolia* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia lucida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia nummularioides* DON. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia resinifera* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gardenia turgida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garuga pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gastrochilus longiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gastrochilus pandurata* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gaultheria fragrantissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gaultheria nummularioides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gaultheria procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gaultheria trichiphylla* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gelidium cartilagineum* GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gelonium bifarium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gelsemium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gelsemium sempervirens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gemphostemma ovatum* WALL. EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gendarussa vulgaris* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geniosporum gracilo* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geniosporum prostratum* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geniosporum tenuiflorum* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana algida* PALLAS NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana argentea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana borealis* GRISEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana carinata* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana chirayta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana decumbens* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana desonasa* (ROTTB.) G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana kurroo* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana lutea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana moorcroftiana* WALL. EX. G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana olivieri* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana quadrifaria* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana renella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana stipitata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana tenella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentiana thianschanica* RUPR. EX KUSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentianella moorcroftiana* (WALL. EX GRISEB.) AIRY-SH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentianella pedunculata* (ROYLE) H. SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentianella tenella* (ROTTB.) BORNER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gentianopsis detonsa* (ROTTB.) MA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geodorum densiflorum* (LAM.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geodorum dilatatum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geophila herbacea* KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geophila reniformis* D. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geophila repens* (L.) I.M.JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium himalayense* KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium lucidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium mascatense* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium molle* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium nepalense* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium ocellatum* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium pusillum* BURM.F.SPEC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium rivulare* VILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium robertianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium sibiricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium wallichianum* DON EX SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gerbera gossypina* (ROYLE) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gerbera lanuginosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gerbera piloselloides* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geum alatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geum elatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geum roylei* WALL. EX BOLLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geum urbanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Giesekia pharnacoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ginkgo biloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Girardinia diversifolia* (LINK) FRIES and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Girardinia heterophylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Girardinia leschenaultiana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Girardinia zeylanica* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Girardinia cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Girardinia reticulata* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Givotia rottleriformis* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gleditsia sinensis* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gleditsia triacanthos* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gleichenia longissima* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glinus dictamnoides* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glinus oppositifolius* (L.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gliricidia maculata* (H.B. & K.) STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Globba clarkeii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Globba multiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Globba orixensis* ROXB. ASIAT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Globba pauciflora* KING EX BAKER and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion calocarpum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion calocarpum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion ellipticum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion heyneanum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion hohenackeri* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion lanceolarium* VOIGT. NON DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion multiloculare* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion oblatum* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion sumatrana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion tomentosum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glochidion zeylanicum* A. JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glossocardia bosvallea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glossocardia linearifolia* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glossogyne bidens* (RETZ.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glossogyne pinnatifida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glossonema varians* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gluta travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycine labialis* L.F. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycine max* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycine pentaphylla* DLAZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycine soja* SIEB. & ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycosmis arborea* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycosmis cochinchinensis* PIERRE EX ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycosmis macrocarpa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycosmis mauritiana* (LAMK.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycosmis mauritiana* (LAMK.) TANAKA *Kalammanensis* (NARAY.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycosmis pentaphylla* (RETZ.) DC and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycyrrhiza glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycyrrhiza glabra* L. violace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycyrrhiza radix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycyrrhiza uralensis* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gmelina arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gmelina elliptica* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gmelina parviflora* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gmelina philippensis* CHAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnaphalium indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnaphalium luteo-album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnaphalium polycaulon* PER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnetum edule* (WILLD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnetum gnemon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnetum montanum* MARKGRAF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnetum scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnetum ula* BRONGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gnidia glauca* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goldfussia thomsonii* (NEES) BREMEK. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphia angustifolia* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphia serrata* (GAERTN.) KANIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphostemma crinitum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphostemma parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphostemma wallichii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphrena celosioides* MART. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gonatanthus pumilus* (DON) E. & KRAUSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goniothalamus sequipedalis* HK.F.& TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goniothalamus waynaadensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goniothalamus wightii* HOOK.F. & THOMAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gonostegia hirta* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gonystylus macrophyllus* (MIQ.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goodyera repens* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goodyera schlectKalamliana* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goodyera secundiflora* (GRIFF.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gordonia obtusa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium acuminatum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium arboreum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium indicum* TOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium obtusifolium* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium purpurascens* POIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium religiosum* WATT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium stocksii* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gouania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gouania tiliaefolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gouania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gracilaria lichenoides* GERV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grangea maderaspatana* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Graptophyllum hortense* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Graptophyllum pictum* (L.) GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gratiola monniera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grevillea robusta* A. CUNN. EX R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia abutilifolia* VENT. EX JUSS. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia asiatica* L. *vestita* MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia asiatica* MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia carpinifolia* JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia elastica* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia helicterifolia* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia heterotricha* MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia hirsuta* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia microcos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia obtusa* WALL. EX GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia oppositifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia optiva* DRUMMOND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia orbiculata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia polygama* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia populifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia rhamnifolia* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia salvifolia* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia sapida* ROXB. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia scabrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia sclerophylla* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia subinaequalis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia tenax* (FORSK.) FIORI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia tiliaefolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia umbellata* AUCTION. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia villosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Guazuma tomentosa* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Guazuma ulmifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Guilandina bonducella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Guizotia abyssinica* CASS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnadenia himalayica* SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnadenia orchidis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema aurantiaca* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema balsamicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema hirsutum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema kalamense* SANTAPAU and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema lactiferum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema latifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema montanum* (ROXB.) HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema spartium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnema sylvestre* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnocladus assamicus* Kanjilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnopetalum cochinchinensis* (LOUR.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnopetalum wightii* WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnosporia montana* (ROTH.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnosporia royleana* M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnosporia spinosa* MERILL & ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gymnostachyum febrifugum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynandropsis gynandra* BRIQUET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynandropsis pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynocardia odorata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynostemma pentaphyllum* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynura angulosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynura cusimbua* (D.DON) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynura hispida* THW. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynura pseudo-china* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gyrocarpus americanus* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria commelinifolia* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria crinifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria diphylla* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria edgeworthii* HOOK. F. EX COLLETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria intermedia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria longicorniculata* GRAH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria orchidis* (LINDL.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria ovalifolia* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria plantaginea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria rariflora* A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria rotundifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Habenaria roxburghii* (PERS.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hackelochloa granularis* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haemanthus multiflorus* MARTYN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haematoxylon campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hagenia abyssynica* GMEL. NULL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haldina cordifolia* (ROXB.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Halophila ovalis* (R.BR.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haloxylon multiflorum* (MOQ.) BUNGE EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haloxylon recurvum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haloxylon salicornicum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hamamelis virginiana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hamelia patens* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hamiltonia suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haplanthodes verticillata* (ROXB.) MAJUMDAR and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haplanthus tentaculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Haplanthus verticillata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hardwickia binata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hardwickia pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Harpagophytum procumbens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Harpullia arborea* (BLANCO) RADLK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hebanthe paniculata* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedeoma pulegioides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedera helix* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedera nepalensis* C. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedgsonia macrocarpa* (BL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium acuminatum* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium coccineum* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium coronarium* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium ellipticum* HAMILT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium gardnerianum* SHEPPARD EX KER-GAWLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium glaucum* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium gracile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium marginatum* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium spicatum* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedychium wardii* C.E.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis articularis* R.BR. EX WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis auriculata* (LINN.). AURICULARIA ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis biflora* (L.) LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis brachypoda* (DC.) SIVAR. ET AL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis capitellata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis corymbosa* (L.) LAM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis costata* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis diffusa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis glabra* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis gracilis* WALL. O.GR. (WALL.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis hispida* (BENTH.) RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis lineata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis pinifolia* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis pruinosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis puberula* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis pumila* L.F. O.PU(L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis tenelliflora* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis umbellata* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis uncinella* HK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis verticillata* (L.) LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedyotis vestita* R.BR. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedysarium sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedysarum alhagi* L. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedysarum gangeticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedysarum purpureum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedysarum sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedysarum triflorum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hedysarum tuberosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helicanthes elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helicia excelsa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helicia robusta* (ROXB.) R. BR. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helicteres isora* L. *glabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helicteres isora* L. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliophyllum indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium bacciferum* FORSK. *tuberculosis* (BOISS.) KAZMI *bacciferum* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium brevifolium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium curassavicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium eichwaldi* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium ellipticum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium keralense* SIV. & MANL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium ophioglossum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium ovalifolium* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium peruvianum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium rariflorum* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium strigosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium subulatum* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium supinum* L. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium tuberosum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium undulatum* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium zeylanicum* HEYNE. EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helixanthera wallichiana* (SCHULT.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helleborus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helleborus viridis* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helminthostachys zeylanicus* (L.) HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heliotropium ophioglossum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hemarthria compressa* (L.F.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hemerocallis fulva* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hemidesmus indicus* (L.) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hemidictyum ceterach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hemigraphis latebrosa* NESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hemionitis arifolia* (BURM.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum cachemiricum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum candicans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum candolleanum* (WT. & ARN.) GAMBLE . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum canescens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum lanatum* MICHX. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum nepalense* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum pinda* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum pinnatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum rigens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heracleum wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heritiera littoralis* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heritiera minor* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heritiera papilio* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hermodyctylus tuberosus* (L.)MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hernandia ovigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hernandia peltata* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Herniaria glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Herniaria hirsuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Herniaria intermedia* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Herpestis monniera* (L.) H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hesperethusa alata* (W. & A.) ALST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hesperethusa crenulata* (ROXB.) M. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hetaeria obliqua* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heterophragma quadriloculare* K.SCHUM. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heterophragma roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heteropogon contortus* (L.) BEAUV. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heterostemma piperifolium* KING & GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heterostemma tanjorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hevea brasiliensis* (WILLD. EX. JUSS.) MUELL. - HRG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hewittia malabarica* (L.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heylandia latebrosa* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heynea sumatrana* MIG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heynea trijuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus abelmoschus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus aculeatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus cancellatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus canescens* HEYNE EX. WIGHT & ARNOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus ficulneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus furcatus* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus hispidissimus* GRIFF. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus lampas* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus lunariifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus manihot* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus micranthus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus obtusifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus ovalifolius* (FORSK.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus platanifolius* (WILLD.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus populneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus vitifolias* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hieracium umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hieracium virosum* PALL. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hieracium vulgatum* (FR.) ALMQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hippocratea indica* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hippophae rhamnoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hippophae rhamnoides* L. *saticifolia* (D.DON) SARVETTAZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hippophae salicifolia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hippophae tibetana* SCHLECT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hiptage benghalensis* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hiptage madablota* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hitchenia caulina* BAKER. NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hodgsonia macrocarpa* (BL.) COGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holarrhena antidysenterica* (ROTH.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holarrhena mitis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holarrhena pubescens* (BUCH.-HAM.) WALLICH EX DO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holboellia latifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holigarna arnottiana* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holigarna ferruginea* MARCHAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holigarna grahamii* (WGT.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holigarna longifolia* BUCH.-HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holigarna nigra* BOURD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holmskioldia sanguinea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holoptelea integrifolia* (ROXB.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holostemma ada-kodien* SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holostemma annulare* (ROXB.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holostemma rheedianum* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holostemma rheedii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holosteum umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Homalomena aromatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Homalomena rubescens* KUNTH ENUM. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Homonoia retusa* (GRAH. EX WT.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Homonoia riparia* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hopea glabra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hopea odorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hopea parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hopea ponga* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hopea wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoppea dichotoma* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hornstedtia costata* (ROXB.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Horsfieldia glabra* (BL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Horsfieldia irya* (GAERTN.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Horsfieldia kingii* (HK.F.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Houttuynia cordata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hovenia acerba* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya carnosa* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya globulosa* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya multiflora* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya ovalifolia* WIGHT & ARN. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya pendula* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya viridiflora* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hoya wightii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Humboldtia unijuga* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Humboldtia vahliana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Humulus lupulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hunteria corymbosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hunteria legocii* SKINA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hunteria zeylanica* (RETZ.) GARDNER EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Huperzia phlegmaria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hybanthus enneaspermus* (L.F.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyderangea macrophylla* (THUNB.) SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus alpina* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus anthelminthica* PIERRE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus castanea* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus inebrians* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus kurzii* (KING) WARB. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus laurifolia* (DENNST.) STEUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus macrocarpa* (BEDD.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus octandra* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus pentandra* (BUCH.-HAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus venenata* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus wightiana* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnophytum Kalammanense* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnophytum formicarium* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrangea arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrangea aspera* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrangea macrophylla* (THUNB.) SER. *stylosa* (HK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrangea paniculata* SIEB. *grandiflora* SIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrastis canadensis* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrilla verticillata* (L.F.) ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrocharis dubia* (BL.) BACKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrocotyle asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrocotyle javanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrocotyle javanica* THUNB. *PODUNTHA MOLKENBOER* EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrocotyle rotundifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrocotyle sibthorpiodes* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrolea zeylanica* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila auriculata* (SCHUMACH.) HEINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila erecta* (Burm.f.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila heinei* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila phlomoides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila polysperma* (ROXB.) AND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila quadrivalvis* (BUCH.-HAM.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila ringens* (L.) R.BR. EX STEUDEL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila salicifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila schulli* (HAM.) M.R. & S.M. ALMEIDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygrophila spinosa* T. ANDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hygroryza aristata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hymenaea courbaril* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hymenaea hornemannianum* (HAYNE) D. DIETR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hymenocrater sessilifolius* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hymenodictyon excelsum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hymenodictyon obovatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hymenodictyon orixense* (ROXB.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyoscyamus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyoscyamus muticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyoscyamus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyoscyamus pusillus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyoscyamus reticulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyoscyamus squarrosus* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypecoum leptocarpum* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypecoum pendulum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypecoum procumbens* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyperanthera moringa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum cernuum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum elodeoides* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum humifusum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum japonicum* THUNB. EX MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum laxum* (BL.) KOIDZUMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum monanthemum* HK. F. & TH. EX DYER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum monogynum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum mysurense* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum oblongifolium* CHOISY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum patulum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum perforatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum sampsoni* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum uralum* BACH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypobathrum microcarpum* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypochaeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypodematium crenatum* (FORSK.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypolepis punctata* (THUNB.) METT. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypolytrum nemorum* (VAHL) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypoxis aurea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypoxis orchoides* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyptis brevipes* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyptis capitata* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyptis pectinata* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyptis suaveolens* POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyssopus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hyssopus parviflora* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ichnocarpus frutescens* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilex denticulata* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilex godajam* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilex paraguariensis* A.ST.HIL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilex wightiana* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Illecebrum lanatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Illicium anisatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Illicium griffithii* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Illicium religiosum* S. & L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Illicium verum* HOOK.F. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Illigera appendiculata* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Illigera villosa* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilysanthes oppositifolia* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilysanthes reptans* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens brachycentra* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens gigantea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens glandulifera* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens minor* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens roylei* WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens scabrida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens tilo* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens tripetala* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Imperata arundinacea* CYR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Imperata cylindrica* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Incarvillea emodi* (LINDL.) CHATTERJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera angustifolia* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera anil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera argentea* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera articulata* GONAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera aspalathoides* VAHL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera caerulea* ROXB. *caerulea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera cassioides* ROTTL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera ennaephylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera galegoides* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera gerardiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera glandulosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera hebepetala* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera heterantha* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera linifolia* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera linnaei* ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera nummulariifolia* (L.) SKINA EX ALSTON and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera oblongifolia* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera paucifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera pulchella* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera suffruticosa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera sumatrana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera trita* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indigofera uniflora* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indoneesiella echicides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indoneesiella echoides* (L.) SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Indoneesiella intermedia* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Intsia bijuga* (Colebr.) O. Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Inula cappa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Inula cuspidata* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Inula grandiflora* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Inula grantioides* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Inula graveolens* DESF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Inula helenium* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Inula obtusifolia* KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Inula racemosa* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Inula royleana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ionidium enneaspermum* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ionidium suffruticosum* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iphigenia indica* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea aquatica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea asarifolia* (DESR.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea batatas* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea biloba* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea bona-nox* HEYNE EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea burmanni* CHOISY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea cairica* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea candicans* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea carnea* (MART. EX CHOISY) AUSTIN. *fistulosa* (MART. E CHOISY) AUSTIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea carnea* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea coccinea* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea coptica* (L.) ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea cymosa* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea dasysperma* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea dissecta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea eriocarpa* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea fastigiata* (ROXB.) SWEET NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea fistulosa* MART EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea glaberrima* BOJ. EX HOOK. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea hederacea* AUCT. NON JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea hederifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea hispida* ROEM. & SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea illustris* (CLARKE) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea involucrata* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea marginata* (DESR.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea maxima* G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea muricata* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea nil* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea obscura* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea paniculata* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea pes-caprae* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea purga* (WEND.) HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea purpurea* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea quamoclit* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea reniformis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea reptans* (L.) POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea sindica* STAPF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea staphylina* R,BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea tridentata* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea turbinata* LAG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea turpethum* (L.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea uniflora* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ipomoea vitifolia* SWEET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris decora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris ensata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris florentina* KUNZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris foetidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris kashmiriana* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris kemaonesis* D.DON EX ROYLE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris nepalensis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris songarica* SCHRENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iris versicolor* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isachne globosa* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum muticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum pilosum* HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ischaemum rugosum* SALISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isopyrum acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isopyrum anemonoides* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Isopyrum thalictroides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Itea chinensis* HOOK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora arborea* ROXB. EX J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora brunnescens* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora cuneifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora grandiflora* Zoll. & Mor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora nigricans* BR. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora parviflora* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora pavetta* ANDR. BOT. REPOS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora polyantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora sub-sessilis* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ixora undulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *JacarKalam acutifolia* HUMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jacobinia tinctoria* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jaeschkea gentianoides* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jaeschkea oligosperma* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Janakia arayalpathra* JOSEPH & CHANDRASHEKARAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum amplexicaule* BUCH.-HAM. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum anastomozans* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum angustifolium* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum auriculatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum azoricum* L. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum bignoniaceum* WALL. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum calophyllum* WALL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum chrysanthemum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum cuspidatum* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum diversifolium* KOBUSKI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum flexile* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum humile* SENSU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum malabaricum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum multiflorum* (BURM.F.) ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum nervosum* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum pubescens* (RETZ.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum ritchiei* CLARKE IN HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum rottlerianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum sambac* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum sambac* AIT. *heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum scandens* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum subhumila* W.W. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum trichotomum* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jasminum undulatum* KER-GAWLER and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jateorhiza palmata* (LAM.) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha glandulifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha glandulosa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha glauca* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha nana* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jatropha panduraefolia* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Joannesia princeps* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juglans regia* L. kumaonia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juncellus inundatus* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juncus inflexus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juncus lampocarpus* EHRH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juncus prismatocarpus* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juniperus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juniperus excelsa* BIEB. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juniperus indica* BERTOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juniperus macropoda* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juniperus polycarpus* C. KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juniperus recurva* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Juniperus wallichiana* HOOK.F. EX PARL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jurinea dolomiaea* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jurinea himalaica* STEWART NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jurinea macrocephala* (ROYLE) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jurinea macrophylla* BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jussiaea repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jussiaea suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Jussiaea tenella* BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia acaulis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia beddomei* (CL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia bicalyculata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia bilvalvis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia ecboium* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia gendarussa* BURM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia madurensis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia nasuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia paniculata* (VAHL) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia picta* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia prostrata* (CL.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia quinqueangularis* KOEN. EX. ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia repens* DELESS. EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia simplex* DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia tranquebariensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Justicia vasculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kaempferia angustifolia* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kaempferia rotunda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe integra* (MEDIK.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe laciniata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe pinnata* (LAM.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe rosea* C.B. CLARKE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalanchoe spathulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kallstroemia pubescens* (DON) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kametia caryophyllata* (ROXB.) NICOL. & SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kandelia candel* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kandelia rheedei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kandelia rheedii* W.&A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kedrostis foetidissima* (JACQ.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kedrostis rostrata* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kickxia ramosissima* (WALL.) JANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kigelia africana* (LAMK.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kigelia pinnata* (JACQ.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kingiodendron pinnatum* (ROXB. EX DC.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kirganelia reticulata* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kleinia grandiflora* (WALL. EX DC.) RANI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knema angustifolia* (ROXB.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knema attenuata* (WALL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knema erratica* (HOOK.F. & TH.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knema linifolia* (ROXB.) WARB. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knoxia brachycarpa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knoxia corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knoxia roxburghii* (SPRENG.) M.A. RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Knoxia sumatrensis* (RETZ.) DC. *hookeriana* BHATTACHARJEE & DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kochia indica* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kochia scoparia* (L.) SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kochia sedoides* SCHRAD NEUES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Koelpinia linearis* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kokoona zeylanica* THW. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kopsia flavida* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kopsia fruticosa* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kurrimia bipartita* M.LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kydia calycina* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kyllinga brevifolia* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kyllinga monocephala* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kyllinga nemoralis* HUTCH. & DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kyllinga squamulata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kyllinga triceps* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lablab purpureus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca dissecta* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca gracilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca heyneana* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca orientalis* (BOISS.) BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca remotiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca runcinata* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca scariola* L. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca serriola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca tatarica* C.A.REY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lactuca virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagascea mollis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagascea spinosissima* COV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagenandra ovata* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagenandra toxicaria* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagenaria leucantha* RUSBY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagenaria siceraria* (MOLINA) STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagenaria vulgaris* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia flos-reginae* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia hirsuta* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia lanceolata* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia microcarpa* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia parir-flosh* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia reginae* PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagerstroemia speciosa* (L.) PERS. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laggera alata* (D.DON) SCH.-BIP. EX OLIVE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laggera aurita* (WILD.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laggera crispata* (VAHL) HEP. & WD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laggera flava* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laggera pterodonta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagotis cashmeriana* (ROYLE) RUPR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lagotis glauca* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lallemantia royleana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lamarkia aurea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laminaria saccharina* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lamium album* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lamium amplexicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lamprachaenium microcephalum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lancea tibetica* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Lannea coromandelica* (HOUTT.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lannea grandis* (DENNST.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lansium domesticum* JACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lantana aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lantana camara* L. *aculeata* (L.) MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lantana camara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lantana indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laportea crenulata* GANDICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laportea interrupta* (L.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Larrea tridentata* (SESSE & MOC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasia aculeata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasia heterophylla* SCHOTT MELET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasia spinosa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasianthus Kalammanicus* HK.F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasiosiphon eriocephalus* (MEISNER) DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lasiurus hirsutus* (FORSK.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lastrea filix-mas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathraea squamaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathyrus altaicus* LED. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathyrus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathyrus luteus* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathyrus odoratus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathyrus pratensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lathyrus sphaericus* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea acaulis* (ROXB.) BABCOCK EX KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea asplenifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea capitata* (SPRENG.) DANDY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea chondrilloides* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea fallax* (JAUB. & SPACH.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea glomerata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea nudicaulis* HOOK. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea pinnatifida* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea procumbens* (ROXB.) RAMAYYA & RAJAGOPA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea remotiflora* (DC.) STEBBINS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea resedifolia* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launaea sarmentosa* (WILLD.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launea acaulis* (ROXB.) KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launea procumbens* (ROXB.) RAM. & RAJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Launea sarmentosa* ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens chandrasekharanii* Chandrabose and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens clavicornu* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens cordata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens crenata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens dasysperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens debilis* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens denisonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens disotis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens diversifolia* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens elegans* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens floribunda* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens fruticosa* Lesch. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens goughii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens grandis* Heyne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens hensloviana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens herbicola* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens hookeriana* Arn. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens inconspicua* Benth ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens jerdoniae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens laticornis* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens lawsonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens lenta* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens leptura* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens leschenaultii* (DC.) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens levingei* Gamble ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens ligulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens maculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens minor* (DC.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens modesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens munronii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens neo-barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens nilgirica* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens orchioides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens parasitica* Bedd. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens parvifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens phoenicea* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens rufescens* Benth. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens scabriuscula* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens scapiflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens tangachee* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens tenella* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens tomentosa* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens trichocarpa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens umbellata* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens uncinata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens viridiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens viscida* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens viscosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens wightiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acronychia pedunculata* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aegle marmelos* (L.) Correa and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atalantia monophylla* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atalantia racemosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Atalantia wightii* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boenninghausenia albiflora* (Hook.) Reichb. ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Choisya ternata* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus aurantifolia* (Christm.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus limon* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus maxima* (Burm.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus nobilis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus reticulata* Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Citrus sinensis* (L.) Osbeck. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clausena austro-indica* B. C. Stone and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clausena dentata* (Willd.) M. Roem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clausena indica* (Dalz.) Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clausena lansium* (Lour.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euodia fraxinifolia* (D. Don.) Hook. f. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euodia lunu-ankenda* (Gaertn.) Merr. var. *lunu-ankenda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euodia lunu-ankenda* (Gaertn.) Merr. var. *tirunelvelica* Henry & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fortunalla japonica* (Thunb.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycosmis angustifolia* Lindl. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycosmis cyanocarpa* (Blume) Spreng. var. *cymosa* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycosmis macrocarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycosmis mauritiana* (Lam.) Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycosmis pentaphylla* (Retz.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glycosmis tirunelveli*ensis Murugan & Manickam and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melicope indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melicope lunu-ankenda* (Gaertn.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murraya koenigii* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murraya paniculata* (L.) Jack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Naringi crenulata* (Roxb.) Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pamburus missionis* (Wight) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paramigyna beddomei* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paramignya monophylla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleiospermium alatum* (Wall ex. Wight & Arn.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetradium fraxinifolia* (Hook.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Toddalia asiatica* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triphasia trifolia* (Burm. f.) P. Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vepris bilocularis* (Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum ovalifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum rhetsa* (Roxb.) DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum limonellia* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ailanthus excelsa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ailanthus triphysa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quassia amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Suriana maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphia serrata* (Gaertn.) Kanis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochna integerrima* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochna lanceolata* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochna obtusata* DC. var. *obtusata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochna gamblei* King ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Boswellia serrata* Roxb. ex Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bursera penicillata* (Sesse & Moc. ex DC.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canarium strictum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canarium vulgare* Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora berryi* (Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora caudata* (Wight & Arn.) Engler var. *caudata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Commiphora caudata* (Wight & Arn.) Engler var. *pubescens* (Wight & Arn.) K.M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garuga floribunda* Decne var. *gamblei* (King ex W. W. Sm.) Kalkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garuga pinnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia apiocarpa* (Thw.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia domestica* (Correa) Pellegrin Lecomte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia elaeagnoidea* (Juss.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia edulis* (Roxb.) Wall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia lawii* (Wight) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia tomentosa* Teijsm. & Binn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia odorata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aglaia simplicifolia* (Bedd.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aphanamixis polystachya* (Wall.) Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Azadirachta indica* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chukrasia tabularis* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cipadessa baccifera* (Roth) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dysoxylum binectariferum* (Roxb.) Hook. f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dysoxylum ficiforme* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dysoxylum malabaricum* Bedd. ex Hiern and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Naregamia alata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reinwardtiadendron anamallayanum* (Bedd.) Saldahna and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sandoricum koetjape* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Soymida febrifuga* (Roxb.) A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swietenia macrophylla* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swietenia mahagoni* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Toona ciliata* M. Roem. var. *ciliata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Toona ciliata* M. Roem. var. *pilistila* (C. DC.) Nair & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichilia connaroides* (Wight & Arn.) Bentvelzen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Turraea villosa* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Walsura trifolia* (A. Juss.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xylocarpus granatum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dichapetalum gelonioides* (Roxb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anacolosia densiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis scandens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis imbricata* Roxb. var. *imbricata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis imbricata* Roxb. var. *nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strombosia ceylanica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cansjera rheedii* Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opilia amentacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Apodytes dimidiata* E. Meyer ex Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphandra coriacea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gomphandra tetrandra* (Wall ex. Roxb.) Sleumer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Miquelia dentata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothapodytes nimmoniana* (Graham) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrenacantha volubilis* Wight and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostigma kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythralium populifolium* (Arn.) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilex aquifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilex denticulata* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilex gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilex malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilex opaca* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilex walkeri* Wight & Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ilex wightiana* Wall ex. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bhesa indica* (Bedd.) Ding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassine glauca* (Rottb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cassine paniculata* (Wight & Arn.) Loeb.-Callen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celastrus paniculatus* Willd. var. *paniculatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celastrus paniculatus* Willd. subsp. *dependens* (Wall.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Celastrus paniculatus* Willd. subsp. *aggregatus* K.T.Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus angulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus barberi* C. Murugan & V. S. Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus crenulatus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus dichotomous* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus indicus* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus japonicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus kanyakumariensis* Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus paniculatus* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Euonymus serratifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glyptopetalum grandiflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glyptopetalum lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Glyptopetalum zeylanicum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Loeseneriella bourdillonii* (Gamble) Raju and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Loeseneriella obtusifolia* (Roxb.) A. C. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lophopetalum wightianum* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maytenus emarginata* (Willd.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maytenus heyneana* (Roth) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maytenus ovatus* (Wall ex Wight & Arn.) Loes. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maytenus rufa* (Wall.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maytenus wallichiana* (Wight & Arn.) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microtropis microcarpa* Wight var. *microcarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microtropis microcarpa* Wight var. *densiflora* Merr. & Freem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microtropis latifolia* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microtropis ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microtropis ramiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microtropis stocksii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microtropis wallichiana* Wight ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleurostyliia opposita* (Wall.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reissantia grahamii* (Wight) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reissantia indica* (Willd.) Halle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salacia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salacia fruticosa* Heyne ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salacia macrosperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salacia oblonga* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alphitonia excelsa* Reiss ex Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colletia cruciata* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colletia ferox* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Colubrina asiatica* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hovenia acerba* Lindl. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maesopsis eminii* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Noltea africana* (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pomaderris apetala* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pomaderris lanigera* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhamnus cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhamnus dahuricus* Pall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhamnus virgatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhamnus wightii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sageretia hamosa* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sageretia parviflora* (Klein) G. Don and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutia myrtina* (Burm. f.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ventilago denticulata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ventilago gamblei* Suesseng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ventilago goughii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ventilago madraspatana* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus glabrata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus horrida* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus incurva* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus mauritiana* Lam. var. *mauritiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus mauritiana* Lam. var. *fruticosa* (Haines) Sebastine & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus nummularia* (Burm.f.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus oenoplia* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus rugosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus xylopyrus* (Retz.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ampelocissus araneosa* (Dalz. & Gibs.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ampelocissus divaricata* (Wall ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ampelocissus indica* (L.) Planch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ampelocissus latifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ampelocissus tomentosa* (Heyne ex Roth) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ampelocissus wightiana* Shetty & Singhand 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia anemonifolia* (Zipp. Ex Miq.) Suesseng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia auriculata* (Roxb.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia japonica* (Thunb.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia mollissima* (Wall.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *pedata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia roxburghii* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia tenuifolia* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cayratia trifolia* (L.) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus arnottiana* B.V.Shetty & P.Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus adnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus discolor* Blume. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus latifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus glyptocarpa* (Thw.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus heyneana* (Wall. ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus repKalam* Vahl and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus repens* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyphostemma setosum* (Roxb.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parthenocissus neilgherriensis* (Wight) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parthenocissus semicordata* (Wall.) Planchon var. *roylei* (King) Raizada & Saxina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetrastigma gamblei* Shetty & Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetrastigma leucostaphylum* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetrastigma nilagiricum* (Miq.) Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetrastigma sulcatum* (Lawson) Gamble and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea asiatica* (L.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea guineensis* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea indica* (Burm. F. ) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea macrophylla* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Allophylus cobbe* (L.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardiospermum canescens* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dimocarpus longan* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dodonaea viscosa* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Filicium decipiens* (Wight & Arn.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Harpullia arborea* (Blanco) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepisanthes erecta* (Thw.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepisanthes senegalensis* (Juss. ex Poir.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepisanthes tetraphylla* (Vahl.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litchi chinensis* Sonner. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Otonephelium stipulaceum* (Bedd.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sapindus emarginatus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sapindus trifoliata* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schleichera oleosa* (Lour.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aesculus indica* (Cambess.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acer caesium* Wall. ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acer oblongum* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acer pseudo-platanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melianthus major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Turpinia malabarica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Turpinia cochinchinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meliosma pinnata* (Roxb.) Maxim. subsp. *barbulata* (Cufod.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meliosma simplicifolia* (Roxb.) Walp. subsp. *simplicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meliosma simplicifolia* (Roxb.) Walp. subsp. *pungens* (Wall ex Wight & Arn.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sabia limoniacea* Wall. ex Hook. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buchanania axillaris* (Desr.) Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Buchanania lanzan* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gluta travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holigarna arnotiana* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holigarna beddomei* Hook. f. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holigarna ferruginea* Marchand and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holigarna grahamii* (Wight) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Holigarna nigra* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Lannea coromandelica* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothopegia aureo-fulva* Bedd. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothopegia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothopegia colebrookeana* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothopegia heyneana* (Hook. f.) Gamble and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothopegia racemosa* (Dalz.) Ramam. var. *racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothopegia racemosa* (Dalz.) Ramam. var. *angustifolia* (Gamble) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothopegia travancorica* Bedd ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothopegia vajravelui* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus mysorensis* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus paniculata* Wall. ex Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schinus molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schinus terebinthifolius* Raddi and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Semecarpus anacardium* L. var. *anacardium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Semecarpus anacardium* L. var. *cuneifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Semecarpus auriculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Semecarpus travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spondias indica* (Wight & Arn.) Airy Shaw & Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spondias pinnata* (L.f.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corynocarpus laevigata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moringa concanensis* Nimmo ex Gibbs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moringa pterygosperma* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Connarus sclerocarpus* (Wight & Arn.) Schellenb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Connarus wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ellipanthus tomentosus* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rourea minor* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abrus fruticulosus* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abrus pulchellus* Wall ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeschynomene americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeschynomene aspera* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus beddomei* Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus bupleurifolius* (L.) DC. var. *bupleurifolius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus bupleurifolius* (L.) Dc. var. *gracilis* (Edgew.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus bupleurifolius* (L.) Dc. var. *hybridus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus heterophyllus* (Benth. ex Baker) Jefri & Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus longifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus monilifer* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus ovalifolius* (Schumac) J. Leon. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus racemosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus roxburghianus* Thoth. & Pramanik and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus glumaceus* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus scariosus* Rottler. ex. Spring) Grah. ex Thw. var. *scariosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus scariosus* (Rottler. ex. Spring) Grah. ex Thw. var. *pilifer* (Prain) Pramanik & Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alysicarpus vaginalis* (L.) DC. var. *stocksii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Butea acuminata* (Benth.) Kurz and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Butea monosperma* (Lam.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Butea parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Butea purpurea* (Benth. ex Baker) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cajanus albicans* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cajanus goensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cajanus lineata* (Wight & Arn) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cajanus cajan* (L.) Millsp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cajanus rugosus* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cajanus scarabaeoides* (L.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cajanus trinervius* (DC.) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calopogonium mucunoides* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calpurnia aurea* (Ait.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canavalia cathartica* Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canavalia gladiata* (Jacq.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canavalia maritima* (Aubl.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canavalia mollis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Canavalia virosus* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Castanospermum australe* A. Cunn. & Fraser ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Centrosema pubescens* Benth. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chorizema ilicifolium* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Christia obcordata* (Poir.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Christia vespertilionis* (L.f.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clanthus puniceus* Soland ex. Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laurentia longiflora* (L.) PETERMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laurus cassia* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laurus cinnamomum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Laurus nobilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lavandula bipinnata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lavandula burmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lavandula carnosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lavandula stoechas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lavandula vera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lavatera kashmiriana* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lawsonia alba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lawsonia spinosa* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lechea verticillata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea aequata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea alata* EDGEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea arguata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea asiatica* (L.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea aspera* EDGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea bracteata* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea compactiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea crispa* V. ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea guineensis* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea hirta* ROXB EX HORNEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea indica* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea macrophylla* ROXB. EX HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea robusta* ROXB. HORT. BENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leea sambucina* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lemanea australis* ATKINS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lemnaphyllum carnosum* (J. SM.) PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lemna globosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lemna obcordata* BOJ. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lemna perpusilla* TORREY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lens culinaris* MEDIC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lens esculenta* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leonotis nepetaefolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leontopodium jacotianum* BEAUVERD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leonurus cardiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leonurus hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leonurus incurva* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leonurus japonicus* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leonurus sibiricus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leonurus stelligera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepeocercis serrata* TRIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepianthes umbellata* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis cristata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis incurva* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis pungens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis scariosa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis trinervia* WALL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidagathis trinervis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium capitatum* HOOK. F. & THOMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium cartilagineum* (J. MAY.) THELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium draba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium iberis* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium iberis* POLL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium perfoliatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium ruderales* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium virginicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepionorus sylvestris* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepionurus sylvestris* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepisanthes Kalammanica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepisanthes rubiginosa* (ROXB.) LEENH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepisanthes tetraphylla* (VAHL) RADLK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptadenia pyrotechnica* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptadenia reticulata* (RETZ.) WIGHT & ARN. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptadenia spartium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptochilus decurrens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptochloa malabarica* (L.) VELDKAMP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptodermis lanceolatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptonychia heteroclita* (ROXB.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lespedeza sericea* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lettsomia aggregata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lettsomia atropurpurea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lettsomia elliptica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lettsomia mysorensis* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lettsomia nervosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lettsomia setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucaena glauca* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas aspera* (WILLD.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas capitata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas cephalotes* (ROTH.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas ciliata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas flaccida* R.BR. scaberula (HOOK.F.) SRINIVASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas indica* (L.) R.BR. EX VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas lanata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas lavandulifolia* J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas linifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas martinicensis* (JACQ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas mollissima* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas plukenetii* (ROTH) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas stelligera* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas stricta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas urticaefolia* R. BR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas zeylanica* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leuconotis eugenifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucosceptum canum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucostegia immersa* (HK.) PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucostegia nodosa* BEDD.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leucas rosmarnifolia* CIRUTUMPAI benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Levisticum officinale* W.D.J. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Licuala spinosa* WURMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligularia amplexicaule* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligularia jacquemontiana* (DECNE) RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligusticum elatum* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligustrum indicum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligustrum lucidum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligustrum nicum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligustrum perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ligustrum robustum* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lilium candidum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lilium giganteum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lilium martagon* L. NULL and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lilium neilgherrense* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lilium polyphyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lilium wallichianum* SCHULT. & SCHULT. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnanthemum cristatum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnanthemum indicum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnanthemum nymphaeoides* LINK FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila aromatica* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila gratioloides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila gratiissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila polystachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila rugosa* (ROTH) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophila sessiliflora* (VAHL) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnophyton obtusifolium* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limodrum spatulatum* WLLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limonia alata* W. & A. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limonia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limonium cabulicum* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Linaria cirrhosa* H.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Linaria minor* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Linaria ramosissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindlofia longiflora* (BENTH.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindenbergia indica* (L.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindenbergia muraria* (ROXB.) P.BRUCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindenbergia urticaefolia* LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindera caudata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindera neesiana* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindera pulcherrima* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia anagallis* (BURM.F.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia antipoda* (L.) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia caespitosa* (BL.) PANIGRAHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia ciliata* (COLESM.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia cordifolia* (COLSM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia crustacea* (L.) F. V. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia hyssopioides* (L.) HAINES and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia oppositifolia* (RETZ.) MUKH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia procumbens* (KROCK.) BORBAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia pyxidaria* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia rotundifolia* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindernia ruellioides* (COLSM) PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lindsaea cultrata* (WILLD.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Linociera malabarica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Linociera ramiflora* (ROXB.) WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Linum perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Linum strictum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis nervosa* (THUNB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liparis parviflora* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lippia alba* N.E. BR. EX BRITTON & WILS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lippia geminata* H.B.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lippia javanica* (BURM.F.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lippia nodiflora* MICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liquidambar orientalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liquidambar styraciflua* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liqustrum indicum* (LOUR.) NERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Liriodendron tulipifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litchi chinensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lithocarpus pachyphyllus* (KURZ) REHDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lithospermum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lithospermum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea citrata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea coriacea* (HEYNE EX. MEISNER) HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea cubeba* (LOUR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea glutimosa* (LOUR.) C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea glutinosa* (LOUR.) ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea lancifolia* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea monopetala* (ROXB.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea polyantha* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea quinqueflora* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea sebifera* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea stocksii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea umbrosa* NEES NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Litsea zeylanica* C. & T. NESS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia alsinoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia cordigera* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia excelsa* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia inflata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia leschenaultiana* (PRESL) SKOTTSB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia nicotianaefolia* ROTH. EX. R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobelia pyramidalis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobularia maritima* DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lochnera pusilla* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lochnera rosea* REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lodoicea maldivica* (POIR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lodoicea seychellarum* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Loeseneriella obtusifolia* (ROXB.) A.C.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lomatogonium carinthiacum* (WULF.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera glauca* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera japonica* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera leschenaultii* WALL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera macrantha* (D.DON) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera semenovii* REGEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera spinosa* (JACQUEM. EX DECNE) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lonicera webbiana* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lophopetalum wallichii* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Loranthus coriaceus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Loranthus elasticus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Loranthus falcatus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Loranthus longiflorus* DESR. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Loranthus pentandrus* HEYNE. EX SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lotus corniculatus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Loxococcus rupicola* WENDL.& DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia adscendens* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia clavelliana* GOMEZ DE LA MAZA & MONLINET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia hyssopifolia* (DON) EXCELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia octovalvis* (JACQ.) RAVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia octovalvis* (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia parviflora* ROXB. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia peruviana* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ludwigia prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa acutangula* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa acutangula* ROXB. amara (ROXB.) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa aegyptiaca* MILL. EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa cylindrica* (L.) M.J. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa echinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa graveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa graveolens* ROXB. *longystyla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa pentandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luffa umbellata* (KLEIN) ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luisia tenuifolia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lumnitzera racemosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lupinus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lupinus angustifolius* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lupinus digitatus* FORSK. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lupinus luteus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luvunga scandens* (BLUME) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Luzula campestris* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lychnis apetala* L. SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lychnis coronaria* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycianthes laevis* (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycianthes laevis* (DUNAL) BITTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycium barbarum* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycium europaeum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycium ruthenicum* MURR. EX DUNAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycoperdon gemmatum* BATSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycoperdon pusillum* PER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycopersicon esculentum* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycopersicon lycopersicum* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycopersicum esculentum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycopodium cernum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycopodium clavatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycopodium phlegmaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycopus europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lycoris radiata* (L'HERIT.) HERBERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lygodium circinatum* (BURM) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lygodium flexuosum* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lygodium japonicum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lygodium microphyllum* (CAV.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lygodium pinnatifidum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lygodium scandens* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lyonia ovalifolia* (WALL.) DRUDE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maba bauxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maba buxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macadamia ternifolia* F. MUELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macaranga denticulata* (BL.) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macaranga indica* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macaranga nicobarica* BALAKR. & CHAKRAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macaranga peltata* (ROXB.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macaranga roxburghii* WRIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macaranga tanarius* (L.) M. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macaranga tetracoccus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Machilus bombycina* KING EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Machilus macrantha* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Machilus villosa* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maclura pomifera* (RAFIN.) C.K. SCHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macropanax dispermus* (BL.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macrosolen cochinchinensis* (LOUR.) TIEGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macrosolen parasiticus* (L.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macrotomia benthamii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macrotomia perennis* BOISS. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macrotomia speciosa* AITCHET HEMST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Macrotyloma uniflorum* (LAM.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Madhuca butyracea* (ROXB.) MACBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Madhuca diplostemon* (CLARKE) ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Madhuca indica* GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Madhuca insignis* (RADLK) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Madhuca longifolia* (KOEN.) MACLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Madhuca malabarica* (BEDD.) R.N.PARKAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Madhuca neriifolia* (MOON) LAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maerua apetala* (ROTH) JACOBS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maerua arenaria* HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maerua oblongifolia* (FORSK.) A.RICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maesa chisia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maesa indica* (ROXB.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maesa montana* DC, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maesa ramentacea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maharanga emodi* (WALL.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mahonia acanthifolia* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mahonia borealis* TAKEDA NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mahonia leschenaultii* (WALL. EX. WIGHT & ARN.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mahonia manipurensis* TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mahonia nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mahonia pycnophylla* (FEDDE) TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mahonia sikkimensis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mahonia simonsii* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Majorana hortensis* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malachra capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malaxis acuminata* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malaxis biloba* (LINDL.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malaxis mackinnonii* (DUTHIE) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malaxis muscifera* (LINDLEY) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malaxis rheedei* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malaxis saprophyta* (KING & PRANTL) TANG & WAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus ferrugineus* (ROXB.) MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus peltatus* (GEIS.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus philippensis* (LAM.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus repandus* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus rhamnifolius* (WILLD.) MULL.-ARG. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mallotus tetracoccus* (ROXB.) KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malpighia glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malpighia punicifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malus pumila* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malus sylvestris* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malva neglecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malva rotundifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malvastrum americanum* (L.) TORR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malvastrum coromandelianum* GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mammea americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mammea longifolia* PLANCH. & TRIANA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mammea suriga* (BUCH.-HAM. EX ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mandragora autumnalis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mandragora officinalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mangifera caesia* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mangifera domestica* GAERTN. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mangifera sylvatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Manihot esculenta* CRANTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Manihot utilissima* POHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Manilkara hexandra* (ROXB.) DUBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Manilkara kauki* (L.) DUBJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Manilkara zapota* (L.) VAN ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Manisuris granularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maoutia puya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mappia foetida* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marchantia palmata* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marchantia polymorpha* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mariscus concinnus* SCHRADER EX NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mariscus javanicus* (HOUTT.) MERR. & METCALF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marlea tomentosa* ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marrubium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsdenia brunoniana* WIGHT & ARN. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsdenia hamiltonii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsdenia lucida* EDGEW. EX MADDEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsdenia roylei* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsdenia tenacissima* (ROXB.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsdenia tinctoria* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsdenia volubilis* (L.F). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsilea dentata* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsilea grandifolia* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsilea minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Marsilea quadrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Martnia diandra* GLOX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Martynia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Martynia diandra* GLOX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mastersia assamica* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mastixia arborea* CB. CLARK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mathiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Matricaria aurea* (Loefl.)Sch. Bip. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Matricaria chamomilla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Matricaria lasiocarpa* BOISS. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Matricaria recutita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Matthiola flavida* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Matthiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Matthiola tristis* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mattiastrium thomsonii* (CL.) KAZMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maytenus emarginata* (WILLD.) DING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maytenus heyneana* (ROTHY) RAJU & BABU NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maytenus senegalensis* (LAM.) EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mazus japonicus* (THUNB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mazus pumilus* (BURM.F.) VAN STEENIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meconopsis aculeata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meconopsis nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meconopsis paniculata* (D.DON) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meconopsis robusta* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meconopsis simplicifolia* (G.DON) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meconopsis wallichii* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mecoropsis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Medicago lupulina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Medicago minima* L. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Medicago polymorpha* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Megacarpaea polyandra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melaleuca alternifolia* (MAIDEN & BETCHE) CHEEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melaleuca cajaputi* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melanorrhoea curtisii* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melanorrhoea usitata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melanorrhoea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melanthesa rhamnoides* (RETZ.) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melanthesa turbinata* (ROXB.) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melanthium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melasma thompsonii* (HK.F.) WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melastoma affine* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melastoma asperum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melastoma decemfidum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melia azadirachta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melia azedarach* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melia composita* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melia dubia* HIERN, NON CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melanthus major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melica ciliata* DUTHIE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melica jacquemontii* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melilotus indica* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melilotus officinalis* (L.) PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melilotus parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meliosma arnotiana* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meliosma simplicifolia* (ROXB.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melissa axillaris* (BENTH.) BAKH. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melissa officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melissa parviflora* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melocalamus compactiflorus* BENTH. F. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melocanna bambusoides* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melocanna bambusoides* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melodinus monogynus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melothria heterophylla* COGN. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melothria indica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melothria maderaspatana* (L.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melothria perpusilla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melothria scabra* (LINN. F.) PANIGR. ET S.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon amplexicaule* ROXB. *malabarica* CLARKE IN HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon angustifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon edule* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon gracile* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon heyneanum* BENTH. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon malabaricum* (CLARKE) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon sessile* BENTH. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon talbotianum* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Memecylon umbellatum* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Menanthes sumatrana* (MIQ.) BREMEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Menispermum cocculus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Menispermum columba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Menispermum cordifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Menispermum glabrum* BRUM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha cordifolia* OPHIZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha crispa* GARSAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha dumetorium* SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha longifolia* (L.) HUDS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha mulleriana* SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha niliaca* JACQ. *alopecuroides* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha piperita* STOKES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha pulegium* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha rotundifolia* (L.) HUDS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha verticillata* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mentha viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meriandra benghalensis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meriandra strobilifera* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia dissecta* (JACQ.) HALLIER F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia emarginata* (BURM.F.) HALL.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia gangetica* (L.) CUFO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia hastata* (DESR. ) HALLIER. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia hederacea* (N.BURM.) H.HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia mammosa* (LOUR.) HALL. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia peltata* (Linn.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia tridentata* (L.) HAILLIER *tridentata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia tridentata* (L.) HALL. F. *hastata* (DESR.) OOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia tridentata* (L.)H. HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia tuberosa* (LINN.) RENDLE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia turpethum* RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia umbellata* (L.) HALLIER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Merremia vitifolia* (BURM. F.) HALL. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mesembryanthemum crystallinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mesua ferrea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mesua nagassarium* (BURM.F.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Metathelypteris gracilescens* (BL.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meyna laxiflora* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meyna spinosa* ROXB. EX LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mezoneuron cucullatum* (ROXB.) WT. AND ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mezoneuron sumatranum* W.A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Michelia doltsopa* BUCH.- HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Michelia montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Michelia nilagirica* ZENK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micranthus oppositifolius* WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microcos paniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microglossa pyrifolia* (LAM.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microglossa volubilis* DC. NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microlepis puberula* VAVR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microlepis speluncae* (L.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micromelum hirsutum* OSKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micromelum integerrimum* (Buch-Ham) Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micromelum minutum* (FORST. F.) WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micromelum pubescens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micromeria biflora* (DON) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micromeria capitellata* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micrometum integerrimum* (BUCH.-HAM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Micropus xanthopus* (FR.) KUNT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microhynchus nudicaulis* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microsorium alternifolium* COPEL.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microsorium punctatum* (L.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microsorium scolopendria* (BURM.F.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microstegium ciliatum* A.CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microstylis muscifera* RIDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microstylis saprophyta* KING & PANTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microstylis versicolor* (LINDL.) ABEYW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microstylis wallichii* LINDL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microtoena insuavis* (HANCE) PRAIN EX DUNN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Microula tibetica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mikania cordata* (BURM. F.) R.L. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mikania micrantha* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Milium ramosum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Miliusa roxburghiana* (GRIFF.) HK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Miliusa tomentosa* (ROXB.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Miliusa velutina* HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Millettia auriculata* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Millettia caudata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Millettia extensa* (BENTH.) BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Millettia pachycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Millettia piscidia* WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Millettia racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Millingtonia hortensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa abstergens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa cineraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa cinerea* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa ferruginea* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa flexuosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa hamata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa intsia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa invisa* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa lucida* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa paniculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa pudica* L. hispida BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa pudica* L. *tetrandra* (WILLD.)DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa pudica* L. *unijuga* (DUCHASS. & WALP.)GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa rubicaulis* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa rubicaulis* LAMK. *himalayana* (GAMBLE) DHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa spinisilqua* KLEIN. EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa suma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimulus moschatus* DOUGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimulus strictus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimosa elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimusops hexandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimusops indica* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mimusops kauki* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mischocarpus sundaicus* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mitracarpus villosus* (SW.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mitragyna rotundifolia* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mnesithea laevis* (RETZ.) KUNTH and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Modecca palmata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Modecca trilobata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Modecca wightiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moghania bracteata* HIU-LIN-LI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moghania chappar* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moghania macrophylla* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moghania nana* MUKHSJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moghania phursia* O.KTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moghania semialata* (ROXB.) MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moghania stricta* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moghania strobilifera* J.ST. HILAIRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moghania tuberosa* KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Molineria crassifolia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Molinia coerulea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo cerviana* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo hirta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo lotoides* (L.) O. KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo nudicaulis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo nudicaulis* LAMK. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo spargula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica balsamina* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica charantia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica charantia* L. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica charantia* L. *muricata* (WILLD.) CHAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica cochinchinensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica cymbalaria* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica dioica* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica exserta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica muricata* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica tuberosa* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Momordica umbellata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Monetia barlerioides* L HERIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moniera cuneate* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moniera cuneifolia* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Monochoria hastaefolia* PRESL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Monochoria hastata* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Monochoria vaginalis* PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Monotropa uniflora* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morchella esculenta* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morina coulteriana* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morina longifolia* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morina persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda angustifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda coreia* BUCH.-HAM. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda pubescens* J.E.SMITH IN REES pubescens VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda pubescens* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda tinctoria* ROXB. tomentosa (ROTH) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda tomentosa* HEYNE EX ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moringa concanensis* NIMMO EX DALZ. & GIBSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moringa conconensis* NIMMO. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moringa oleifera* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moringa pterygosperma* and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morus aedosa* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morus australis* POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morus laevigata* WALL. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moschosma polystachyum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Moullava spicata* (DALZ.) NICOLS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna bracteata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna capitata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna cochinchinensis* Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna gigantea* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna hirsuta* WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna monosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna nigricans* (LOUR.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna pruriens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna prurita* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mucuna utilis* Wall. ex Wight and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mukia maderaspatana* (L.) M.ROEMER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mukia scabrella* (L.F.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mundulea sericea* (WILLD.) A. CHEVAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mundulea suberosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Munronia pinnata* (WALL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia edulis* (STOKES) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia elata* (VAHL) BRUECKNER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia japonica* (THUNB) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia nudiflora* (L.) BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia scapiflora* (ROXB.) ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia semiteres* (DALZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murdannia vaginata* (L.) BRUECK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Muricia cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murraya exotica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murraya koenigii* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Murraya paniculata* (L.) JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa balbisiana* COLLA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa chinensis* SWEET. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa ornata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa paradisiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa rosacea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa sapientum* O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa sapientum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa textilis* NEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa troglodytarum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Musa velutina* WENDL. & DRUDE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda belilla* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda erythrophylla* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda glabra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda glabrata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda hirsutissima* (HOOK. F.) HUTCHINSON EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda laxa* (HOOK. F.) HUTCH EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda macrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mussaenda roxburghii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mutilla occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mylitta lapidescens* HORAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myosoton aquaticum* (L.) MOENCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrica cerifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrica esculenta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrica integrifolia* ROXY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrica nagi* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrica pensylvanica* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrica sapida* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myricaria bracteata* ROYLE and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myricaria coulteriana* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myricaria elegans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myricaria germanica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myriogyne minuta* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrioneuron nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myriophyllum spicatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myristica argentea* WARB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myristica dactyloides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myristica fragrans* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myristica laurifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myristica malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myristica moschata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myristica officinalis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myriopyrum similacifolium* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrsine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrsine capitellata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrsine semiserrata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrsine serrata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrtus caryophyllata* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myxopyrum serratum* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Myxopyrum smilacifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nannorrhops ritchiana* H. WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Naravelia zeylanica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nardostachys grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nardostachys jatamansi* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Naregamia alata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Naringi alata* (WALL. EX WIGHT & ARN.) EL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Naringi crenulata* (ROXB.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nasturtium fontanum* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nasturtium indicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nasturtium officinale* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nasturtium palustre* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nasturtium herpeticum* BUCH.-HAM. EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nauclea aculeata* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nauclea cadamba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nauclea missionis* WIGHT & ARN. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nauclea orientalis* (L.) L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nauclea ovalifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nauclea sessilifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis hirsuta* (L.F.) LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neanotis rheedei* (WIGHT & ARN.) W.H.LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neillia thyrsiflora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neisosperma oppositifolium* (Lamk.) Fosb. & Sach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nelsonia canescens* (LAM.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nelumbium speciosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nelumbo nucifera* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neodissochaeta celebica* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neolamarckia cadamba* (ROXB.) BOSSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neolitsea cassia* (L.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neolitsea chinensis* (LAM.) CHUN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neolitsea scrobiculata* (MEISSNER) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neolitsea umbrosa* (NEES) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neolitsea zeylancia* (NEES) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neonauclea sessilifolia* (ROXB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepenthes distillatoria* AUCT. EX STEUD. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepenthes khasiana* KH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta cataria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta ciliaris* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta coerulascens* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta connata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta discolor* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta elliptica* ROYLE EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta eriostachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta floccosa* BTH. LAB. GEN. & SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta glomerulosa* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta glutinosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta hindostana* (ROTH) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta leucophylla* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta longibracteata* (BENTH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta malabarica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta podostachys* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta royleana* STEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta ruderalis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nepeta spicata* BENTH. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nephelium lappaceum* LINN. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nephelium litchi* (LOUR.) GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nephelium longana* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nephelium stipulaceum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nephrolepis biserrata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nephrolepis cordifolia* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nephrolepis multiflora* (ROXB.) JARRETT EX MORTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neptunia natans* (L. F.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neptunia oleracea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neptunia prostrata* (LAM.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neptunia triquetra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nerium antidysentericum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nerium coronarium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nerium indicum* MILLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nerium odorum* SOLANED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nerium tomentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nervilia aragoana* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nervilia plicata* SCHLTR and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nervilia prainiana* (KING & PANTL) SCIDEN.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nesaea lanceolata* (WT. & ARN.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nesaea prostrata* (DILLWYN) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neuracanthus sphaerostachyus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Neuracanthus trinervis* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nicandra physalodes* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nicotiana macrophylla* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nicotiana plumbaginifolia* VIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nicotiana rustica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Niebuhreria linearis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nigella damascena* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nigella sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nilgiranthus ciliatus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nilgiranthus heyneanus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nipa fruticans* WURMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nomocharis nana* (KLOTZ.) WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nopalea cochenillifera* (L.) LYONS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothapodytes nimmoniana* (GRAH.) MABB. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Notholaena eckloniana* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothopanax fruticosum* MIQ. FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothopodia castaneifolia* (Roth) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothopodia colebrookiana* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nothosaerva brachiata* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Notonia grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea caerulea* SAVIGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea cyanea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea edulis* D.C and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea lotus* HOOK. F.( NON L). and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea nouchali* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea odorata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea pubescens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea rubra* ROXB. EX ANDREWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea stellata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea stellata* WILLD. *cyanea* H.F. & T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea tetragona* GEORGI and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphoides cristata* (ROXB.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphoides hydrophylla* (LOUR.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphoides indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphoides indicum* (L.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphoides macrospermum* VASUDEVAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphoides peltata* (GMEL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nypa fruticans* Wurb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochlandra brandisii* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochlandra rheedii* BENTH. & HOOK. F. EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochlandra scriptoria* (DENNST.) C.E.FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochlandra travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochna gamblei* KING(SONARI) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochna lanceolata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochna obtusata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochna pumila* HAM. EX D. DON PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochna squarrosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochradeneus baccatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochradenus baccatus* DEL. NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochreinauclea missionis* (WALL. EX G.DON) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochrocarpus longifolius* (WIGHT) T.ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ochthochloa coracana* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum adscendens* WIGHT EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum americanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum basilicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum basilicum* L. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum basilicum* L. *majus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum basilicum* L. pilosum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum basilicum* L. minimum DAMERT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum canum* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum caryophyllatum* SCHWEIG EX. SCHRAUK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum kilimandscharicum* GUERKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum pilosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum polystachyon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum prostratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum sanctum* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Odina pinnata* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Odina woderi* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oenanthe javanica* (BL.)DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis acuminata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis imbricata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis nana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oldenlandia auricularia* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oldenlandia biflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oldenlandia corymbosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oldenlandia dichotoma* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oldenlandia diffusa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oldenlandia fruticosa* (L.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oldenlandia glandulifera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oldenlandia herbacea* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oldenlandia heynii* BR. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oldenlandia umbellata* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Olea cuspidata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Olea dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Olea europea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Olea ferruginea* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Olea glandulifera* WALL. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Olea polygama* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oleandra neriiformis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oleandra pistillaris* (SW.) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oleandra wallichii* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oligochaeta ramosa* (ROXB.) WAGEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oligomeris linifolia* (VAHL) MACB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Onosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Onosma echioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Onosma hispidum* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Onosma hookeri* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Onychium contiguum* (WALL.) HOPE.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Onychium japonicum* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Onychium siliculosum* (DESV.) C. CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Operculina petaloidea* (CHOISY) OOSTSTROOM and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Operculina turpethum* (L.) S. MANSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophelia angustifolia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophelia chiraita* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophelia densifolia* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophelia elegans* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophelia multiflora* DATZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiocephalus striatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophioglossum costatum* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophioglossum fibrosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophioglossum nudicaule* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophioglossum pendulum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophioglossum thermale* KUMAROV NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophioglossum vulgaatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophioglossum vulgatum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiopogon intermedius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiopogon japonicum* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiopogon malcolmsonii* ROYLE EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiopogon wallichianus* HOOK.F. PAUCIFLORA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza nicobarica* BALAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza nutans* C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza ochroleuca* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza pauciflora* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiorrhiza rugosa* WALL. ARGUTEA DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophioxylon serpentinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophiuros exaltatus* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ophrestia pentaphylla* (DALZ.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opilia amentacea* ROXB. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oplismenus burmannii* (RETZ.) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opopanax chironium* KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia cochinellifera* MILL. GARD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia dillenii* (KER-GAMIER) HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia elatior* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia ferox* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia ficus-indica* (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia monacantha* HAW. SUPPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia nigricans* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia stricta* (HAW.) HAW. dillenii (KER.GAWL)BENSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Opuntia vulgaris* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orchis chusua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orchis habenarioides* K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orchis latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orchis laxiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orchis mascula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orchis spathulata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oreocnide frutescens* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oreocnide integrifolia* (GAUD) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Origanum majorana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Origanum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ormocarpum cochinchinense* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ormocarpum sennoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ormosia travancoria* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orobanche aegyptiaca* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orobanche solmsii* CLARKE EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orophea katschallica* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oroxylum indicum* (L.) VENT. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon aristatus* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon diffusus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon glabratus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon grandiflorus* BOLDINGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon incurvus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon pallidus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon rubicundus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon spiralis* (LOUR) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon stamineus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orthosiphon thymiflorus* (ROTH.) SLEASEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orygia decumbens* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oryza granulata* Nees. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oryza meyeriana* (Zoll.&Mor.)Baill *granulata* Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oryza mutica* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oryza rufipogon* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia aspera* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia capitata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia chinensis* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia crinita* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia cupularis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia nepalensis* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia sexatilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia sikkimensis* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia stellata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osbeckia zeylanica* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osmanthus fragrans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osmunda claytoniana* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osmunda regalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osyris arborea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osyris quadripartita* SALZ EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Osyris wightiana* WALL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Othonnopsis intermedia* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Otostegia aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Otostegia limbata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ottelia alismoides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ougeinia dalbergioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ougeinia oojeinensis* (ROXB.) HOCHR. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ouratea angustifolia* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis corymbosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis debilis* H.B.K. *corymbosa* (DC.) LOUR. 0. C0. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis latifolia* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis martiana* ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis pubescens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxyria digyna* (L.) HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxyspora paniculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxystelma esculentum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxystelma secamone* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxytenanthera nigrociliata* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxytenanthera thwaitesii* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxytropis lapponica* (WAHL.) GAY. CORRESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxytropis mollis* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxytropis tatarica* BUNGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pachygone ovata* (POIR.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pachygone zeylanica* (GAERTN) SANT. & WAGH and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pachyrrhizus angulatus* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pachyrrhizus erosus* (L.) URBAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pachystoma senile* (LINDL.) REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Padus cornuta* (WALL. EX ROYLE) CARR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paederia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paederia scandens* (LOUR.) MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paederia tomentosa* BLUME BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paeonia emodi* WALL. EX. ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pajanelia longifolia* (WILLD.) K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Palaquium ellipticum* (DOLZ.) BAILLON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Palhinhaea cernua* (L.) FRANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pamburus missionis* (WIGHT) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panax ginseng* MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panax pseudoginseng* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panax quinquefolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panax wangianus* Sun and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pancratium triflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pancratium zeylanicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus fascicularis* LAM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus foetidus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus furcatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus kaida* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus odoratissimus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus tectorius* AUCT. NON SOLAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus thwaitesii* MARTELLI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *PKalamnus unipapillatus* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum antidotale* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum argyptiacum* HORT. EX ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum brizoides* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum crus-corvi* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum flavo-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum floro-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum frumentaceum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum incomtum* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum isachne* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum italicum* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum maximum* FACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum maximum* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum milliare* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum psilopodium* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum psilopodium* TRIN. *psilopodium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum sarmentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum stagninum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Panicum sumatrense* ROTH EX ROEM. ET SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papaver argemone* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papaver dubium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papaver hybridum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papaver nudicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papaver orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paphiopedilum druryi* (BEDD.) STEIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papilionanthe teres* (ROXB.) SCHLTR. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paracalyx scariosa* (ROXB.) ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paraleptochilus decurrens* (BLUME) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parameria barbata* (BL.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parameria polyneura* HOOK.R. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paramignya angulata* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paramignya longispina* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paramignya monophylla* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pardanthus chinensis* KER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paris polyphylla* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parkia biglandulosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parkia javanica* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parkia roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parkia timoriana* (A. DC.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parkinsonia aculeata* L.SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parmelia cirrhata* FR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parmelia kamstchadalis* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parmelia nilgherrensis* NYL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parmelia perforata* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parmelia perlata* (HUDS.) ACH. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parmignya monophylla* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parnassia laxmannii* PALL. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parnassia nubicola* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parnassia palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parnassia pusilla* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parochetus communis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parsonsia alboflavescens* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parsonsia helicandra* HOOK. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parsonsia laevigata* (Moon) Alston. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parsonsia spiralis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pasania truncata* (KING) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalum conjugatum* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paspalum scrobiculatum* L. *commersonii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora assamica* CHAKRAVARTY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora edulis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora foetida* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora incarnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora perpera* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Passiflora quadrangularis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Paullinia cupana* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pausinystalia yohimba* PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta crassicaulis* BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta indica* L. minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavetta tomentosa* ROXB. EX SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavonia odorata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavonia procumbens* SOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavonia propinqua* GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavonia repKalam* (J.E. SM.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavonia zeylanica* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Payena lucida* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pecteilis susannae* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedicularis bicornuta* CLOTZ. EX. GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedicularis cheilanthifolia* SCHRENK NULL and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedicularis comosa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedicularis longiflora* RUDOLPH tubiformis (KLOTZSCH)PENNEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedicularis pectinata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedicularis pycnantha* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedicularis pyramidata* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedicularis siphonantha* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pedilanthus tithymaloides* (L.) POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peganum harmala* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pegia nitida* COLEBR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pegolettia senegalensis* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pegonatherum crinitum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pelargonium graveolens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pelargonium roseum* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peliosanthes bakeri* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peliosanthes tetra* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pellaea colomelanos* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pellaea hastata* (THUNB) PRANTL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peltigera canina* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peltophorum dasyrhachis* (MIQ.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peltophorum pterocarpum* (DC.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pemphis acidula* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum alopecuroides* (L.) SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum americanum* (L.) LEEKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum compressum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum flaccidum* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum glaucum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum spicatum* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum typhoides* (BURM.F.) STAPF ET HUBB. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pennisetum typhoideum* (RICH) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentanema indicum* (L.) LING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentaneura khasiana* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentaptera tomentosa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentatropis capensis* (L.F.) BULLOCK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentatropis cynanchoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentatropis microphylla* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentatropis nivalis* (GMEL.) FIELD & WOOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentstemon spiralis* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peperomia pellucida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peperomia reflexa* (L.F.) A. DIETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peperomia tetraphylla* (G.FORST.) HOOK. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peranema cyatheoides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pergularia aktensa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pergularia daemia* (FORSK.) CHOIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pergularia extensa* N.E.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pergularia tomentosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pericampylus glaucus* (LAMK.) MERR. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pericampylus incanus* MIERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Perilepta auriculata* (NEES) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Perilla frutescens* (L.) BRITT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Periploca aphylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Periploca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Periploca sylvestris* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristrophe bicalyculata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristrophe bivalvis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristrophe paniculata* (FORSK.) BRUMMITT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristrophe roxburghiana* (SCHULT.) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peristylus stocksii* (HK.F.) KRANZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Perotis indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Perovskia abrotanoides* KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Perovskia atriplicifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persea fructifera* KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persea gamblei* (KING EX HK.F.) KOST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Persea macrantha* (NEES) KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Petrea volubilis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Petroselinum crispum* NYM. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peucedanum aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peucedanum dhana* BUCH.-HAM. EX CLARKE DALZELII C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peucedanum grande* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peucedanum graveolens* BENTH. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Peucedanum nagpurens* (CI.) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaius grandifolius* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaius tancarvilleae* (L. HERIT.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaius wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phalaenopsis amabilis* LINDL. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phalaris arundinacea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phalaris canariensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phallus rubicundus* (BOSC.) FRIES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pharbitis nil* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pharnaceum cerviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pharnaceum mollugo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus aconitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus adenanthus* G.F. MEYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus aureus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus dalzellii* COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus mungo* (L) MANT. *radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus mungo* (L) MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus pauciflorus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus roxburghii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus semierectus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus sublobatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus trilobus* AIT. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaulopsis dorsiflora* (RETZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phaulopsis imbricata* (FORSK.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phlegmarius phlegmaria* (L.) SEN & SEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phlogacanthus curviflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phlogacanthus guttatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phlogacanthus jenkinsii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phlogacanthus pubinervis* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phlogacanthus thrysiflorus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phlogacanthus thyrsoiflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phlogacanthus thyrsoiformis* (HARD.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phlomis bracteosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoebe lanceolata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoebe wightii* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix asperulatus* HUTCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix dactylifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix farinifera* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix humilis* ROYLE and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix loureirii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix paludosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix pusilla* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoenix sylvestris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pholidota chinensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pholidota imbricata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pholidota pallida* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phoradendron leucarpum* (RAF.) REV. & M.C. JOHNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Photinia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Photinia serrulata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phragmites australis* (CAV.) TRIN. EX STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phragmites communis* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phragmites karka* TRIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phragmites maxima* BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phragmites roxburghii* (KUNTH) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phrymium dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyla nodiflora* (L.) GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllagathis rotundifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus acidus* (L.) SKEELS and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus airy-shawii* BRUNEL & ROUX and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus amarus* SCHUM. & THENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus clarkei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus debilis* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus distichus* (L.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus fraternus* WEBSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus gomphocarpus* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus indofischeri* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus missionis* HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus mukherjeeanus* MITRA ET BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus multiflorus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus niruri* SENSU HOOK.F. Non Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus polyphyllus* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus reticulatus* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus rhamnoides* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus rheedii* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus simplex* RETZ. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllanthus virgatus* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllocephalum indicum* (LESS.) KIRKMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllochlamys taxoides* KOORDERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phyllostachys bambusoides* SIEB. & ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phymatodes ebenipes* (HOOK.) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phymatodes scolopendria* (BURM.) CHING. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis alkekengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis alkekengi* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis divaricata* D.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis flexuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis minima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physochlaina praealta* (DECNE) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Physostigma venenosum* BALF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phytolacca acinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phytolacca americana* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Phytolacca lathenia* (MOQ.) HANS WALTERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Picrasma guassoides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Picea abies* (L.) KARST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Picrasma javanica* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Picrasma nepalensis* BENN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Picrasma quassoides* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Picrorhiza kurroa* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Picrorhiza scrophulariiflora* PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Picrorrhiza kurrooa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pieris ovalifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pilea microphylla* (L.) LIEBM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pilea umbrosa* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piliostigma malabaricum* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pilocarpus jaborandi* HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimenta acris* KOSTEL ALLG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimenta racemosa* J. W. MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella anisum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella bracteata* HAINES and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella diversifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella heyneana* (WALL. EX DC.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella involucrata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella saxifraga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella stocksii* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pimpinella tirupatiensis* BAL. & SUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinanga dicksonii* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinanga manii* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus dammara* LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus deodara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus excelsa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus griffithi* M. CLELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus insularis* ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus kesiya* GORDON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus longifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus maritima* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus merkussi* JUNGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus picea* PALL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus roxburghii* SARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus sylvestris* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus wallichiana* JACKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pinus webbiana* WALL. EX. LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper argyrophyllum* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper attenuatum* BUCH.-HAM. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper aurantiacum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper auranticum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper baccatum* CAS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper bachystachyum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper bantamense* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper barberi* GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper betele* LINN. SIRIBOA (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper betleoides* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper boehmeriaefolium* WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper caninum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper chaba* HUNTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper clusii* C.DC. and 15 wasteland weeds based Green



Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper crassipes* KORTH. EX. C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper cubeba* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper dichotomum* HORT. PAR. EX KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper diffusum* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper gamblei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper griffithii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper guineense* SCHUM & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper lanceolatum* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper mullesua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper pedicellatum* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper pedicellosum* WALL.EX CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper peepuloides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper retrofractum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper ribesoides* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper sarmentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper sylvaticum* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper thomsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper thomsonii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper trichostachyon* (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper trioicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Piper wallichii* (MIQ.) HAND MAZZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pipturus velutinus* WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pisonia alba* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pisonia grandis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pisonia mitis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pisonia morindifolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pisonia umbellata* (FORST.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pistacia chinensis* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pistacia chinensis* BUNGE *integerrima* (STEW) RECH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pistacia integerrima* STEW. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pistacia khinjuk* STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pistacia lentiscus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pistacia terebinthus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pistacia vera* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pistia stratiotes* LINN. CUNEATA ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pisum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pithecellobium angulatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pithecellobium bigeminum* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pithecellobium clypearia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pithecellobium dulce* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pithecellobium fasciculatum* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pithecellobium globosum* KOSTERM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pithecellobium lobatum* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pithecellobium monadelphum* (ROXB.) KOSTER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pithecolobium dulce* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pithecolobium subcoriaceum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pithecolobium umbelletum* (VAHL.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum floribundum* SENSU HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum nepaulense* (DC.) REHDER & WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum nilghirens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum tetraspermum* WT. & ARN. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pityrogramma calomelanos* (L.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Planchonella obovata* (R.BR.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago amplexicaulis* CAV. *bauphula* (EDGEW.) RECH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago arenaria* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago brachyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago ciliata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago depressa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago erosa* WALL. IN ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago himalaica* PILG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago ispaghula* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago lagocephala* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago media* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago psyllium* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago pumila* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago stocksii* BOISS. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plantago tibetica* HK. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Platanthera susannae* (L.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Platanus orientalis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Platostoma africanum* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Platostoma africanus* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Platostoma flaccidum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plecosperrum spinosum* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus ambonicus* (LOUR.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus barbatus* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus coetsa* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus fruticosus* WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus incanus* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus japonicus* (BURM.F) KOIDZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus lophanthoides* (DON) GRIER. & LONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus mollis* (AITON) SPLRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus nilgherriensis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus rugosus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus striatus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus ternifolius* D. DON and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectranthus vettiveroides* (JACOB) SINGH & SHARMA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectronia didyma* KURZ FOR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plectronia parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleione maculata* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleiospermium alatum* (WALL. EX WT. & ARN.) SURINGLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleopeltis contorta* (CHRIST.) PANIGR. & PATAV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleopeltis lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleopeltis macrocarpa* (BORRY EX WILLD.) KAULF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleopeltis nuda* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plesmonium margaretiferum* (ROXB.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleurospermum angelicoides* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleurospermum brunonis* (DC.) BENTH. EX. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleurospermum candollei* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pleurostyliia opposita* (WALL.) ALSTON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pluchea lanceolata* OSKIN & HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pluchea pinnatifida* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pluchea tomentosa* DC. NULL and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pluechea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumbago auriculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumbago capensis* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumbago rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumeria acuminata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumeria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumeria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumieria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumieria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plumieria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poa cynosuroides* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poa malabarica* KLEIN, EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Podocarpus latifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Podocarpus neriifolius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Podophyllum emodi* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Podophyllum hexandrum* ROYLE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Podophyllum peltatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poeciloneuron indicum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poeciloneuron pauciflorum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogonatherum crinitum* (THUNB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogonia plicata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon auricularis* (L.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon benghalensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon cablin* (BLANCO) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon elsholtzioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon heyneanus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon paniculatus* (WILLD.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon parviflorus* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon patchouli* PELLET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon plectranthoides* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon purpurascens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon vestitus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pogostemon villosus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poikilospermum suaveolens* (BL.) MERR. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poinciana elata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poinciana gilbesii* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poinciana pulcherrima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polanisia felina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polanisia icosandra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polemonium caeruleum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia cerasoides* (ROXB.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia coffeoides* (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia fragrans* BENTH. & HOOK. F. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia korinti* (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia longifolia* BENTH. & HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia simiarum* BENTH. & HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia suberosa* (ROXB.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyanthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polycarpaea corymbosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polycarpon prostratum* (FORSK.) ASCH. & SCHWEINF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala abyssinica* (R.BR.) FRESEN. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala arillata* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala arvensis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala crotalarioides* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala elongata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala erioptera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala glomerata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala irregularis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala leptalea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala longifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala persicariaefolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala senega* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala telephioides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala vulgaris* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygallata arillata* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonatum cirrhifolium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonatum multiflorum* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonatum verticillatum* (L.) ALL. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum affine* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum alatum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum alpinum* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum amphibium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum amplexicaule* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum auriculatum* MEISN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum aviculare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum bistorta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum bistorta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum capitatum* BUCH.-HAM. EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum chinense* LINN. SUBHASTATA MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum convolvulus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum cymosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum flaccidum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum glabrum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum hydropiper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum lapathifolium* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum macrophyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum minus* HUDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum molle* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum multiflorum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum nepalense* MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum paronychioides* MEYER EX HOHEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum persicaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum plebeium* R. BR. EFFUSA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum plebeium* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum polystachyum* WALL. EX MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum posumbi* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum pulchrum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum recumbens* ROYLE EX BAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum roettleri* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum rumicifolium* ROY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum serrulatum* LAGASCA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum sphaerostachyum* MEISSN. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum stagninum* (BUCH.-HAM. EX MEISSN.) STEWARD *stagninum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum stewartianum* DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum strigosum* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum tenellum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum tomentosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum tortuosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum vacciniifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygonum viviparum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polypodium irioides* LAMK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polypodium quercifolium* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polypodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyporus anthelminticus* BERK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyporus officinalis* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyscias fruticosa* (L.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polysolenia wallichii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polystichum aculeatum* (L.) ROTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polystichum biaristatum* (BLUME) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polystichum squarrosum* (D.DON) FEE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polytoca barbata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polytrichum juniperinum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pometia pinnata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ponerorchis chusua* (D.DON) SOO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pongamia glabra* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pongamia pinnata* (L.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pontederia vaginalis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Populus alba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Populus caspica* BORNH. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Populus ciliata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Populus euphratica* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Populus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Porana paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Porphyra umbilicalis* (L.) AG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Porphyra vulgaris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca grandiflora* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca meridiana* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca pilosa* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca sativa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla anserina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla arbuscula* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla argrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla atrosanguinea* LODD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla bifurca* L. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla fragarioides* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla fruticosa* L. rigida (LEHM.) WOLF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla fulgens* WALL. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla gerardiana* LINDL. EX LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla kleiniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla lineata* TREVIR EX REICH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla mooniana* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calophyllum polyanthum* Wall.ex Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia cowa* Roxb. ex DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia gummi-gutta* (L.) Robs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia morella* (Gaertn.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia papilla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia rubro-echinata* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia spicata* (Wight & Arn.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia talbotii* Raiz. ex Sant and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia wightii* T. And. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Garcinia xanthochymus* Hook. f. ex. T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum androsaemum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum humifusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum japonicum* Thunb. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum mysurense* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum patulum* Thunb ex Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum uralum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hypericum wightianum* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mammea suriga* (Buch. - Ham. ex Roxb.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mesua ferrea* L. subsp. *ferrea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *pulchella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *coromandeliana* (Wight) Mahesh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poeciloneuron indicum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Poeciloneuron pauciflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Camellia japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Camellia sinensis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eurya nitida* Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gordonia obtusa* Wall ex Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schima wallichii* (DC.) Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ternstroemia japonica* (Thunb.) Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saurauia fasciculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saurauia napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachyurus himalaicus* Hook. f. & Thoms. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dipterocarpus indicus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hopea erosa* (Bedd.) van Sloot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hopea glabra* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hopea parviflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hopea ponga* (Dennst.) Mabblerley and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hopea utilis* (Bedd.) Bole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Shorea roxburghii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vateria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ancistrocladus heyneanus* Wall. ex Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abelmoschus angulosus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abelmoschus esculentus* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abelmoschus ficulneus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abelmoschus manihot* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abelmoschus moschatus* Medicus subsp. *tuberosus* (Span.) Borss.Waalk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon crispum* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon hirtum* (Lam.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon indicum* (L.) Sweet subsp. *indicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon indicum* (L.) Sweet subsp. *guineense* (Schumach.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon megapotamicum* (Spreng.) Mill. & Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon neilgherrense* Munro ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon pannosum* (Forst. f.) Schlect and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon persicum* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon ramosum* (Cav.) Guill. & Perr. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon striatum* Dickson ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Abutilon theophrastii* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Decaschistia crotonifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Decaschistia rufa* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus canescens* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus furcatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus lobatus* (Murr.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus lunariifolius* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus micranthus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus panduriformis* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus platanifolius* (Willd.) Sweet and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus radiatus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus schizopetalus* (Mast.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kydia calycina* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malachra capitata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malvastrum coromandelianum* (L.) Garcke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malvaviscus arboreus* Cav. var. *arboreus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malvaviscus arboreus* Dill ex Cav. var. *penduliflorus* (DC.) Schery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Modiola caroliniana* (L.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavonia odorata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavonia procumbens* (Wall ex. Wight & Arn.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pavonia zeylanica* (L.) Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Plagianthus pulchellus* A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida acuta* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida cordata* (Burm. f.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida mysorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida rhombifolia* L. var. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida rhombifolia* L. var. *retusa* (L.) Borss. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida schimperiana* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thespesia lampas* (Cav.) Dalz. ex Dalz. & Gibs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thespesia populnea* (L.) Soland ex Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urena lobata* L. subsp. *lobata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urena lobata* L. subsp. *sinuata* (L.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bombax ellipticum* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bombax insigne* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ceiba pentandra* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chorisia speciosa* St. Hil. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cullenia exarillata* Robyns and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Durio zibethinus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Byttneria herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cola acuminata* (P. Beauv.) Schott & Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dombeya acutangula* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dombeya burgessiae* Gerr. ex Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dombeya mastersii* Hook. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dombeya mollis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dombeya platanifolia* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dombeya spectabilis* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dombeya wallichii* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriolaena hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriolaena lushingtonii* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriolaena quinquelocularis* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eriolaena stocksii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Firmiana colorata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Guazuma ulmifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Heritiera papilio* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hildegardia populnifolia* (Roxb.) Schott & Endl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Leptonychia moacurroides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melhania balakrishnanii* K.Ravik., R.Ganesan & K.Ramamurthy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melhania cannabina* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melhania hamiltoniana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melhania incana* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melochia nodiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Melochia pyramidata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum acerifolium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum canescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum diversifolium* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum obtusifolium* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum reticulatum* Wight & Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum rubiginosum* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum xylocarpum* (Gaertn.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterygota alata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia balanghas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia guttata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia urens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia villosa* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Theobroma cacao* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berrya cordifolia* (Willd.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berrya javanica* (Turez.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus fascicularis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus tridens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corchorus urticifolius* Wight & Arn. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia abutilifolia* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia abutilifolia* Vent. ex Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia bracteata* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia damine* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia flavescens* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia gamblei* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia heterotricha* Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia hirsuta* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia lanceaefolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia nervosa* (Lour.) Panigr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia oppositifolia* Buch - Ham ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia orbiculata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia pKalamica* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia rhamnifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia serrulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia tenax* (Forsk.) Fiori and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia tiliifolia* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia umbellifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Grewia villosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triumfetta pentandra* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triumfetta pilosa* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triumfetta rhomboidea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triumfetta rotundifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus amoenus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus blascoi* Weibeln and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus lanceifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus munronii* (Wight) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus recurvatus* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus rugosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus glandulosus* Wall. ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus tuberculatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elaeocarpus venustus* Bedd. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Linum mysurense* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reinwardtia indica* Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum coca* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum lanceolatum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum monogynum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum moonii* Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erythroxylum obtusifolium* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aspidopterys canarensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aspidopterys indica* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Galphimia gracilis* Bartl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hiptage benghalensis* (L.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hiptage obtusifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hiptage parvifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malpighia coccigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malpighia glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malpighia heterantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Malpighia punicifolia* L. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tristellateia australasiae* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Balanites aegyptiaca* (L.) Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Guaiaacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tribulus subramanii* P. Singh, Giri & V. Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Erodium moschatum* (L.) L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Geranium nepalense* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pelargonium capitatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pelargonium cucullatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pelargonium x domesticum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pelargonium graveolens* L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pelargonium grossularioides* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pelargonium x hortorum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pelargonium inquinans* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pelargonium peltatum* Soland. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tropaeolum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tropaeolum pentaphyllum* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Limnanthes douglasii* R. Br. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum intermedium* Wight var. *pulneyensis* Edgew. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum longibracteatum* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum nudum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum polyphyllum* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum proliferum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum reinwardtii* (Zucc.) Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum sensitivum* (L.) DC. var. *sensitivum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum sensitivum* (L.) DC var. *candolleanum* (Wight) Edgew. & Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Biophytum sensitivum* (L.) DC var. *nervifolium* (Thw.) Edgew. & Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis cernua* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis corymbosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis deppei* Lodd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis latifolia* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis pubescens* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oxalis variabilis* Jacq. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydrocera triflora* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens acaulis* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Impatiens campanulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla nepalensis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla reptans* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla salesoviana* STEPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla sericea* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla sibbaldi* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla sundaica* (BL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Potentilla supina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pothomorphe subpeltata* (WILLD.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pothos cathcarti* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pothos kunstleri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pothos officinalis* ROXB. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia bennettiana* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia frondosa* (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia hirta* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia indica* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia quinquenervis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia sanguinea* (BI.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia viminea* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pouzolzia zeylanica* (L.) BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prangos pabularia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pratia begonifolia* (WALL.) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pratia nummularia* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna barbata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna coriacea* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna corymbosa* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna divaricata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna flavescens* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna herbacea* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna integrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna latifolia* ROXB. *mucronata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna macrophylla* WALL. EX SCHAUER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna mucronata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna obtusifolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna parasitica* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna thyrsoidea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Premna villosa* CLARKE IN HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Primula denticulata* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Primula macrophylla* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Primula reticulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prinsepia utilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prismatomeris tetrandra* K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Priva cordifolia* (L.F.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Priva leptostachya* JUSS. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pronephrium nudatum* (ROXB. EX GRIFF.) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prosopis chilensis* (MOLINA) STUNTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prosopis cineraria* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prosopis farcta* (SOL EX RUSS) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prosopis juliflora* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prosopis spicigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Protium kataf* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Protium pubescens* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Protium serratum* (COLEBR) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus amygdalus* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus armeniaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus carmesiana* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus cerasoides* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus cerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus ceylanica* (WT.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus communis* FRITSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus communis* HUDS. insitia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus cornuta* (ROYLE) STEUD. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus dulcis* (MILLER) D.A. WEBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus insititia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus mahaleb* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus malus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus persica* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus puddum* (WALL.) ROXB. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus salicina* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus triflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Prunus undulata* HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Przewalskia tangutica* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psalliotia campestris* L FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psammogeton biternatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psammogeton canescens* (DC.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudarthria viscida* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseuderanthemum bicolor* (SCHRANK.) RADIK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseuderanthemum platiferum* (WALL.) RADLK. EX LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudodissochaeta assamica* (CL.) NAYAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudodrynaria caronas* (WALL. EX METT.) CHING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseudognaphalium luteoalbum* (L.) HILL. & BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pseuduvaria prainii* (KING) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psidium cattleianum* SABINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psidium guajava* L. *pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psidium pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psidium pyrifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psidium quajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psilanthus travancorensis* (WIGHT & ARN.) LERAY. and

15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psilotrichum trichotomum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psilotum nudum* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psophocarpus tetragonolobus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psoralea plicata* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psoralea tetragonoloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria calocarpa* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria curviflora* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria dalzielii* J. HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria glandulosa* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria ipecacuanha* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria sarmentosa* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria viridiflora* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Psychotria andryaloides* (DC) NOVOP. EX KRASH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pteridium aquilinum* (L.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pteris aquilina* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pteris biaurita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pteris cretica* L.F. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pteris ensiformis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pteris longipes* DON F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pteris multifida* POIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pteris vitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pteris wallichiana* AGARDH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pternandra coerulescens* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterocarpus dalbergioides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterocarpus indicus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterocarpus marsupium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterocarpus santalinus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterococcus corniculatus* (SM.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterocymbium javanicum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterolobium hexapetalum* (ROTH) SANT. & WAGH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pteropyrum olivierii* JAUB. & SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum acerifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum canescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum diversifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum heyneanum* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum rubiginosum* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum suberifolium* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterospermum xylocarpum* (GAERTH.) SAMT. & WAGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pterygota alata* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ptesmonium margaritifera* (ROXB.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ptychopetalum olacoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ptychopetalum uncinatum* ANSELMINO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ptychotis ajowan* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pueraria hirsuta* (THUNB.) SCHU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pueraria lobata* (WILLD.) OHWI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pueraria phaseoloides* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pueraria tuberosa* (ROXB. EX. WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pulicaria crispa* SCH.-BIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pulicaria dysenterica* (L.) GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pulicaria glaucescens* JAUB. & SPACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pulicaria wightiana* (DC.) BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Puneeria coagulans* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pupalia lappacea* (L.) DC. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pupalia orbiculata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Putranjiva roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Putranjiva zeylanica* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pycnocycla aucheriana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pycnocycla glauca* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pycnospora lutescens* (POIR.) SCHINDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pygeum gardneri* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pygeum wightianum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pygmaeopremna herbacea* (ROXB.) MOLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pygmaeopremna pyrifolia* - culta NAKAI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrethrum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrethrum umbeliferum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrola rotundifolia* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrrosia adnascens* (SW.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrrosia heterophylla* (L.) ORUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrrosia lanceolata* (L.) FARWELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrrosia mannii* (GIES.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrrosia penangiana* (HK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrus aucuparia* GAERTN. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrus chinensis* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrus cydonia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrus lindleyi* REHD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrus malus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrus pashia* BUCH.-HAM EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pyrus tomentosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quamoclit coccinea* MOENCH.METH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quamoclit phoenicea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quamoclit pinnata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quamoclit vulgaris* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quassia indica* (GAERTN.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus acutissima* CARR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus floribunda* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus ilex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus incana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus infectoria* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus lamellosa* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus leucotrichophora* A. CAMUS and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus pachyphylla* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus robur* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quercus truncata* KING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Radermachera xylocarpa* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Randia cochinchinensis* (LOUR.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Randia densiflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Randia dumetorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Randia fasciculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Randia longiflora* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Randia longispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Randia malabaricum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Randia rugulosa* (THW.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Randia spinosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Randia tetrasperma* BENTH. & HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Randia tomentosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Randia uliginosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus aquatilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus arvensis* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus cantoniensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus falcatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus hirtellus* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus hyperboreus* ROTLB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus laetus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus lingua* L. SP. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus pensylvanicus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus sceleratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus trichophyllus* CHAIX IN VILL. DAUPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus tricuspidatus* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Raphanus caudatus* ALEF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rauvolfia canescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rauvolfia densiflora* (WALL.) BENTH. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rauvolfia micrantha* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rauvolfia reflexa* T. & B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rauvolfia serpentina* (L.) BENTH. EX KURZ and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ravenala madagascarensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reaumuria hypericoides* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reinwardtia indica* DUMORT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reinwardtia trigyna* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reissantia arborea* (ROXB) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reissantia grahamii* (WIGHT) DING.HOU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reissantia indica* (WILLD.) HALLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Remirea maritima* AUBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Remusatia vivipara* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reseda odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhabdia lycioides* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhamnus dahuricus* PALL. REISE RUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhamnus nepalensis* WALL. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhamnus prostrata* JACQ. EX PAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhamnus purpurea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhamnus purshiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhamnus triquetra* (WALL.) BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhamnus virgatus* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhamnus wightii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhaphidophora decursiva* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhaphidophora laciniata* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhaphidophora pertusa* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhazya stricta* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum acuminatum* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum australe* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum emodi* WALL. EX MEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum moorcroftianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum nobile* HOOK.F. & THOMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum officinale* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum palmatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum undulatum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rheum webbianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhinacanthus calcaratus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhinacanthus communis* NEES and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhinacanthus nasuta* (L.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhinoglossum obliquum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhizophora apiculata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhizophora mangle* Roxb. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhizophora mucronata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhodamnia trinervia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhodiola heterodonta* (Hook. f. & Thoms.) Boriss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhodiola imbricata* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron anthopogon* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron arboreum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron barbatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron campanulatum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron chrysanthum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron cinnabarinum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron decipiens* LACAITA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron falconeri* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron javanicum* BENN. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron lepidotum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron ponticum* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron setosum* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhododendron thomsonii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhodomyrtus parviflora* ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhodomyrtus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhodomyrtus tomentosa* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus chinensis* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus coriaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus hookeri* SAHNI & BAHADUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus insignis* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus javanica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus punjabensis* J.L. STEW. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus succedanea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhus wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosarpha foetida* SCHRAD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchoglossum obliquum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchosia nummularia* (L.) DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchospermum verticillatum* REIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rhynchospermum verticillatum* REIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ribes alpestre* WALL. EX DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ribes emodense* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ribes grossularia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ribes himalense* ROYLE EX DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ribes nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ribes orientale* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ribes rubrum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Riedlea corchorifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rikliella squarrosa* (L.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rivea hypocrateriformis* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rivea ornata* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rocella montagnei* BEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Roripa islandica* (OEDER) BORBAS SCHINZ & THELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rorippa dubia* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rorippa indica* (L.) HIERN and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rorippa indieca* HIERN. APETALA HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rorippa islandica* (OED.) BORBASS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rorippa montana* SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rorippa nasturtium-aquaticum* (L.) HAYEK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa banksiae* AIT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa brunonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa chinensis* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa eglanteria* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa foetida* HERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa macrophylla* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa moschata* HERRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa multiflora* THUNB. EX J. MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa rubra* BLACKW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa sericea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosa webbiana* WALL. EX ROYLE. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Roscoea alpina* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Roscoea procera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Roscoea purpurea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rostellularia procumbens* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rosularia rosulata* (EDGEW.) OHBA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotala baccifera* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotala densiflora* (ROTH) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotala indica* (WILLD.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotala rotundifolia* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rothia indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rotula aquatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rourea mimosoides* PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rourea minor* (GAERTN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rourea santaloides* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Roylea cinerea* (DON) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Roylea elegans* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubia munjista* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubia sikkimensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubia tinctorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus biflorus* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus contennifer* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus ellipticus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus fruticosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus lasiocarpus* SMITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus lucens* FOCKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus moluccanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus niveus* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus paniculata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus rugosus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus saxatilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus strigosus* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rubus ulmifolius* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rudolphia frondosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruellia patula* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruellia prostrata* POIR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruellia secundra* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruellia strepens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruellia suffruticosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex dentatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex hastatus* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex hymenosepalus* TORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex maritimus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex nepalensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex orientalis* BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex paulsenianus* RECH. F. FEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex scutatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rumphia amboinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rungia parviflora* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rungia pectinata* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rungia repens* (L.) NEES and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Russelia equisetiformis* SCHL. & CHAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruta angustifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruta graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ruta tuberculata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rytidix granularis* (L.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sabia lanceolata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sabia robusta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharomyces cerevisiae* MEYEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum arundinaceum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum bengalense* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum ciliare* ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum fuscum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum munja* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum robustum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum sara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum sinense* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sacciolepis indica* CHASE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sacciolepis interrupta* (WILLD.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccolabium guttatum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccolabium papillosum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saccolabium praemorsum* HOOK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sageraea dalzelli* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sageraea laurifolia* (GRAHAM) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sagina saginoides* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sagittaria sagittifolia* L. *sagittifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saguerus rumphii* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salacia fruticosa* HEYNE EX LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salacia grandiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salacia macrophylla* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salacia macrosperma* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salacia oblonga* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salacia reticulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salicornia brachiata* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salicornia indica* DREGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salix acmophylla* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salix acutifolia* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salix alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salix caprea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salix daphnoides* VILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salix elegans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salix pychnostachya* ANDERSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salix tetrasperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salmalia insignis* (WALL.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salmalia malabarica* SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salomonina cantoniensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salsola baryosma* (R. & S.) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salsola foetida* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salsola kali* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvadora indica* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvadora oleoides* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvadora persica* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvadora persica* L. *wightiana* (PLANCH EX THW.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvadora wightiana* PLANCH. EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia bengalensis* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia cabulica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia coccinea* BUCHOZ EX ETLINGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia glutinosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia haematodes* W. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia hians* ROYLE EX BTH. NULL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia lanata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia macrosiphon* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia moorcroftiana* WALL. EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia mukerjeea* BENNET & RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia plebeia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia pumila* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia sclarea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvia spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Salvinia cucullata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalamdera indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalamdera lucida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Kalamnea Kalamn* (JACQ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sambucus ebulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sambucus hookeri* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sambucus javanica* REINW. EX BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sambucus wightiana* WALL. EX WGT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sandoricum indicum* CAV. DISS. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sandoricum koetjape* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sanguinaria canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sanicula europaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sansevieria cylindrica* BOJ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sansevieria ebracteata* (CAV.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sansevieria hyacinthoides* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sansevieria lanuginosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sansevieria roxburghiana* SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sansevieria trifasciata* HORT. EX PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sansevieria zeylanica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Santaloides minus* SCHELLENB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Santalum flonum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Santolina chamaecyparissus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sapindus emarginatus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sapindus laurifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sapindus mukorossi* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sapindus trifoliatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sapium indicum* WILLD. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sapium insigne* TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sapium sebiferum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saponaria vaccaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saprosma ternatum* (WALL. EX ROXB.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saraca asoca* (ROXB.) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saraca indica* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcandra glabra* (THUNB.) NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcocephalus cordatus* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcocephalus missionis* HAVILAND REV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcococca saligna* (D.DON) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcobolus globosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostemma acidium* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostemma acidum* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostemma brevistigma* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostemma brunonianum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostemma intermedium* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostemma secamone* (L.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostemma stocksii* HK. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sarcostigma kleinii* WIGHT & ARN. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sassafras albidum* (NUTT.) NESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sassafras officinale* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Satureja hortensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Satureja montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Satyrium nepalense* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saurauia armata* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saurauia macrotricha* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saurauia napaulensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saurauia nepalensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saurauia robusta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saurauia roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sauromatum guttatum* (WALL.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sauromatum pedatum* (WILLD.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sauromatum venosum* (AIT.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sauropus androgynus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sauropus quadrangularis* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea affinis* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea albescens* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea auriculata* (DC.) SCH. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea bracteata* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea candicans* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea ceratocarpa* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea costus* (FALC.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea gossypiphora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea gracilis* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea heteromalla* (DON) HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea hypoleuca* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea lappa* C.B.CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea obvallata* (DC.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea sacra* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea schultzei* H.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea simpsoniana* (FIELD & GARD.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saussurea taraxacifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saxifraga diversifolia* WALL. EX SER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saxifraga imbricata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saxifraga ligulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scabiosa speciosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scaevola frutescens* KRAUSE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scaevola koenigii* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scaevola sericea* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scaevola taccada* (GAERTN.) ROXB. N and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.ULL

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scaphium affine* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scaphium wallichii* SCHOTT & ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scapiflora* species (ROXB.) ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera elata* (BUCH.-HAM. EX D.DON) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera elliptica* (BL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera hypoleuca* (KURZ) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera shypoleucoids* HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera stellata* (GAERTN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera venulosa* (WIGHT & ARN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schefflera venulosum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schima wallichii* (DC.) KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schinus molle* HORT. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schisandra chinensis* (TURCZ.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schisandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schizachyrium exile* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schizaea dichotoma* (L.) SM. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schizandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schizophyllum commune* FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schleichera oleosa* (LOUR.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schleichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schlerichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schrebera swietenoides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schultzia benthami* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schumannianthus virgatus* (ROXB.) ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schweinfurthia papilionacea* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Schweinfurthia sphaerocarpa* A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scilla coromandeliana* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scilla hohenackeri* FISCHET MAY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scilla hyacinthina* (ROTH.) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scilla indica* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scindapsus aureus* (LINDEN EX ANDRE) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scindapsus officinalis* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scirpus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scirpus barbatus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scirpus corymbosus* HEYNE NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scirpus grossus* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scirpus inclinatus* (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scirpus kysoor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scirpus lacustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scirpus tuberosus* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria hebecarpa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria levis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria lithosperma* (L.) SW. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria pergracilis* (NEES) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria poaeformis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleria terrestris* (L.) FASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sclerocarya birrea* HOCHST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleropyrum pentandrum* (DENNST.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleropyrum wallichianum* (WIGHT & ARN.) A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scolopia aculeata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scolopia crenata* CLOS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scopolia anomala* (LINK & OTTO) AIRY-SHAW NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scopolia lurida* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scopolia stramonifolia* (WALL.) SHRESTHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scorzonera virgata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scrophularia koelzii* PENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scrophularia variegata* M.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scurrula philippensis* (CH. & SCH.) DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutellaria angulosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutellaria assamica* MUKHERJEE and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutellaria discolor* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutellaria galericulata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutellaria glandulosa* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutellaria heydei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutellaria indica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutia indica* BRONG.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scutia myrtina* (N.BURM.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scyphiphora hydrophyllacea* GAERTN.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sebastiania chamaelea* MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Secamone emetica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Secium edule* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Securinega leucopyrus* (WILLD.) MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Securinega suffruticosa* (PALL.) REHDER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Securinega virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sedum asiaticum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sedum crassipes* WALL. EX HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sedum ewersii* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sedum multicaule* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sedum quadrifidum* PALL. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sedum tibeticum* HOOK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sedum tillacoides* DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sedum trifidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sedum wallichianum* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selaginella bryopteris* (L.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selaginella chrysocaulos* (HOOK. & GREV.)SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selaginella ciliaris* (RETZ.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selaginella involvens* SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selaginella krausiana* A.BR.F. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selaginella monosperma* SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selaginella plumosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selaginella radicata* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selaginella repKalam* (DESV. EX POIR.) SPRENG NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selaginella rupestris* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selaginella willdenowii* (POIR.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selenicereus grandiflorus* (LINN.) BRITT. & ROSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selinum candollei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selinum filicifolium* EDGEW. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selinum striatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selinum tenuifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Selinum vaginatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Semecarpus anacardium* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Semecarpus heterophylla* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Semecarpus kurzii* ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Semecarpus travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sempervium sedoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senebiera didyma* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio aureus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio bhutanicus* BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio cappa* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio graciliflorus* . DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio hohenackeri* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio jacquemontianus* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio kraschennikovii* SCHICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio laetus* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio nudicaulis* HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio quinquelobus* HOOK. F. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio scandens* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio tenuifolius* BURM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senecio vulgaris* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Senna prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Serenoa repens* (BARTR.) SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesamum laciniatum* KLEIN EX. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesamum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesamum prostratum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania aculeata* PERS. *cannabina* (RETZ.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania aegyptiaca* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania bispinosa* (JACQ.) W.F. WIGHT *bispinosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania cannabina* RETZ. POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania grandiflora* (L.) POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania paludosa* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania sesban* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania sesban* (L.) MERR. *bicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania sesban* (L.) MERR. *picta* (CON.) SANTAPAU

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania sesban* (L.) MERR. *typica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania sesban* (L.) MERR. *sesban sesban* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesbania speciosa* TAUB. EX ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Seseli diffusum* (ROXB. EX. SM.) SAMT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Seseli indicum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Seseli sibiricum* BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sesuvium portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria glauca* BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria italica* (L.) BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria planifolia* STAPP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria plicata* (LAM.) COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria verticillata* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Setaria viridis* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Shorea robusta* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Shorea roxburghii* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Shorea tumbaggaia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida acuta* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida alba* L. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida carpinifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida cordata* (BURM.F.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida humilis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida lanceolata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida orientalis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida rhombifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida rhombifolia* L. *retusa* (L.) BORASSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida rhombifolia* L. *retusa* (L.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida rhombifolia* L. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida rhombifolia* L. *rhomboidea* (DC.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida rhomboidea* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sida veronicaefolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sideroxylon spinosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sideroxylon tomentosum* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Siegesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Siegesbeckia orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Silene apetala* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Silene inflata* SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Silene laxantha* MAJUMDAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Silene moorcroftiana* WALL. EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Silene vulgaris* (MOENCH) GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Silybum marianum* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Simmondsia chinensis* (LINK) C.K. SCHNEID. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sinapis alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sinapis chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sinapis juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sinapis ramosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sison ammi* HERB. MADR. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sisymbrium altissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sisymbrium irio* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sisymbrium loeselii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sisymbrium orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sisymbrium sophia* L. NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sium latijugam* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Skimmia anquetilia* N.P.TAYLOR & AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Skimmia arborescens* T.ANDERS EX. GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Skimmia laureola* (DC.) ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax china* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax glaucophylla* KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax lanceifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax macrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax ocreata* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax ovalifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax parvifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax perfoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax prolifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax pseudo-china* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax wightii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithia conferta* J.E. SMITH and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithia geminiflora* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Smithia sensitiva* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum aculeatissimum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum albicaule* KOTSCHY EX DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum americanum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum anguivi* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum aviculare* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum capsicoides* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum ciliatum* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum denticulatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum dulcamara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum erianthum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum giganteum* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum gracilipes* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum hirsutum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum incanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum insanum* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum jacquini* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum khasianum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum kurzii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum laciniatum* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum lasiocarpum* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum lycopersicum* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum mauritianum* SCORP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum melongena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum melongena* L. *incanum* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum myriacanthum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum pseudocapsicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum pubescens* HEYNE. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum sarmentosum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum seaforthianum* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum sisymbriifolium* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum spirale* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum surattense* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum torvum* SWARTZ and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum verbascifolium* AUCTION NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum viarum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum villosum* SCHUR. *puniceum* (KRISCHLEGER) EDMONDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum violaceum* ORTEGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solanum xanthocarpum* SCHRAD & WENDL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solena amplexicaulis* (LAM.) GANDHI and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Solena heterophylla* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonchus arvensis* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonchus asper* (L.) HILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonchus brachytus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonchus maritimus* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonchus wightianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila maculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila rheedei* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonerila tenera* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonneratia acida* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonneratia apetala* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonneratia caseolaris* (L.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sonneratia griffithii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sophora glauca* LESCH. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sophora griffithii* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sophora mollis* (GRAH. EX ROYLE) BAK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sophora tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sophora wightii* BAKER NULL and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sopubia delphinifolia* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorbaria tomentosa* (LINDL.) REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorbus aucuparia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorbus tianshanica* RUPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum bicolor* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum halepense* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum saccharatum* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sorghum vulgare* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Soymida febrifuga* (ROXB.) A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sparganium stoloniferum* BUCH.- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spathodea campanulata* P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spathoglottis plicata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spatholobus parviflorus* (ROXB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spatholobus roxburghii* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spergula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spergularia rubra* (L.) J.PRESL & C.PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spermacece articularis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spermacece hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spermatidctyon suaveolens* ROXB. and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphaeranthus amaranthoides* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphaeranthus hirtus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphaeranthus microcephalus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphaeranthus senegalensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphaerostephanos subtractus* (BERG.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphaerostephanos unitus* (L.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphenoclea zeylanica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphenodesme involucrata* (PRESL.) paniculata (CL.) MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphenodesme pentandra* JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphenomeris chinensis* (L.) MAXON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphenomeris chusana* COPELAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sphyrnthera lutescens* (KURZ) PAX & HOFFER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spilanthes acmella* MURR. olerace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spilanthes calva* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spilanthes oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spilanthes paniculata* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spinifex littoreus* (N.BURM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spiraea aruncus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spiraea bella* SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spiraea canescens* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spiraea lindleyana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spondias acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spondias mangifera* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spondias mombin* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spondias pinnata* (L.F.) KURZ. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachyphrynium spicatum* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachys floccosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachys officinalis* (L.) TREV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachys palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachys parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachys sylvatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachys tuberosa* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachytarpheta indica* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachytarpheta jamaicensis* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachytarpheta mutabilis* (JACQ.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stachytarpheta urticaefolia* (SALISB.) SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Statice aegyptica* DELILE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stauranthera grandifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stauranthera umbrosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stellaria alsine* GRIMM. *undulata* (THUNB.) OHWI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stellaria aquatica* SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stellaria media* WIGHT EX EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stellera chamaejasme* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stemodia viscosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stemona tuberosa* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stenochlaena palustris* (N.BURM.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stenolobium stans* SEE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stenoloma chinensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stenotaphrum dimidiatum* (L.) BRONGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stephania glabra* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stephania glandulifera* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stephania hernandifolia* (WILLD.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stephania japonica* (THUNB.) MIERS discolour



(BLUME.) FORMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stephania japonica* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stephania japonica* (THUNB.) MIERS. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stephania rotunda* LOUR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stephania wightii* (A.) DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stephegyne parvifolia* KORTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia alata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia balanphas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia guttata* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia rubiginosa* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia scaphigera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia urens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sterculia villosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stereospermum chelonoides* (L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stereospermum colais* (DILLWYN) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stereospermum neuranthrum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stereospermum personatum* (HASSK.) CHATTERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stereospermum suaveolens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stereospermum tetragonum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stereospermum xylocarpum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Steudnera virosa* (KUNTH) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stichoneuron caudatum* RIDLEY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stictocardia campanulata* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stipa capensis* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stipa capillata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stipa sibirica* (L.) LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stipa tortilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stranvaesia glaucescens* LINDL. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Streblus asper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Streblus taxoides* (HEYNE EX ROTH) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Striga asiatica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Striga gesnerioides* (WILLD.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Striga lutea* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Striga orobanchoides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthesacrocephalus* T. AND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes auriculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes callosus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes ciliatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes consanguineus* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes dalhousianus* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes flaccidifolius* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes heyneanus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes kunthiana* T. ANDERS. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes lupulinus* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes nobilis* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes wallichii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strobilanthes wightianus* NEES and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stroemia tetrandra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strophanthus dichotomus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strophanthus wallichii* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strophanthus wightianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos aenea* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos axillaris* COLEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos cinnamomifolia* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos colubrina* AUCTION. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos gaultheriana* PIER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos ignatia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos ignatii* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos maingayi* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos minor* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos nux-bi* Kalam A.W.Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos rheedei* CL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Strychnos wallichiana* STEUD. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stylocoryne lucens* GAMBLE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stylophorum lactucoides* (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stylosanthes fruticosa* (RETZ.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Styrax benzoin* DRYAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Styrax hookeri* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Styrax officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Styrax serrulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Styrax tonkinensis* CRAIB EX. HARTWICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Suaeda fruticosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Suaeda monoica* FORSK. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Suregada angustifolia* (BAILL. EX MUELL. - ARG.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Suregada multiflora* (JUSS.) BAILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia affinis* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia alata* ROYLE EX. D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia angustifolia* BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia angustifolia* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia chirata* (ROXB. EX. FLEM.) KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia chirayita* ROXB. EX (FLEMING) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia ciliata* (G.DON) BURTT. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia cordata* Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia corymbosa* (GRISEB.) WT. EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia decussata* NIMNO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia densiflora* (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia densifolia* (GRISEB.) KASHYAPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia lawii* BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia minor* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia perennis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia petiolata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia pulchella* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia purpurascens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swertia thomsonii* CI. EX HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swietenia febrifuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swietenia macrophylla* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Swietenia mahagoni* (L.) JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symphorema involucratum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symphorema polyandrum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symphytum officinale* L. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos beddomei* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos caudata* WALL. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos chinensis* (LOUR.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos cochinchinensis* S. MOORE laurina laurina (RETZ.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos cochinchinensis* S. MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos crataegoides* BUCH.-HAM. EX. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos laurina* WALL. EX. REHD. & E. H. WILS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos monantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos paniculata* (THUNB.) MIQ. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos spicata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos sumuntia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Symplocos theaefolia* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Synadenium grantii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Synantherias sylvatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Synapis dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Synedrella nodiflora* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Synnema uliginosum* (L.F.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syringa emodi* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syringa persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium alternifolium* (WT.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium aromaticum* (L.) MERRILL & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium caryophyllaeum* AUCT.NON GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium caryophyllatum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium cerasoides* (ROXB.) CHATT. & KANJI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium cerasoideum* (ROXB.) RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium cumini* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium hemisphericum* (WIGHT) ALSTON and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium heyneanum* WALL. EX DUTHIE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium jambolana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium jambolanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium jambos* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium malaccense* (L.) MERR. & MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium neyneanum* (DUTHIE) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium operculatum* (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium operculatum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium Kalamrangense* (BL.) MERR. & PERRY and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium travancoricum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Syzygium zeylanicum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabernaemontana alternifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabernaemontana coronaria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabernaemontana crispa* ROBT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabernaemontana dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabernaemontana divaricata* (L.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabernaemontana heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabernaemontana sphaerocarpa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tabernaemontana wallichiana* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tacca aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tacca integrifolia* KER-GAWL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tacca leontopetaloides* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tacca pinnatifida* J.R. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tagetes minuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamarix aphylla* (L.) KARST. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamarix aritculata* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamarix dioica* ROXB. EX. ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamarix ericoides* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamarix gallica* AUCT. NON.L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamarix indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamarix troupii* HOLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tanacetum dolichophyllum* KITAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tanacetum fruticosum* LEDEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tanacetum gracile* HOOK. F. & TH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tanacetum longifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tanacetum parthenium* (L.) SCHULTZ BIP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tanacetum tenuifolium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tanacetum tibeticum* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tanacetum tomentosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tanacetum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taraktogenos kurzii* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taraktogenos macrocarpa* (BEDD.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taraxacum officinale* WIGGERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taraxacum officinale* WIGG. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tarenna asiatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taverniera cuneifolia* (ROTH) ARN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taverniera nummularia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taxillus tomentosus* (ROXB.) VAN TIEGHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taxillus umbellifer* (SCHULTES) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taxus baccata* L. *wallichiana* Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Taxus wallichiana* ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tecoma capensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tecoma grandiflora* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tecoma radicans* JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tecoma stans* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tecoma undulata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tecomella undulata* (SM.)SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tectaria coadunata* (WALL.) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tectaria macrodonta* (FEE) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tectaria polymorpha* (WALL. & HOOK.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tectona grandis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Telosma minor* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Telosma pallida* (ROXB.) CRAIB. NULL and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia hamiltonii* J.R.DRUMM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia hirta* (BUCH.-HAM.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia petrosa* BLATTER & HALBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia procumbens* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia purpurea* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia purpurea* PERS. pumila and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia senticosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia spinosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia tinctoria* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia uniflora* PERS. *petrosa* (BLATT. & HALLB.) GILLET & ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia uniflora* PERS. *petrosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tephrosia villosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teramnus labialis* (L.F.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teramnus mollis* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia alata* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia arjuna* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia bellerica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia bellerica* ROXB. *laurinoides* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia bellirica* (GAERTN.) ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia bialata* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia chebula* RETZ. *typica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia chebula* RETZ. & WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia citrina* FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia coriacea* (ROXB.) WIGHT & ARN. and 15



wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia crenulata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia manii* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia myriocarpa* HEURCK & MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia oSkinii* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia pallida* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia paniculata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia pyrifolia* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia reticulata* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia tomentosa* (ROXB.) WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Terminalia travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Termitomyces microcarpus* (BERK. & BR.) HEIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ternstroemia gymnanthera* (WT. & ARN.) BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ternstroemia japonica* AUCT. (NON THUNB) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetracera akara* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetracera indica* (HOUTT. EX CHRISTM. & PAUZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetracera laevis* AUCT. (NON VAHL) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetracera scandens* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetrameles nudiflora* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetranthera roxburghii* NEES. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetrastigma lanceolarium* (ROXB.) PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetrastigma leucostaphylum* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetrastigma serrulata* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teucrium chamaedrys* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teucrium polium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teucrium scordium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Teucrium stocksianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum alpinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum cultratum* WALL. NULL and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum dalzellii* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum javanicum* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum minus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum pauciflorum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum pedunculatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum reniforme* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thamnia vermicularis* (SWARTZ) ACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thea assamica* J.W.MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thecagonium biflorum* (L.) BABU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thelypteris gracilescens* (BI.) CHING. glandulysis KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Themeda arguens* (L.) HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Themeda arundinacea* (ROXB.) RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Themeda gigantea* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Themeda triandra* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Theobroma cacao* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Theriophonum infaustum* N.E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Theriophonum minutum* BAILL. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thespesia lampas* (CAV.) DALZ. EX DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thespesia populnea* (L.) SOL.EX. CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Theum tibeticum* MAXIM. EX HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thevetia neriifolia* JUSS. EX. STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thevetia peruviana* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thlaspi kotschyanum* BOISS. & HOHEN BROIGAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thlaspi tetragona* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thomsonia nepalensis* WALL. NULL and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thonningia axillaris* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thottea siliquosa* (LAM.) DING HOU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thuja orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia alata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia erecta* (BENTH.) T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia fragrans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia hawtayneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thunbergia laurifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thymus linearis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thymus serpyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thysanolaena acarifera* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thysanolaena agrostis* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thysanolaena maxima* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thysanolaena procera* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tiaridium indicum* LEHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tiliacora acuminata* MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tiliacora racemosa* COLEBR and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tinospora cordifolia* (WILLD.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tinospora crispa* (L.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tinospora malabarica* (LAM.) HOOK F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tinospora sinensis* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tinospora tomentosa* (COLEBR.) HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tithonia diversifolia* (HEMSLEY) A. GRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tithonia tagetiflora* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Toddalia aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Toddalia asiatica* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Toddalia bilocularis* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tonningia axillaris* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Toona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia bicolor* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia parviflora* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia polygonoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia thouarsii* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Torenia vagans* ROXB. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tournefortia candollii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tournefortia montana* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tovara virginiana* (LINN.) RAFIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Toxocarpus villosus* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trachelospermum fragrans* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trachelospermum lucidum* (DON) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trachycarpus martianus* H.WANDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trachydium lehmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trachyspermum ammi* (L.) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trachyspermum khasianum* (CI.) WOLFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trachyspermum roxburghianum* (DC.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tradescantia axillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragia bicolor* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragia cannabina* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragia cordata* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragia cordifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragia involucrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragia muelleriana* PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragia plukenetii* A.RADCLIFFE-SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragopogon gracilis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragopogon porrifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tragopogon pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trapa bicornis* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trapa bispinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trapa natans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trapa natans* L. *bispinosa* (ROXB.) NAKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trema cannabina* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trema orientalis* BL. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trevesia palmata* (ROXB.) VIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trewia polycarpa* BTH. & HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trianthema decandra* L. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trianthema govinda* BUCH.-HAM. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trianthema govindia* BUCH.-HAM EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trianthema monogyna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trianthema pentandra* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trianthema triquetra* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tribulus alatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tribulus terrestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tricalysia singularis* (KORTH.) K. SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tricalysia sphaerocarpa* (HOOK.F.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichilia connaroides* (WT. & ARN.) BENTVELZEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichilia spinosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichodesma africanum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichodesma indicum* R.BR. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichodesma zeylanicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tricholepis angustifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tricholepis glaberrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tricholepis montana* DLAZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tricholepis procumbens* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichomanes javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichopus zeylanicus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichopus zeylanicus* GAERTN. *travancoricus* (BED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes anaimalaiensis* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes anguina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes bracteata* (LAM.) VOIGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes cordata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes incisa* ROTTL. EX ROSENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes laciniosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes lobata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes palmata* ROXB. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes tricuspidata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trichosanthes wallichiana* (SERINGE) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium fragiferum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium indicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium officinalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triglochin maritima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triglochin palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trigonella corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trigonella emodi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trigonella hamosa* (L.) WILLD. *uncata* (BOISS. & BOE) TOWNSEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trigonella incisa* BENTHA. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trigonella occulta* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trigonella polycerata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trigonella uncata* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trigonostemon longifolius* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trillium govanianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trimufetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triphasia trifolia* (BURM. F.) P. WILS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tripleurospermum maritimum* (LINN.) W.D.J. KOCH inodorum (LINN.) HYL. EX VAAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triticum amyleum* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triticum durum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triticum pilosum* (DALZ. & GIBS) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triticum sativum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triticum spelta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triticum vulgare* WILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triumfetta bartramia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triumfetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triumfetta rotundifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triumfetta semitriloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Triumfetta tomentosa* NORONHA and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tropaeolum minus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Trophis aspera* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tropidia curculigoides* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tuber cibarium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tulipa stellata* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Turbina corymbosa* (L.) RAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Turnera angustifolia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Turnera diffusa* WILLD. *APHRODISIACA* (L.F. WARD)URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Turnera ulmifolia* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Turpinia nepalensis* WALL. EX WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Turpinia pomifera* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Turraea villosa* BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tussilago farfara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora asthmatica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora dalzellii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora fasciculata* BUCH.-HAM. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora hirsuta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora indica* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora tenuis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora tenuissima* (ROXB.) WGT. & ARN. EX WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tylophora tetrapetala* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Typha angustata* BORY & CHAUB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Typha australis* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Typha elephantina* GRAH, NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Typha laxmannii* LEPECH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Typhonium divaricatum* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Typhonium flagelliforme* (LODD.) BL. and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Typhonium roxburghii* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Typhonium trilobatum* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ulmus campestris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ulmus wallichiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uncaria cordata* (LOUR.) MERR. *ferruginea* (BL.) RIDSD. *FORMA* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uncaria gambier* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uncaria sessilifructus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Unona narum* DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uraria alopecuroides* WT. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uraria crinita* DESV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uraria hamosa* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uraria lagopodioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uraria picta* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uraria prunellaefolia* GREH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uraria rufescens* (DC.) SCHINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urena lobata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urena repKalam* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urena simiata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urena sinuata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urginea coromandeliana* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urginea indica* (ROXB) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urginea maritima* (L.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urginea nagarjunae* Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urtica ardens* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urtica dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urtica hyperborea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urtica parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Urtica pilulifera* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Usnea sikkimensis* BISWAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Usnea flexilis* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Usnea florida* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Usnea hirta* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Usnea longissima* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Usnea rubicunda* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Usnea sikkimensis* BISPAS. SP. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Usnea venosa* MOT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uteleria salicifolia* BEDD. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia salicifolia* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia bifida* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia gibbosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia reticulata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Utricularia stellaris* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uvaria dulcis* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uvaria ebracteolata* PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uvaria hookeri* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uvaria micrantha* (A.DC.)Hook.f.Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uvaria narum* (DUNAL) WALL EX WIGHT and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vaccaria pyramidata* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vaccinium leschenaultii* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vaccinium macrocarpon* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Valeriana brunoniana* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Valeriana dubia* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Valeriana hardwickii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Valeriana jatamansi* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Valeriana officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Valeriana pyrolaefolia* DENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Valeriana wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vallisneria heynei* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vallisneria pergulanus* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vallisneria solanacea* (ROTH.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *VKalam coerulea* GRIFF. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *VKalam parviflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *VKalam roxburghii* R.BR. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *VKalam spathulata* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *VKalam teres* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *VKalam tessellata* (ROXB.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *VKalam testacea* (LINDL.) REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vandellia erecta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vandellia pedunculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vandellia pyxidaria* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vangueria pubescens* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vangueria spinosa* SENSU HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vanilla planifolia* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vanilla wightiana* LINDL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vateria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vateria macrocarpa* B.L. GUPTA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vateria malabarica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vatica lancaefolia* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ventilago calycina* TUL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ventilago calyculata* TULASNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ventilago denticulata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ventilago madraspatana* GAERTN. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vepris bilocularis* (WIGHT & ARN.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veratrum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veratrum viride* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbascum chinense* (L.) SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbascum coromandelianum* (VAHL) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbascum thapsus* PLENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbena nodiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verbesina calendulacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Verchellia farnesiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia albicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia anthelmintica* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia arborea* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia aspera* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia cinerea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia patula* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia pyramidale* (D.DON) MITRA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia revoluta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia roxburghii* LESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia squarrosa* (D.DON) LESS. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vernonia teres* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veronica agrestis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veronica anagallis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veronica arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veronica beccabunga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veronica biloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veronica hederifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Veronica serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vetiveria zizanioides* (L.) NASH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum acuminatum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum colebrookianum* WALL. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum coriaceum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum corylifolium* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum cotinifolium* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum cylindricum* BUCH.-HAM.EX D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum foetidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum hebanthum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum nervosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum obovatum* WALT. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viburnum punctatum* BUCH.- HAM, EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vicatia wolffiana* (WOLFF EX FEDDE) NORMAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vicia faba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vicia hirsuta* KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vicia sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vicoa auriculata* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vicoa indica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna aconitifolia* (JACQ.) MARECHAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna adenantha* (MEYER) MARECHAI and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna angularis* (WILLD.) OHWI. & OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna catjang* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna cylindrica* SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna dalzelliana* (O.KTZE ) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna grahamiana* (WT. & ARN.) VERD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna mungo* (L.) HEPPEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna pilosa* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna radiata* (L.) R. WILCZEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna radiata* (L.) WILEZ sublobata (ROXB.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna trilobata* (L.) VERDCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna umbellata* (THUNB.) OHWL & OHOSHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna unguiculata* (L.) WALP. *cylindrica* (L.) ESELT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna unguicula* (L.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vigna vexillata* (L.) A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vinca major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vinca minor* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vinca parviflora* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vinca pusilla* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vinca rosea* L. NULL and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vincetoxicum album* (MILL.) ASCHERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vincetoxicum hirundinaria* MEDIC glaucum (WALL. EX WT.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola biflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola caespitosa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola cinerea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola diffusa* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola patrinii* GING. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola pilosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola serpens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola sylvestris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum articulatum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum monoicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum nepalense* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viscum orientale* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex agnus-castus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex altissima* L.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex glabrata* F. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex leucoxydon* SCHAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex negundo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex negundo* L. *incisa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex negundo* L. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex negundo* L. *purpurascens* SIVARAJAN & MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex paniculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex peduncularis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex pubescens* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex quinata* (LOUR.) F.N. WILLIAMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitex trifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis adnata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis araneosus* DALZ. & GIBS. EX M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis carnosa* (ROXB.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis hastata* MIQ. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis heyneana* ROEM. & SCULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis indica* W. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis lanata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis objecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis pallida* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis parvifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis pedata* VAHL EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis planicaulis* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis polystachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis quadrangularis* WALT EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis repens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis rugosa* HOOK.F. & THOMS. EX M. LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis setosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis tomentosa* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vitis vitifolia* HAINES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vittaria elongata* SW. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vittaria zosterifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viverra zibetha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Volkameria inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Volutarella divaricata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wagatea spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wahlenbergia marginata* (THUNB.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Waldheimia glabra* (DECNE) REGEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Waldheimia stoliczki* (CI.) OSTENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Waldheimia tomentosa* (DECNE) REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wallichia disticha* T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Walsura piscidia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Walsura trifoliata* (A.JUSS) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wattakaka volubilis* (L.F.) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Webera corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Webera tetrandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wedelia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wedelia calendulacea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wedelia chinensis* MERR. and 15 wasteland weeds based



Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wedelia wallichii* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wendlandia exerta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wendlandia heynei* (R. & S.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wendlandia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wendlandia pendula* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wendlandia tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wikstroemia canescens* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wikstroemia indica* (L.) C. A. MEY. *viridiflora* (MEISSN.) HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wikstroemia ridleyi* GAMBLE and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wikstroemia viridiflora* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Willughbeia edulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Withania coagulans* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Withania somnifera* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wolffia globosa* (ROXB.) HARTOG & PLAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wollastonia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Woodfordia floribunda* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Woodfordia fruticosa* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wrightia antidysenterica* GRAH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wrightia arborea* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wrightia coccinea* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wrightia tinctoria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wrightia tomentosa* R.& S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Wrightia zeylanica* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xanthium indicum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xanthium strumarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xanthophyllum arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xanthophyllum flavescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xanthoxylum fraxineum* WILLD. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xantolis tomentosa* (ROXB.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xeromphis spinosa* (THUNB.) KEAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xeromphis uliginosa* (RETZ.) MAHESH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ximenia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xylaria polymorpha* PERS. EX MERAT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xylia dolabriformis* BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xylia xylocarpa* (ROXB.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xylocarpus granatum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xylopia parvifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xylosma longifolium* CLOS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xyris anceps* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xyris auceps* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xyris complanata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xyris indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xyris pauciflora* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Yucca aloifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Yucca filamentosa* WOOD and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zaleya decandra* (L.) BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zaleya govindia* (DON) NAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zaleya pentandra* (L.) JEFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zalia decandra* (L.) BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zannichellia indica* ROTTL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zantedeschia aethiopica* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum acanthopodium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum alatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum budrunga* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum hamiltonianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum hostile* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum limonella* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum nitidum* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum ovalifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum oxphyllum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum rhetsa* (ROXB.) DC. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zanthoxylum triphyllum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zataria multiflora* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zehneria hookeriana* ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zehneria indica* (LOUR.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zehneria maysorensis* (WT. & ARN.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zehneria scabra* (L.F.) SOND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zehneria thwaitesii* (SCHWEIN.) JEFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zehneria umbellata* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zephyranthes ajax* SPRENGER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zephyranthes grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zephyranthes rosea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zeuxine longilabris* (LINDL.) BENTH. EX HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zeuxine strateumatica* (L.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zeuxine sulcata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber capitatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber cassumunar* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber cernuum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber chrysanthum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber mioga* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber montanum* (KOEN.) LINK EX A. DIETRICH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber officinale* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber purpureum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber roseum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber rubens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber squarrosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zingiber zerumbet* ROSC. EX SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zinnia elegans* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zizania caduciflora* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zizania latifolia* TURCZ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphora clinopodioides* M.BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphora tenuior* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus glabarata* HEYNE, EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus glabrata* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus jujuba* LAM. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus mauritiana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus napeca* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus nummularia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus oenoplia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus oxyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus sativa* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus sororia* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus trinervia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus trinervius* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anemone hupehensis* Lemoine ex Boynton var. japonica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anemone rivularis* Buch.- Ham.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis gouriana* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis munroiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis smilacifolia* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis theobromina* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Clematis wightiana* Wall. ex Wight & Arn. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Consolida ambigua* (L.) P. W. Ball and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Naravelia zeylanica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus reniformis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ranunculus wallichianus* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum javanicum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thalictrum saniculaeforme* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Chimonanthus praecox*(L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Acrotrema arnottianum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dillenia bracteata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dillenia pentagyna* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dillenia retusa* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dillenia suffruticosa* (Griffith) Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tetracera akara* (Burm. f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Magnolia campbellii* Hook. f. & Thoms. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Magnolia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Magnolia liliflora* Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Magnolia x alba* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Michelia nilagirica* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alphonsea lutea* (Roxb.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alphonsea sclerocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Alphonsea zeylanica* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Annona cherimola* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artabotrys hexapetalus* (L. f.) BhKalamri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Artabotrys zeylanicus* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cananga odorata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyathocalyx zeylanicus* Champ. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmos lawii* (Hook. f. & Thoms.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Desmos viridiflorus* (Bedd.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goniothalamus cardiopetalus* (Dalz.) Hook. f. & Thoms.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goniothalamus rhynchantherus* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goniothalamus salicina* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goniothalamus thwaitesii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goniothalamus wightii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Goniothalamus wynadensis* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meiogyne pannosa* (Dalz.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Meiogyne ramarowii* (Dunn) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Miliusa eriocarpa* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Miliusa montana* Gard. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Miliusa nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Miliusa tomentosa* (Roxb.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Miliusa wightiana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mitrephora heyneana* (Hook. f. & Thoms.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orophea erythrocarpa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orophea thomsonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Orophea uniflora* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia cerasoides* (Roxb.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia coffeoides* (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia fragrans* (Diaz.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia korintii* (Dunal) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia longifolia* (Sonner.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia rufescens* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia suberosa* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polyalthia tirunelveli*ensis M. B. Viswan. & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Popowia beddomeana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sageraea dalzellii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uvaria macropoda* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uvaria narum* (Dunnal) Wall. ex Wight & Arn. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xylopia parvifolia* (Wight) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Anamirta cocculus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cissampelos pareira* L. var. *hirsuta* (Buch.-Ham. ex DC.) Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocculus hirsutus* (L.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cocculus pendulus* (Forst.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coscinium fenestratum* (Gaertn.) Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyclea arnottii* Miers and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cyclea peltata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Diploclisia glaucescens* (Blume) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pachygone ovata* (Poir.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stephania japonica* (Thunb.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stephania wightii* (Arn.) Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tiliacora acuminata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tinospora sinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis lycium* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis nilghiriensis* Ahrendt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis tinctoria* Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Berberis wightiana* Schneid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mahonia leschenaultii* (Wall. ex Wight & Arn.) Takeda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nelumbo nucifera* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea nouchali* Burm. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Nymphaea rubra* Roxb. ex Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Eschscholzia californica* Cham. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Mecanopsis wallichii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papaver caucasicum* Bait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papaver fugax* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Romneya coulteri* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Corydalis lutea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dicentra scandens* (D. Don.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fumaria indica* (Hassk.) Pugsley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barbarea intermedia* Boreau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barbarea verna* (Miller) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Barbarea vulgaris* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica juncea* (L.) Czern. & Coss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica nigra* (L.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica oleracea* L. var. *botrytis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica oleracea* L. var. *capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica oleracea* L. var. *gemmifera* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica oleracea* L. var. *gongylodes* L. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Brassica rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capsella bursa-pastoris* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardamine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardamine hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cardamine trichocarpa* Hochst. ex A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Coronopus didymus* (L.) Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iberis amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Iberis umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium ruderales* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lepidium virginicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lobularia maritima* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Matthiola incana* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rorippa indica* (L.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Rorippa nasturtium - aquaticum* (L.) Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sisymbrium volgense* Ledeb. ex Shmal. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Thlaspi arvense* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cadaba fruticosa* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cadaba trifoliata* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis brevispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis decidua* (Forsk.) Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis divaricata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis diversifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis fusifera* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis grandiflora* Wall ex. Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis moonii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis nilgiriensis* Subbha Rao Kumari & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis rotundifolia* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis shevaroyensis* Sundararaghavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Capparis zeylanica* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome angustifolia* Forsk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome aspera* Koen ex. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome burmannii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome chelidonii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome felina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome hassleriana* Chod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome rutidosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome speciosa* Raf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.



Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crateva adansonii* DC. subsp. *odora* (Buch. - Ham.) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Crateva magna* (Lour.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gynandropsis gynandra* (L.) Briq and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maerua apetala* (Roth) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Maerua oblongifolia* (Forsk.) A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Steripthoma clemoides* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reseda alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Reseda luteola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hybanthus enneaspermus* (L.) F. v. Muell. and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hybanthus travancoricus* (Bedd.) Melch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola arcuata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola betonicifolia* J. E. Smith subsp. *betonicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola canescens* Wall. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola hamiltoniana* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Viola pilosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cochlospermum religiosum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Aphloia theiformis* (Vahl) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia championii* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia graveolens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia ovata* (Lam.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia rubescens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia thwaitesii* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Casearia wynadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flacourtia indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flacourtia jangomas* (Lour.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Flacourtia montana* Graham and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Homalium jainii* A. N. Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Homalium travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Homalium ceylanicum* (Gard.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus alpina* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus macrocarpa* (Bedd.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hydnocarpus pentandra* (Buch. - Ham.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Oncoba spinosa* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scolopia crenata* (Wight & Arn.) Clos var. *crenata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scolopia crenata* (Wright & Arn.) Clos var. *brevifolia* Mukherjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.  
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xylosma latifolium* Hoof. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xylosma longifolia* Clos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Hymenoporus flavum* (Hook.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum anamallayense* Nayar & Giri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum bicolor* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum ceylanicum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum crassifolium* Soland.ex Putterl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum dasycaulon* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum eugenioides* A. Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum napaulense* (DC.) Rehder & Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum neelgherrense* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum tetraspermum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum tobira* (Thunb.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum umbellatum* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum undulatum* Vent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Pittosporum viridulum* Nayar, Giri & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sollya heterophylla* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Muraltia juniperifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala arillata* Buch.-Ham. ex D. Don and 15 wasteland



weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala arvensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala bolbothrix* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala elongata* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala erioptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala jacobii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala javana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala longifolia* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala myrtifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala persicariifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala rosmarinifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala telephioides* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala virgata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polygala wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Securidaca bracteata* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xanthophyllum flavescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Xanthophyllum manickamii* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Arenaria neelgerrensis* Wight & Arn. and 15 wasteland

weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cerastium glomeratum* Thuill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Cerastium indicum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Dianthus caryophyllus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drymaria cordata* (L.) Willd. ex Roem. & Schultes subsp. *diandra* (Blume) Duke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Drymaria villosa* Cham. & Schlect. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Gypsophila elegans* M. Bieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Lychnis coronaria* (L.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polycarpha aurea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polycarpha corymbosa* (L.) Lam. var. *corymbosa* and 15

wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polycarpaea corymbosa* (L.) Lam. var. *longipetala* Sriniv. & D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polycarpaea diffusa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polycarpaea spicata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polycarpon prostratum* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Polycarpon tetraphyllum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Sagina saginoides* (L.) Karsten, Deutsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Saponaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Scleranthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Silene armeria* L. and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Silene coeli - rosa* (L.) Godron and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Silene gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Spergula arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stellaria media* (L.) Vill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stellaria monosperma* Buch. - Ham. ex D. Don var. *paniculata* (Edgew) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Stellaria vestita* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Vaccaria pyramidata* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca oleracea* L. var. *oleracea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca oleracea* L. var. *linearifolia* Sivarajan & Manilal

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca pilosa* L. subsp. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca pilosa* L. subsp. *pilosa* var. *tuberosa* (Roxb.) Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca pilosa* subsp. *grandiflora* (Hook.f.) Geesink and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulaca wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Portulacaria afra* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Talinum portulacifolium* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Talinum triangulare* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamarix aphylla* (L.) Karsten and 15 wasteland weeds



based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamarix ericoides* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Tamarix indica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bergia ammannioides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatine ambigua* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Elatine triandra* Schkuhr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calophyllum apetalum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Calophyllum austroindicum* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus vulgaris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Ziziphus xylopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zornia diphylla* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zornia gibbosa* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zosima absinthifolia* (VENT.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Premature ejaculation (PE) formulations: Impact of *Habenaria furcifera* Lindl., *Zosima orientalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

**(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)**

For queries write at [pankajoudhia@gmail.com](mailto:pankajoudhia@gmail.com)